Volume 7, Number 3

An IDG Communications Publication

January 15, 1990

Kodak turns nets over to IBM and DEC

By Bob Brown Senior Editor

ROCHESTER, N.Y. — Eastman Kodak Co. last week said it will hand over management of its worldwide SNA networks to IBM and enlist Digital Equipment Corp. to take control of its widearea voice net and other non-IBM data networks.

The deals follow on the heels of a contract Kodak awarded IBM last summer. Analysts labeled it a watershed event because of Ko-

See related story Page 4

dak's reputation as a leadingedge user.

"It will forever change the way computing systems are bought and the way computing departments are managed," said Howard Anderson, managing director of The Yankee Group, a Boston-based market research firm. "Every major company in America will be evaluating outsourcing during the next six months."

Kodak said it expects the contracts to enable the company to focus its energies on what it knows best. "We came to realize that we shouldn't be running a network because it's not part of our core business strategy," said Henry Pfendt, Kodak's director of information technology services.

(continued on page 61)



The Space Station Freedom in orbit above the Earth.

FDDI at the final frontier; IBM networks space station

Advanced IBM LAN products pass NASA tests, paving way for commercial introduction this fall.

By Laura DiDio Senior Editor

HOUSTON — The National Aeronautics and Space Administration will install an IBM 100M bit/sec FDDI LAN on the Space Station Freedom to link systems used to control and manage the station.

The space station, which will be America's first permanent outpost in space, won't be launched and fully operational until 1995. But IBM has already successfully tested and begun supplying NASA with crucial Fiber Distributed Data Interface components for the mission, according to Gene Ryland. Ryland is an analyst at

Lockheed Engineering and Sciences Co., which is working with NASA on the FDDI tests.

IBM's early successes with its FDDI components for the space station bode well for commercial users. Sources within IBM, who asked not to be identified, said that, başed on successful FDDI tests at both NASA and the Centre for European Nuclear Research in Geneva, IBM plans to introduce general-purpose FDDI products in late fall.

John Baltz, IBM's manager of future local-area network programs in the Communications Line of Business group in Re-

(continued on page 61)

HP rolls out RISC servers, net software

Client/server architecture will enable users to distribute processing between minis and PCs.

By Jim Brown Senior Editor

NEW YORK — Hewlett-Packard Co. last week unveiled 11 new RISC-based local-area network servers as well as client/server software that makes it possible to split application processing tasks between the servers and LAN-attached microcomputers.

The servers, introduced as part of HP's single largest systems announcement ever, are new models of the HP 3000 and HP 9000 minicomputers preconfigured with network software and Ethernet interfaces.

The machines are based on HP's Precision Architecture — an implementation of Reduced Instruction Set Computer technology — and offer three to four times more power than previous models in the minicomputer line.

The client/server software, VPLUS/Windows, includes server and workstation components that enable HP 3000 servers to off-load screen management and forms-generation tasks to user workstations.

The software makes it possible to customize the end-user interface on the microcomputer and save server processing cycles.

With terminal-to-host minicomputer on-line transaction processing applications such as order entry, screen management tasks account for as much as 50% of the required processing power, said Robert Cameron, associate director of research at Dataquest, Inc.'s Northeast office in Boxborough, Mass.

(continued on page 63)



New options muddle net optimization

By Bob Wallace Senior Editor

Rate churn, off-tariff pricing deals and constant change have made optimizing networks for cost a long, arduous process, if not something of a black art.

Users trying to reduce costs are reconfiguring their nets, cutting special deals with carriers and agreeing to certain types of contracts that offer discounts in return for traffic commitments.

But keeping on top of the game is becoming more difficult because of the burgeoning list of available options. Besides contending with the usual rate fluctuations and the advent of new technologies, managers must now weigh the potential benefits of such things as off-tariff pricing deals, outsourcing, buying consortium bargains and promotional discounts.

(continued on page 60)

NETLINE

3COM BACKS Microsoft and Big Blue in a united LAN Manager development plan. Page 2.

LAN SUPERSERVER vendors put pressure on traditional computer makers. Page 2.

CODEX SETS NEW PRICE parameters for 19.2K modem market. Page 4.

THE TELEPHONE INDUSTRY

shrinks a bit as Telecom*USA announces plans to purchase ALC Communications. Page 4.

AT&T HITS MCI with "slamming" charge in court. Page 5.

TAKING A DIRECT approach, Peregrine Systems announces NetView link. Page 6.

INFORMIX LINKS Wingz to SQL-based DMBSs. Page 10.

FEATURE

Cellular service options merit close user scrutiny

By Daniel Briere Special to Network World

Many businesses are still reluctant to embrace
mobile personal
communications.
They prefer older
radio technologies
or avoid mobile
communications,
thinking it is too expensive. But as
prices drop, companies should take another look at the

JUEKS !

In the past, only the elite could afford cellular telephones. Initial models cost over

\$2,000, and perminute costs were exorbitant.

Today, cellular phones are becoming as common as microwave ovens. Monthly charges are as low as cable television fees, and usage rates are quite reasonable.

nies should take another look at the
varied benefits of cellular communications.

usage rates are
quite reasonable.

(continued on page 38)

NEWSPAPER

3Com behind Microsoft/IBM plan to meld LAN strategies

The companies hope a consistent LAN Manager approach will spur applications development.

By Bob Brown Senior Editor

FRAMINGHAM, Mass. — 3Com Corp. executives last week said the company will support an effort by Microsoft Corp. and IBM to develop a unified version of LAN Manager in an effort to spur development of applications for LAN Manager nets.

Separately, 3Com announced the creation of a four-member Executive Committee that will run the firm on a day-to-day basis, carry out its strategic operating plan and speed decision making.

Last November, Microsoft and IBM said they planned to adopt a consistent systems software strategy and to merge LAN Manager with IBM's LAN Server implementation. 3Com, which developed LAN Manager in tandem with Microsoft, was conspicuously absent from that announcement, fueling reports of a rift between the two companies.

By supporting a unified version of LAN Manager, in which LAN Manager OEMs support the same programming interfaces (continued on page 62)

RBHC staff reductions a mixed blessing for users

By Bob Brown and Gail Runnoe Network World Staff

WASHINGTON, D.C. — Recent work force reductions by the regional Bell holding companies will likely benefit users over time, although customer service may suffer in the short term, analysts said last week.

Over the past month, Bell Atlantic Corp., US West, Inc., Nynex Corp. and Pacific Telesis Group have enacted or announced staff reduction plans, including early retirement incentives, aimed at trimming all levels of management. All told, the plans could cut as many as 18,000 jobs at the four carriers.

Most observers say these measures will benefit users by speed-

ing decision making within the telephone companies, making them more responsive to customer needs. The changes will also lower operating costs — providing funds the carriers may funnel into new services and network upgrades

"If [the RBHCs] can eliminate tiers of management between customers and decision makers, then it's all for the good of the customer," said Peter Bernstein, a senior analyst at Probe Research, Inc., a market research firm in Cedar Knolls, N.J.

Nynex and Bell Atlantic acknowledged that their moves were designed to eliminate layers of management. "We wanted to cut the number of managers from

(continued on page 60)

Superservers a threat to traditional server suppliers

Technology emerges to meet evolving user needs.

By Bob Brown and Gail Runnoe Network World Staff

The emergence of so-called LAN superservers is putting pressure on traditional computer vendors, which will likely respond to the superserver threat with reconfigured versions of existing product offerings.

Industry analysts say there is a rapidly developing market for superservers designed to meet the needs of high-end local-area net users, including those moving to a client/server environment.

Superservers — which support multiple processors, mainframe-class mass storage and other advanced features — boast greater horsepower than servers based on a personal computer ar-

chitecture and a better price/performance ratio than minicomputers or mainframes positioned as servers.

Traditional computer vendors say they recognize the growing user need for more powerful servers. But they insist they are meeting current needs with existing products and will continue to enhance these systems as users' requirements evolve.

Analysts say it's unlikely computer vendors such as IBM and Digital Equipment Corp. will offer their own superservers for fear of hurting sales of existing products. They say vendors will probably respond with souped-up versions of current server offerings.

"Computer vendors are going (continued on page 62)

Briefs

AT&T files yet another Tariff 12 plan.

AT&T last week filed its 31st Tariff 12 custom network plan, a contract projected to be worth \$157 million over five years. AT&T withheld the name of the customer. The network will support voice and data traffic among the user's domestic and international locations. It includes 560 data lines, of which 508 will support speeds of 9.6K bit/sec or less. AT&T also confirmed the identity of two earlier Tariff 12 customers — J.C. Penney Co., Inc. and Primerica Corp. The J.C. Penney contract is worth a minimum of \$31.8 million for five years, while the Primerica deal is worth a minimum of \$51.18 million over three years.

Net co-op answers church's prayers. The First Church of Christ, Scientist in Boston last week said it has joined the American Business Network Limited Partnership, a buying cooperative that combines the purchasing power of its 61 members to secure network equipment and service discounts. The church could reduce its annual \$2.5 million telecommunications expenditures by as much as \$100,000 by buying through the consortium, according to Earl Potts, manager of The First Church of Christ's Communications Division.

3Com promises NetWare ties. 3Com Corp. officials last week said they are looking into the feasibility of adding support for the Internetwork Packet Exchange (IPX) transport protocol in arch-rival Novell, Inc.'s NetWare to 3 +Open LAN Manager's Demand Protocol Architecture (DPA).

The DPA software runs in the 3+Open client, enabling the workstation to load and unload a number of transport protocols as needed without rebooting. Adding IPX to the protocol stack in DPA would enable 3+Open client workstations to access both LAN Manager and NetWare servers across the same network.

CSC to expand Infonet in Japan. Computer Sciences Corp. last week said it sold a 5% ownership stake in its Infonet international, value-added network to Kokusai Denshin Denwa, Ltd. (KDD), a Tokyo-based international carrier. A spokesman said that as part of the agreement, Infonet will expand its X.25 network in Japan by linking its one Japanese node with the extensive X.25 network operated in the country by KDD. The Japanese carrier joins the ranks of eight other foreign carriers that own a total of 65% of Infonet.

Harris unloads data group. Harris Corp. of Melbourne, Fla., last week said it sold its Data Communications Division and Lanier Business Systems unit as part of a previously announced restructuring. The Data Communications Division, which is based in Dallas, was sold to Adacom Corp., which markets hardware and software products for the IBM 3270 market. The Data Communications Division is a supplier of terminals, controllers and personal computer network products. Lanier Business Systems, an Atlanta-based unit of Harris' Lanier Worldwide subsidiary, was sold to Syntrex, Inc., an Eatontown, N.J., network systems integrator.

CONTENTS

Industry Update

Developers of 16M bit/sec token-ring adapters said that despite a chip delay, they will deliver products as planned. **Page 11**

Telecommunications

MCI outdistanced rivals AT&T and US Sprint in a survey of virtual network service users conducted by The Yankee Group. **Page 17**

Data Communications

Users of Net/Master SNA net management software are optimistic that System Center's proposed acquisition of the product's developer and marketing rights is good news.

Page 23

Local Networking

Network World recently relocated its headquarters and migrated its text processing system to a LAN environment that will eventually enable us to embrace distributed computing. Page 25

Management Strategies

To stay ahead of the competition, United Stationers is beefing up the capacity of its nationwide voice and data net. Page 29

International Networks

Canada's major carriers are planning to cut prices for high-speed private lines by as much as 70%, bringing the cost of dedicated facilities in that country closer to rates charged in the U.S. **Page 31**

Products & Services

H&W Computer Systems enhanced its IBM mainframe-based E-mail package, adding support for user nicknames. **Page 33**

Inside

Opinions Letters Networking Marketplace Networking Careers

Network World wants you. If you have a news tip, please contact us. We'd also like to hear about unusual network applications and how you're optimizing your networks for performance or savings. Contact Editor John Gallant at (800) 622-1108, ext. 722, or through MCI Mail at 390-4868.

Network World 161 Worcester Road Framingham, Mass. 01701 (508) 875-6400

Second-class postage paid at Framingham, Mass., and additional mailing offices. *Network World* (USPS 735-730) is published weekly, except for a single combined issue for the last week in December and the first week in January by Network World Publishing/Inc., 161 Worcester Road, Framingham, Mass. 01701.

To apply for a free subscription, complete and sign the qualification card in this issue or write *Network World* at the address below. No subscriptions accepted without complete identification of subscriber's name, job function, company or organization. Based on information supplied, the publisher reserves the right to reject non-qualified requests. Subscriptions: 1-508-620-7760.

Non-qualified subscribers: \$3.00 a copy; U.S. — \$95 a year; Canada, Central & South America — \$110 a year; Europe — \$165 a year, all other countries — \$245 a year (airmail service). Four weeks notice is required for change of address. Allow six weeks for new subscription service to begin. Please include mailing label appearing on front cover of the publication.

Network World can be purchased on 35mm microfilm through University Microfilm Int., Periodical Entry Dept., 300 Zebb Road, Ann Arbor, Mich. 48106.

Network World is distributed free of charge in the U.S. and Canada only to qualified management or professionals who specify and maintain communications equipment and systems, including voice, data and video, as well as to common carriers, consultants, systems houses and manufacturers of communications equipment.

PHOTOCOPY RIGHTS: Permission to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Network World, Inc. for libraries and other users registered with the Copyright Clearance Center (CCC), provided that the base fee of \$3.00 per copy of the article, plus 50 cents per page is paid directly to Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970.

POSTMASTER: Send Change of Address to Network World, 161 Worcester Road, Framingham, Mass. 01701.

Copyright 1989 by Network World, Inc. All rights reserved. Reproduction of material appearing in *Network World* is forbidden without written permission.



36

37

52

53



Reprints (minimum 500 copies) and permission to reprint may be purchased from Donna Kirkey, Network World, Inc., 161 Worcester Road, Framingham, Mass. 01701.

Mother's Day. To florists it's life in the fast lane.

And the driving force behind it all is information. Because

optic network (using Northern Telecom DMS 250 and 300 switches)

dramatically improved throughput and access to FTD's 14,000 member

How Sprint helpe sending flowers means sending data over long more successfully than ever before.

terminals. As a result.

FTD processed orders

distance networks. Networks

that, because of tremendously

high traffic, cannot always pro-

Which is why

cess orders in time.

xpectant mothers

over 2,000

vith their deliveries.

this Mother's Day,

Account Managers are for.

And over two million mothers re-

ceived brightly colored bundles of joy.

We can go on but

Mercury Network* system to US Sprint.* A move of no small consequence

because the results were, to say the least, fruitful.


In fact, it proved to be the ultimate arrangement of flora and

fiber optics. Thanks to Signalling System Seven, Sprint's all digital fiber © 1989 US Sprint Communications Company Limited Partnership. 😵 US Sprint is a registered trademark of US Sprint Communications Company Limited Partnership.

a call. Chances are we can bring your business into the world. That is, to say, the new world of US Sprint.

It's a new world.™





Codex unveils half-price modem at 19.2K bit/sec

By Paul Desmond Senior Writer

CANTON, Mass. — Codex Corp. last week unveiled a 19.2K bit/sec leased-line modem priced at \$2,995, nearly 50% less than the company's previous 19.2K bit/sec offering.

The new Model 3380 is a leased-line modem that has diagnostic capabilities but is not supported by Codex's net management systems. Still, its price represents a dramatic drop from the \$5,250 price tag of Codex's Model 2382, the company's previous 19.2K bit/sec modem in the same category. The 3380 is priced to attract users of 9.6K bit/sec modems of similar functionality, according to Codex.

Analysts said the debut of the 3380 could force competing modem vendors to drop the price of their 19.2K bit/sec modems.

"Probably by the end of March, we'll see announcements in response to this," said Larry Cynar, an analyst with San Jose, Calif.-based Dataquest, Inc. "I would be surprised if we don't see

similar product announcements coming out of NEC [Corp.], Fujitsu [Ltd.] and vendors like that."

Thomas Hayes, director of marketing at Codex, echoed Cynar's assessment.

"Essentially, what we're doing is forward pricing," Hayes said. "The prices of 19.2K leased-line modems are going to come down, and Codex is leading that."

Codex is able to offer its 3380 at \$2,995 thanks to an improved manufacturing process that cuts production costs.

Codex is not likely to cut the \$1,650 list price of its 9.6K bit/sec modem, which has functions similar to those of the new 3380. The company expects users of 9.6K bit/sec modems to buy the 3380 and cost-justify it by using fewer leased lines.

"The users out there running 9.6K bit/sec have been doing so because the cost of moving to a faster speed has been prohibitive," Hayes said. "This changes that significantly."

Cynar said the final price of the 3380 could be much less than

the \$2,995 list price because Codex dealers will likely pay a lot less than that for the modem.

"I would say their dealers are paying somewhere around \$1,600 or \$1,700 for that unit, so they could probably sell it at \$2,000 or \$2,200 and still be making money on it."

The 3380 has the same features as Codex's 2382, such as a two-channel internal multiplexer, which is expandable to six channels, and automatic dial backup and restoral.

However, the 3380 has a diagnostic restoral feature that lets the modem look at the signal-to-noise ratio on the leased line. When the modem is in dial mode following a leased-line failure, this feature ensures that the quality of the leased line is sufficient to carry data before the modem switches back to the leased line.

Also new with the 3380 is the ability to configure remote modems from the local modem. "That's significant," Hayes said. "It saves the cost of having to send people out to the remote location to configure the modem."

The Model 3380 is scheduled to ship next month. Volume discounts and leasing are available, and the product is backed by an on-site, one-year warranty.

Telecom*USA plans to buy Allnet's parent company

Carrier to acquire ALC Communications for \$140m.

By Bob Brown Senior Editor

ATLANTA — Telecom*USA, Inc., the nation's fourth largest long-distance carrier, last week said it plans to acquire ALC Communications, parent company of long-haul carrier Allnet Communications Services, Inc., for \$140 million

Under the terms of an agreement signed by the two companies, ALC will become a subsidiary of Telecom*USA and will continue to serve its existing markets in the Northeast, upper Midwest and West Coast.

ICA and NW

bonor net

innovators

The Feb. 1 entry deadline

for International Communica-

tions Association (ICA)/Net-

work World's Call for Innova-

vation, ICA and Network

World honor network profes-

sionals in ICA member compa-

nies for creatively applying

network technology to solve

problems and create new busi-

evation

Winners of the fourth annu-

al Call for Innovation program

will have the opportunity to

present their projects to the

ICA membership at a featured

session during the ICA 1990

conference to be held May 20

to 25 in New Orleans. ICA will publish a journal of all quali-

fied Call for Innovation pa-

pers, and presentations will be

considered for publication in

ICA's award-winning Com-

your company is an ICA mem-

ber, call ICA at (800) 422-4636. You may also contact

ICA if your company is not a

member but would like to join

and participate in the Call for

an entry form, call Cheryl or

Tracy at Network World at

recognition you deserve for

your innovative net applica-

For more information and

Don't be left out. Get the

If you're not sure whether

munique publication.

Innovation event.

(800) 622-1108.

tions. Z

ness opportunities.

Call For

Through the Call for Inno-

tion is fast approaching.

Allnet, which is based in Birmingham, Mich., is the nation's seventh largest long-haul carrier. ALC was formed by the merger of regional carriers Lexitel Corp. and Allnet Communications Services in 1985.

The agreement is further evidence of the consolidation in the long-distance business where competition is making network size an increasingly important survival factor, analysts said.

The combined resources of the two firms will enable the company to better compete for large accounts against AT&T, MCI Communications Corp. and US Sprint Communications Co., analysts said.

Finding stability

The agreement, which is contingent upon regulatory and shareholder approval, is expected to ease financial pressures at ALC, which reported a loss of \$9.6 million on revenue of \$79.6 million in the third quarter of 1989. The firm reported a loss of \$15.8 million on revenue of \$99.1 million in the corresponding quarter the previous year.

Under the agreement, which is expected to be completed before June, Telecom*USA will assume about \$125 million of ALC's debt.

Some analysts were surprised by the announcement in light of a recent revelation by Gene Gabbard, Telecom*USA's chairman and chief executive officer, that the firm's fourth-quarter earnings would be below analysts' forecasts. The lower than expected earnings are the result of damage caused by Hurricane Hugo and increased usage of volume discounts by customers, he said.

The acquisition promises to be a boon for both carriers' existing customers, according to Mark Kaiser, vice-president of marketing at Telecom*USA.

A major benefit for users is they will be able to complete more calls on net. A customer that does most of its business in an Allnet region but has remote sites in a Telecom*USA region will now be able to support all of those users on a single network, he said.

Additionally, users will be able to receive cost discounts based on the increased traffic and would be able to receive a single bill for all services, he said.

Allnet serves about 400,000 customers, and Telecom*USA has approximately 500,000 customers. Telecom*USA, which was formed in December through a merger of Atlanta-based SouthernNet USA and Cedar Rapids, Iowa-based Teleconnect Co., has its strongest presence in the Southeast and Midwest.

(continued on page 60)

Farming out net operations can trigger staffing issues

Employees must be given information about job status as soon as possible to avoid morale crisis.

By Wayne Eckerson Senior Writer

Many companies spend hundreds of hours examining the financial justifications for farming out network functions, but few are prepared to deal with the staff problems that can arise once an outsourcing decision is announced.

Without proper planning and lots of communication, morale can plummet and many staffers might resign rather than transfer to a vendor company or continue to stay aboard what they believe is a sinking ship.

Some advice

To avoid a crisis, companies need to disseminate as much information as possible to allay employee fears. Employees need to know whether they will be laid off or transferred to the vendor company, whether they will keep

Corrections: Lanier Voice

Products' CallWriter software

receives call records from a pri-

vate branch exchange one at a

time, contrary to what was re-

ported in the story "PC call-ac-

counting pack supports PBXs,

key systems" (NW, Nov. 27,

1989). Call records are written

to disk 10 records at a time or in

their salary and pension, and what rank they will hold in the new company.

More importantly, employees should be given strong financial incentives to stay on during the transition period.

Learning the hard way

Merrill Lynch & Co., Inc. learned these lessons the hard way. In September, the financial services firm announced its intention to let MCI Communications Corp. and IBM enhance and operate its network management facilities. Under the agreement, about half of Merrill Lynch's network management personnel were to be transferred to the vendors' payrolls ("Merrill Lynch to farm out its net management duties," NW, Sept. 1, 1989).

But top information systems executives at Merrill Lynch recently backed away from their plan to move employees to IBM and MCI. According to DuWayne Petersen, chief information officer at Merrill Lynch, the decision to farm out network management caused many key staffers to resign, leaving the department shorthanded.

"We are a little bruised right now, and it will be some time before we come back and visit this issue [of transferring employees]," Petersen said. "We have to reestablish our network management organization."

A source at the company said the network agreement created a lot of confusion among staffers about who would lose or keep their job, who was going to be transferred to a vendor company and in what capacity.

The source also said that an internal memo issued last summer announcing the company's outsourcing plans angered many employees because it didn't recognize people who had worked hard for many years at the company and might be laid off or transferred.

Nothing but dollars

While communication is vital to managing staff during an outsourcing deal, financial incentives may be more important.

Last March, American Standard, Inc. announced it was handing over its wide-area network and data center operations to two vendors and laying off all 110 employees working in those areas. At the same time, it told employees the amount of severance pay they would receive and their last date of employment.

(continued on page 63)

20-second intervals.

In the story "Defense Dept. to embrace ANSI X12 EDI standards," (NW, Dec. 11, 1989), the title of Bob Moran was incorrectly listed. Moran is chief of the logistics branch at the Defense Automated Addressing System Office in Dayton, Ohio.

NETWORK WORLD • JANUARY 15, 1990

AT&T files custom plan for discounted Megacom, SDN

By Anita Taff Washington Bureau Chief

WASHINGTON, D.C. — AT&T last week filed a custom network plan for state and local governments that offers deeply discounted rates on its Software-De-

fined Network (SDN) and Megacom services.

In a Tariff 16 filing with the Federal Communications Commission, AT&T said that unless it is allowed to proceed with the offer, dubbed State Calling Service

(SCS), it "is likely to lose all of its small to midsize government network business" to competitors.

The proposal appears to be an expansion of an earlier plan filed in September that allowed state universities and offices in Michigan to aggregate traffic on a joint SDN network in order to qualify for volume discounts ("AT&T preps service for states, schools," NW, Aug. 28).

AT&T will offer two service

Unless it is allowed to proceed with the offer, [AT&T] is likely to lose all of its small to midsize government business.

options under SCS: a discounted SDN plan and a discounted Megacom service. Both options will provide discounts of 36% below tariffed rates on interstate traffic, 25% on intrastate traffic and 15% on international traffic. Users do not have to meet volume or term commitments to qualify for the discounts.

However, the carrier is offering enticements to get users to (continued on page 62)

AT&T slams MCI with ethics suit

By Anita Taff Washington Bureau Chief

NEW YORK — AT&T last week accused MCI Communications Corp. of using unscrupulous techniques to get users to switch long-distance carriers and asked a federal court and the Federal Communications Commission to put an end to it.

AT&T accused MCI of a practice known as slamming, in which customers are switched to a different long-distance carrier without their consent or knowledge. It claims that, in some cases, MCI's telemarketers lied to customers to entice them to switch. For example, AT&T said MCI marketers have told users that AT&T is going out of business, is discontinuing service to some areas of the country or that AT&T has merged with MCI.

Although AT&T says the problem has been confined to residential customers, some observers said AT&T's accusations of unethical behavior could taint MCI's reputation among business users as well.

In its lawsuit, AT&T asked the U.S. District Court for the District of New Jersey to prevent MCI from using such practices and to award AT&T damages for lost revenue and court costs. The carrier claims that 10% to 15% of the customers leaving AT&T have been switched without their consent. AT&T officials said the damages would amount to millions of dollars, although they have not specified an exact amount yet.

AT&T also asked the FCC to change its rules governing the procedure for switching customers to new long-distance carriers. Currently, a carrier needs only a verbal authorization from users, but under the new rules, a written OK would be required.

MCI denied the allegations last week, claiming it conducts periodic checks on its telemarketing operations to ensure that employees' practices are ethical. MCI labeled AT&T's action a "desperate tactic" to stem its shrinking market share. MCI has claimed in recent ads that 100,000 customers are switching (continued on page 61)

The world's best bridge company presents world-class routers. Vitalink strikes again. Who says lightning can't strike twice in the same place? We did it for bridges. Now we're doing it for routers. With our new TransPATH router, Vitalink completely transforms the building of large-scale complex networks. Now you can get both bridging and routing on a single platform. And best-path routing of bridges and routers, too. TransPATH also gives you interoperability with existing Vitalink and Digital bridges, as well as Ethernet and token ring devices. It all means that it just became a

See the FAXNeT Form on Page #59

whole lot simpler to build networks that will grow with you in the future. Call 1-800-443-5740

or (415) 794-1100 for more information from the LAN inter-

connection leader. And see our latest flash of brilliance.

Peregrine net control tool gets direct link to NetView

By Paul Desmond Senior Writer

CARLSBAD, Calif. — Peregrine Systems, Inc. last week announced a direct NetView interface for its SNA problem management system, an en-

hancement that lets users automatically open trouble tickets for NetView-generated alerts.

The PNMS3/NetView Interface helps net management staff respond to problems before they affect end users. It also increases

the accuracy and productivity of help desk personnel by reducing the manual entry of data from IBM's NetView net management system to Peregrine's PNMS3 problem management system.

PNMS3 is host-based software for Systems Network Architecture networks that helps users open trouble tickets for network problems and track them through to resolution. The system — which Peregrine claims is used by

200 of the Fortune 500 companies — also includes components for configuration management, financial management and change management, all tied together by a proprietary relational data base management system. It is a competitor to IBM's Information Management problem management system.

Two beta testers of the new PNMS3/NetView Interface expect (continued on page 60)

Fresno signs up for ISDN Centrex lines

By Bob Wallace Senior Editor

FRESNO, Calif. — The city of Fresno, Calif., last week said it ordered more than 400 ISDN Centrex lines as part of an earlier contract signed with Pacific Bell.

Fresno will be the first commercial user of Pacific Bell's Centrex IS Integrated Services Digital Network service.

The city recently signed a 10-year, \$2.9 million contract with the carrier for an upgrade from its current analog Centrex to digital Centrex. More than 400 of the total 1,200 Centrex lines will be Centrex IS Basic Rate Interface lines. "We're going from the Stone Age to the Space Age as far as telecommunications is concerned," said Ken Nerland, electronic and communications manager for the city.

Pacific Bell said it has been activating Centrex IS lines at a rate of 25 per week and plans to have all 400 lines in by the end of the month. The city is currently setting up training for city employees who will trade in their rotary-dial telephones for AT&T's 7506 and 7507 ISDN sets.

"There is a world of difference between what employees could do before and what they will be able to do with ISDN. They'll have features [including] automatic callback, messaging and conferencing," Nerland said.

The city will also use the lines for file-transfer, screen-sharing and electronic directory applications

"We're looking at other applications [such as providing] citywide access to our mainframe from all departments and linking personal computer local-area networks," Nerland said. "But, we've been so wrapped up in training and the cutover that we haven't had time to get into actual application development."

In November, the California Public Utilities Commission approved a provisional ISDN tariff filed by Pacific Bell, which began taking orders for Centrex IS in metropolitan areas on Dec. 8.

Centrex IS ISDN includes three services, as well as two 1B+D services. The second B channel of the 1B+D services will be inactive ("PacBell applies for conditional ISDN tariff," NW, Nov. 6, 1989).

Package A supports circuit-switched voice over a single 64K bit/sec B channel with the D signaling channel idle. Package B supports circuit-switched voice over a single B channel and packet-switched data over the D channel. Package C is a 2B+D offering with two voice- or databearing B channels and the D signaling channel. 22





In today's sophisticated information processing and communications environment, you need a network that can integrate your existing computing resources into a single, cohesive, cost-effective, transparent system.

You need a network that can distribute all of your information to those who need and are authorized to use it, regardless of vendor or communications protocol.

You need a Gandalf Hybrid Network.

With a Gandalf Hybrid Network, you can extend your existing investment in computers, increase the productivity of your people, and take advantage of tomorrow's technologies and standards.

Find out how Gandalf can make compatibility a reality in your networking environment. Call Gandalf, first in Hybrid Networks: **1-800-GANDALF**.

Canada: 613-723-6500, UK: 0344 860272, Europe: 31 20 867611, France: 33 1 4760 0032, Australia: 61 2 437 5977









You wouldn't outfit a powerful car with wagon wheels. Why saddle your fractional T-1 facilities with anything but an AT&T Paradyne multiplexer? AT&T Paradyne has the equipment that can get you maximum performance from your fractional T-1 network.

The fact is, you can't buy a more efficient multiplexer for fractional T-1 than one of our

ACCULINK™ 74X Series. They're specifically designed to support fractional T-1. So you don't get stuck with added interfaces. Or the network management overhead and control problems that come with them. Not to mention the additional costs.

And no matter what your hybrid networking need is,we can fill it. Because with ACCULINK, you get support for both private networks and tariffed

Without the right equipment, you can't make the most of fractional T-1 either.



services. Plus through AT&T Paradyne's NetCare[®] Services, we give you network assistance from design through implementation.

So if you really want to put your fractional T-1 network into overdrive, call your AT&T Paradyne Account Executive or 1800 482-3333, Ext. 301 and ask about our full line of T-1 multiplexers. In Canada, call (416) 494-0453.



See the FAXNeT Form on Page #59

Informix interface links Wingz spreadsheet, SQL relational DBMSs

By Susan Breidenbach West Coast Bureau Chief

SAN FRANCISCO — Informix Software, Inc. last week announced a software interface linking its Wingz graphical spreadsheet to Informix-OnLine and other relational data bases that support SQL.

The Wingz-DataLink interface will be incorporated into the next release of Wingz for the Apple Computer, Inc. Macintosh and into subsequent versions of Wingz that Informix is developing for desktop computers running Unix, DOS or OS/2.

The point-and-click graphical environ-

ment of Wingz will enable users to pull host data directly into their spreadsheets or create custom graphical data base applications by using the HyperScript programming language that underlies both Wingz and DataLink.

The idea is to provide an intuitive, friendly front end that makes corporate data base resources available to the casual user, said Douglas Edwards, executive director of software marketing at Informix. "The Wingz-DataLink technology democratizes the corporate computing environment by giving end users easy and fast ac-

cess to corporate information."

Wingz was introduced with much fanfare in 1988, causing traffic jams on show floors at several computer exhibitions. Actually released just 11 months ago, it has already garnered close to one-quarter of the Macintosh spreadsheet market.

"Wingz is much more than just a spreadsheet," said Jeffrey Bork, vice-president of marketing at Informix. "It was created to become a standard graphical environment for any kind of data manipulation."

Wingz is currently available only for the Macintosh, but a version for Next, Inc.'s new Unix-based workstation is scheduled for release by the end of March.

It will be followed in the second quarter of this year by versions for Unix workstations running under OSF/Motif or Sun Microsystems, Inc.'s Open Look; for personal

computers running either DOS under Microsoft Corp.'s Microsoft Windows or OS/2 under Presentation Manager; and for The Santa Cruz Operation, Inc.'s Open Desktop.

All versions will come with the same DataLink interface. The interface is all the front-end workstation or the host data base recognizes, so the host doesn't need to know what type of workstation a query originates from and the workstation doesn't need to know where the reply is coming from.

To serve as a Wingz-DataLink back end, an Informix data base must be equipped with a software module called DataLink Informix-Net. This enables it to communicate across a Transmission Control Protocol/Interconnect Protocol network with workstations running Wingz.

Macintosh users have a second host access option: They can employ Apple's CL/1 connectivity language, which can communicate with a remote data base over direct serial and dial-up modem connections via 3270/Synchronous Data Link Control lines or across any network that supports AppleTalk.

Once a CL/1 connection is established, Wingz-DataLink can access DB2 on an IBM mainframe or on data bases from Informix, Oracle Corp., Digital Equipment Corp., Sybase, Inc. and Ingres Corp. running on a DEC VAX.

Informix said the best fit between Wingz and a data base, however, is the new Informix-OnLine data base for Unix that it released last October. According to the company, Informix-OnLine is the first on-line transaction processing data base to support multimedia data base applications. It lets users integrate such information objects as text documents, graphics, spreadsheets, scanned and digitized images, facsimiles and voice into a single relational data base. Informix plans to release a version of Informix-OnLine that runs as a NetWare Loadable Module under NetWare 386 during the second half of this year and to have the product ported to OS/2 early in

Key Informix competitors, including Oracle and Sybase, have already shipped OS/2-based SQL data base servers.

"We don't see tremendous demand today for OS/2," said Roger Sippl, Informix founder and chairman, when asked why developing an OS/2 data base server isn't a higher priority at his company.

Sippl said Informix is further distinguished from its competitors by being the only company to offer multiple-platform front ends and by merging office automation software with a data base engine.

"By tying Wingz and Informix-OnLine, they have an edge over competitors such as Sybase and Oracle — especially Oracle," said Bruce Lupatkin, senior technology analyst for Hambrecht and Quist, Inc. in San Francisco. "Informix-OnLine also offers very good object handling, which most of the competition doesn't."


Breaking with tradition in the personal computer software market, Informix will be offering corporate users site licenses to the Wingz front end, which sells for \$399 per shrink-wrapped package. Even more unusual, a single license can span any or all of the Wingz versions, making it easier for companies whose networks support different types of desktop environments.

A release date for the Macintosh version of Wingz that includes the DataLink interface has not been set, but an add-on upgrade that will provide DataLink to existing Wingz 1.1 users should be available in March for less than \$25, Informix said. Z

PROMOTIONAL OFFER ENDS 3/31/90.

NOW ONLY \$695 AT PARTICIPATING RACAL DISTRIBUTORS

We Put The Future Of V.32 Modems On The Desktop.



H.G. Wells, English author and futurist, 1866-1946. Author of *The Time Machine, War of the Worlds*, and *Things To Come*, Wells is considered one of the founding fathers of the science fiction genre.

n his science fiction novels, H.G. Wells chronicled his remarkably accurate vision of the future. Racal-Vadic's insight into the future of desktop dial-up communications is far from fiction—it's here, now.

The new 9632VP is the first modem to offer the performance of V.32 in a package tailored specifically for use with corporate PCs. So it has all the dial-up features you need, the ease of use you want, plus a tiny footprint and a price tag to match.

The 9632VP offers error correction (MNP™ classes 2-4) for absolute data integrity. And gives you data compression (MNP class 5) for throughput to 19.2 Kbps. It also features async/sync data handling for application flexibility.

Best of all, the 9632VP communicates freely with your existing modems. It's compatible with all other V.32 modems, and automatically negotiates with CCITT V.22bis, V.22, and Bell 212A/103 standards as needed.



And it works with popular communications software through

ATPlus, the Hayes compatible autodialer.

So get in touch with the future like H.G. Wells never could.

Call 1-800-482-3427 for the name of the nearest Racal-Vadic distributor.

RACAL

Racal-Vadic THE DIAL-UP AUTHORITY

1525 McCarthy Boulevard, Milpitas, CA 95035 Tel: (408) 432-8008 • TWX: 556-409 RAVA MLP

ATPlus is a trademark of Racal-Vadic, MNP is a trademark of Microcom Inc. Hayes is a registered trademark of Hayes Microcomputer Products Inc.

INDUSTRY UPDATE

VENDOR STRATEGIES, MARKET TRENDS AND FINANCIALS

Worth Noting

During 1989,
Apple Computer, Inc.
introduced 17 new
networking and
communications
products, according to
the company's annual
report for last year.
More than 70% of all
Apple Macintosh
computers are now
networked, and more
than two million
AppleTalk nodes are
installed worldwide.

eople & Positions

William Douskalis recently was named technical director at Netrix Corp., a Herndon, Va.-based maker of wide-area networking equipment.

Douskalis will lead a development group focusing on future product architecture.

Previously, Douskalis was a consultant and systems analyst at AT&T Bell Laboratories and later at AT&T Paradyne.


Achille Tedesco has been named president of Dynatech Communications Division, a business unit of Dynatech Corp. that specializes in network management and data communication products and systems.

Most recently, Tedesco was chairman and chief executive officer of Caelus, Inc., a privately held manufacturing software company.

Codex Corp., a Canton, Mass.-based maker of data communications equipment, has appointed Bill Brogdon vice-president of its Western markets.

Brogdon will be responsible for sales and marketing operations in 13 Western states.

Brogdon has spent the past 18 years with AT&T in a variety of sales and marketing management positions.



Chip scarcity may affect LAN adapter

Vendors insist they will meet ship dates for 16M token-ring adapters, but supplies may be thin.

By Bob Brown Senior Editor

Third-party developers of 16M bit/sec token-ring network adapters last week said that despite an earlier chip delay, they will still deliver products as planned, starting this quarter.

Developers of 16M bit/sec token-ring network interface cards admitted, however, that they still are not receiving an adequate supply of the high-speed tokenring chipsets manufactured by Texas Instruments, Inc. While board makers said they have received enough chipsets to meet

Currently, TI is shipping chipsets in sample quantities to selected customers.

initial orders, customers that place new orders may face delivery delays.

"If not for the chip delay, no doubt more third-party vendors would have announced and shipped 16M bit/sec products by now," said Martin Sinnott, director of NCR Corp.'s Dayton Development Center in Dayton, Ohio. NCR has announced its intention to enter the 16M bit/sec tokenring market but has not indicated when its products will be available.

The TI 16M bit/sec chipset, which is compatible with IBM Token-Ring Network offerings, quadruples the standard tokenring data transfer speed from 4M bit/sec to 16M bit/sec.

TI, which is the lone supplier of 16M bit/sec chipsets to third-party developers (IBM fabricates its own Token-Ring chipsets), expects to begin making volume shipments of the components in March.

Currently, TI is shipping chipsets in sample quantities to selected customers, including Proteon, Inc. and NCR. This enables the third-party vendors to deliver beta-test versions of their 16M bit/sec boards to some customers now. Third-party vendors expect to meet full demand once the chipsets start shipping in volume.

TI disclosed in December 1988 that it was developing a 16M bit/sec chipset. Company executives expected the chips would ship in volume by the fourth quarter of 1989.

But TI executives realized early last year that demand from vendors who wanted to incorporate the powerful new chip into their products would outstrip limited production capacity.

That forced TI to transfer production to a higher capacity facility last fall. By the time TI started to produce the chip again, volume shipments were pushed back until this March, delaying limited availability to third-party developers who needed the component for prototypes of their 16M bit/sec token-ring boards.

TI alerted third-party vendors early enough last year about the shipping delay so that they did not announce product delivery schedules they could not meet, a Proteon spokeswoman said. Proteon, which is based in Westborough, Mass., did not announce a

n, Mass., did not announce a (continued on page 14)

Leased-line rates may fall as users convert to SMDS

Carriers may cut rates to move excess leased lines.

By Gail Runnoe Washington Correspondent

The emergence of Switched Multimegabit Digital Service (SMDS) offerings from regional Bell holding companies, which start rolling out this year, will likely woo customers away from dedicated switched services and could spur leased-line rate reductions, analysts said last week.

Network users can expect prices on leased-line services to fall as users cut over to SMDS services, freeing up private-line capacity. Carriers, in turn, will try to move the surplus of leased-line capacity by courting customers with discounts or other incentives, they said.

SMDS is a high-speed switched digital data service that will enable users to interconnect multiple locations at T-1 and T-3 speeds. Instead of buying their own dedicated facilities, users would be able to purchase bandwidth on demand to transmit data between dedicated access points on the local exchange.

Network users that experience significant usage swings on leased lines are likely candidates for SMDS, said Edward Walvick, director of business development at Nynex Corp.'s marketing and planning group. Earlier this month, Nynex announced plans

to offer its own SMDS service later this year ("Nynex service lets users link sites at T-1, T-3 speeds," NW. Ian. 8).

NW, Jan. 8).

"The greatest impact of SMDS will be where people have more capacity [on leased-line circuits] than they use, because they're trying to provide for peak capacity for the few times they need it," he said.

Users that experience significant usage swings on leased lines are likely candidates for SMDS.

Although Nynex has not yet set pricing for its SMDS service, which will begin beta-testing early next year, Walvick projected that service rates will be based on a monthly peak usage fee and daily usage charges. Chris Noll, SMDS product manager with Bell-South Services, said the company's SMDS service, which should be available early in 1992, will be based on usage fees.

(continued on page 14)

INDUSTRY BRIEFS

Advanced Micro Devices, Inc. (AMD), last week announced that it and five other vendors supporting the Fiber Distributed Data Interface (FDDI) standard have completed the first interoperability test of the latest FDDI station management working document. The test should make users more confident that the FDDI-based products from the participating vendors will be able to work together once the final FDDI standards are set, an AMD spokeswoman said. Station management is the fourth and final document that must be completed before the FDDI standard can be finalized. It is expected that this will happen by spring of this year, according to industry observers.

Participants in the test were Communication Machinery Corp., a Rockwell International Corp. subsidiary; Fibronics International, Inc.; Proteon, Inc.; Sun Microsystems, Inc.; and Synernetics, Inc. The participants linked their FDDI-based products — including controllers and bridges, which use the AMD chipset — onto an FDDI network and exchanged a set of messages used to provide frame-based network management.

Cisco Systems, Inc., a Menlo Park, Calif.-based maker of internetworking products, last week filed a statement with the Securities and Exchange Commission for a proposed initial public offering of 2.8 million shares of common stock. The offering will raise between \$37.8 million and \$43.4 million in working capital for the company. Proceeds from the offering will be used for working capital purposes, primarily to finance accounts receivable and inventory, and to acquire capital equipment, the company said. \blacksquare

"INOBO TOLD ME

CODEX OFFERS NETWORK SOLUTIONS OTHER SUPPLIERS CAN'T.

It's not unusual for our customers to be pleasantly surprised. Because at Codex we often suggest network solutions other suppliers don't.

We can do this because we aren't limited to any one networking technology. So we're free to recommend the best solutions based on your business, applications and bandwidth requirements.

WE'VE GOT MORE EXPERIENCE, WITH MORE TECHNOLOGIES.

No matter what your applications call for, we have the right mix of products and services. Including T1, X.25, statistical multiplexers and other analog and digital transmission devices. Plus network management systems that actually predict and help solve problems, instead of just reacting to them.

Along with customized solutions, you benefit from our 27 years of networking leadership, innovation and unsurpassed reliability. In the U.S. and 44 countries worldwide.

So the next time you have a problem or a networking question, give us a call at 1-800-426-1212 Ext. 7231.

And we'll examine the possibilities like nobody else can.



See the FAXNeT Form on Page #59



Applitek agrees to merge with Australian firm

By Bob Brown Senior Editor

ANDOVER, Mass. — Applitek Corp., a provider of local-area network backbone products based here, last week announced that it has merged with Computer Protocol Corp. (CPC) of Perth, Australia.

Applitek, which will retain its name, will become a wholly owned subsidiary of CPC, which has operations in New Zealand, Southeast Asia and Europe, in addition to Australia. As a result of the merger, CPC plans to move its headquarters to Andover.

Applitek sells a variety of products that link devices such as workstations to broadband, baseband and fiber-optic LANs. Its product line includes terminal servers, communications servers, bridges and network management systems. The products are mainly used to support the physical layers of the Open Systems Interconnection protocol.

CPC sells a family of multiprotocol communications servers that support the application layers of the OSI model. The products provide a communications link between standard- and nonstandard-based hosts and terminals.

Users will benefit from using both companies' products in the same network, said Asbjorn Sorhaug, president and chief exec-

utive officer of Applitek. "Strategically, our merger takes advantage of complementary products and markets," he said.

In fact, the two companies have merged their technologies in the NI10/G-X.25 and NI10/G-SNA gateway products, which are already on the market, he said. Applitek and CPC have worked together for the past four years on several large communications networks in the U.S. and Australia, Sorhaug said. The merger also opens several overseas markets to Applitek, while opening the U.S. market to CPC, said Rouzbeh Yassini-Fard, Applitek vice-president of marketing and sales.

Applitek anticipates revenue of about \$5 million this year, while CPC is expected to pull in \$20 million in revenue overall.

CPC has approximately 100 employees, including about 30 Applitek employees.

Chip scarcity may affect LAN adapter

continued from page 11

rollout schedule for its 16M bit/sec products until it knew when the chips would be available in volume, she said.

Proteon has been taking orders since late last year and is already shipping limited quantities of its 16M bit/sec boards to selected customers. According to the company spokeswoman, demand for the 16M bit/sec offerings is so high that the thousands of boards to be built this quarter are already spoken for and some customers'

orders are backlogged.

"There is a lot of pent-up demand," partly as a result of IBM not being able to meet its demand last year, the Proteon spokeswoman said. Proteon, which typically announces availability of products only when they are in beta tests, announced its 16M bit/sec products early in an attempt to win customers whose needs could not be satisfied by IBM, she said.

IBM conceded that it underestimated demand for 16M bit/sec technology, but a spokesman said the shortage "is in the past tense, as of the end of 1989."

One company that never had to worry about the TI chip situation is Ungermann-Bass, Inc., which designs and makes its own 16M bit/sec chips.

Ungermann-Bass plans to deliver a range of 16M bit/sec offerings at the end of this year, said Paul DePond, the company's director of systems software.

Users contacted by *Network World* said they are excited to test 16M bit/sec to-ken-ring products, but they said interface boards are scarce.

Fortunately, users said, they are only now experimenting with the technology, rather than implementing it into their networks right away, making the product squeeze less painful.

"I don't think most users are feeling any pinch because the 16M bit/sec products are hard to get," said a token-ring user who requested anonymity. "We'd like to start testing the 16M bit/sec products to prepare for the future, but our applications run fine on the 4M bit/sec token-ring networks."

REC 3Com LANS & NETWORK MANAGEMENT SYSTEMS PC'S & PRINTERS AND POST OF PACKARD PC'S & PRINTERS PC'S & PRINTERS PC'S & PRINTERS NOICE MAIL SYSTEMS MULTIPLEXERS

In the data business, sometimes it's better to mix and match.

At GTE, our data sales specialists and engineering specialists have researched, planned, designed, and implemented literally hundreds of data systems, large and small. Many times, we've found it more efficient to design a network by selecting state-of-the-art components from a variety of manufacturers. We MIX products and

manufacturers. We MIX products and MATCH protocols, to meet your needs.

And when you finally make your purchases, our loyalties are with you – not to any particular brand name.

NEC is a registered trademark of NEC Corporation.

Besides knowledge and experience that span the entire telecommunications industry, GTE offers one distinct advantage. We'll stand behind any data system we sell with our highly trained service staff.

When you're ready to select a data communications

system, or upgrade the one you have, do two things.

Forget everything you know about shopping.
And call your GTE Account Manager. GTE,
the data communications systems integrator.



See the FAXNeT Form on Page #59

GTE

THE POWER IS ON

Line rates may fall as users convert to SMDS

continued from page 11

Because SMDS rates are still undetermined, Walvick could not estimate at what point dedicated facilities might be more economical than SMDS service.

Analysts were also unable to nail down a crossover point, but they said it will likely change as dedicated-line fees come down after SDMS services are available.

Steve Sazegari, senior industry analyst with Dataquest, Inc., a San Jose, Calif-based research firm, said that after users begin to migrate from dedicated facilities to SMDS services, more private lines will become available and carriers will be forced to lower prices to sell them. Nynex's Walvick agreed that private-line rates will continue to fall but said it will be due primarily to competition.

Also, Sazegari said the threat of bypass by alternative carriers will force the RBHCs to lower dedicated line rates.

"SMDS services need to be priced low to draw users away from products they've been using," said Patrick Springer, director of telecommunications industry services at Telecommunications Management Consultants in Needham, Mass. 22

Acts of God are just one reason we're so religious about service.



At N.E.T. we're fanatics about service because your network resources are critical to you. That's why we have a plan for every contingency, for every need—whether it's as catastrophic as lightning strikes or as common as network monitoring.

The result is a proven edge in uptime.

When acts of God occur, we're ready.

Take, for example, the fire that struck the Hinsdale station of Illinois Bell. Thousands of their customers were down for weeks. We had our client up and running.

Or consider the flood that damaged another client's node. We delivered and installed a replacement node before business hours resumed.

We support you with the most comprehensive service structure in the communications network industry.

From designing a network that meets your specific requirements to keeping your network up and run-

ning at maximum performance, you can count on the N.E.T.™ support team.

The Technical Assistance Center (TAC) provides 24-hour-a-day, seven-day-a-week hotline service and remote diagnostics for clients.

Our Expert Fault Management Service (EFMS) is a complete fault handling system that monitors your network and automatically relays faults to TAC. Our staff uses a worldclass database to diagnose problems and recommend resolutions. This service can save you many hours and thousands of dollars.

The Expert T-span Service designates N.E.T. as your agent to resolve carrier issues for you—fast.

Our Systems Integration Group (SIG) gives you complete singlevendor support and coordination for multi-vendor networks.

Field Service Engineers are mandated to provide solutions on receipt of first call. These senior-level technicians are located within easy reach of 60 cities in the U.S. and abroad.

And to help you run your network, we provide in-depth, hands-on training at our N.E.T. training centers.

Like to know more?

Get your copy of Total Customer Service: The Ultimate Weapon, and read the N.E.T. service story.

The book by William Davidow and Bro Uttal uses N.E.T. as one case study to show how a company put together the tools and the team to provide the industry's "outstanding service factory."



NETWORK
EQUIPMENT TECHNOLOGIES

©1989 Network Equipment Technologies, Inc., 800 Saginaw Drive, Redwood City, CA 94063. (415) 366-4400. In Canada: Call (416) 491-7664 (Toronto). European headquarters: Network Equipment Technologies, Ltd, Manor Court, Manor Royal Crawley, Sussex, England RH102PY, 011 44 293-552831. N.E.T., Network Equipment Technologies, and A step ahead are trademarks of Network Equipment Technologies, Inc. *Book will be made available to all qualified prospective and current clients.

step ahead



Introducing a better way to protect your whole family.

antical i



However you use your network, a file server power problem can really cost you.

In downtime. Lost data.

And frustration.

FOR L.A.N.

NOVELL LABS

TESTED AND

APPROVED

NetWare Campatible

That's why we've introduced two new Novellcompatible uninterruptible

power systems (UPS) designed specifically to protect your file server, your whole network and your data.

They're compact enough to fit under a desk. Powerful enough for a file server or your entire LAN—even those with multiple drives and terminals.

And they're priced less than even one

hour of downtime.

Available through your local Distributor: Pioneer Technologies Group (800) 227-1693, Avnet Computer Technologies (800) 877-2226, RMA Microtech (314) 726-0195.

Most important, the UPS 600 and UPS 1250 come from Emerson, the most reliable name in computer power

protection. Backed by a network of support from local dealers and distributors. And nationwide service from the leading supplier of UPS systems.



See how easy it can be to protect your whole family. Just call us at 1-800-Back-UPS today.

EMERSON UPS

We protect the ones you love.

 $\hbox{$\mathbb C$}$ 1989 Emerson Computer Power, a division of the Emerson Electric Co.

See the FAXNeT Form on Page #59

TELECOMMUNICATIONS

CARRIER SERVICES, CENTREX, CPE, WIRING SYSTEMS AND BYPASS

Worth Noting

Aspect Telecommunications, a San Jose, Calif.-based vendor of automatic call distributors (ACD), recently shipped its 100th Aspect CallCenter ACD to Thrifty Rent-A-Car Systems, Inc. for use in its new worldwide reservation center in Tulsa, Okla. Aspect introduced the CallCenter ACD in April 1987.

arrier

Verilink Corp., a T-1 equipment vendor based in San Jose, Calif., announced last week an alarm reporting service for users of its extended superframe format (ESF) channel service units (CSU).

The service, available now, is targeted at T-1 network users that cannot afford to monitor the high-speed links 24 hours a day. Larger Verilink customers typically buy the company's Verinet network surveillance software to perform this function.

With the new service, Verilink will use Verinet from its corporate headquarters to poll customers' ESF CSUs using dial-up lines, according to a company spokesman.

The information captured will be reviewed by Verilink technicians and passed on to customers by telephone as necessary. The technicians will inform service subscribers of the type of alarms reported, when they were reported and which node in the T-1 network generated the alarm.

ESF enables users and carriers to monitor the performance of T-1 lines and perform diagnostics without taking the lines out of service.

The company would not divulge pricing for the offering. To order the service, call Verilink's Field Service Department at (408) 945-1199. Z

NTIA head launches study on telecom infrastructure

Plans to determine if users' future needs will be met.

By Anita Taff Washington Bureau Chief

WASHINGTON, D.C. — The **Telecommunications** and Information Administration (NTIA) last week launched a study to assess the nation's telecommunications infrastructure and determine whether it will be able to meet users' needs for advanced services into the next cen-

L he study will attempt to address whether net modernization is taking place rapidly enough.

Noting that telecommunications has become a key element in the productivity of U.S. corporations, Janice Obuchowski, head of the NTIA, said it is imperative that officals develop a coherent national policy on communications.

She pointed out that almost all businesses - even heavy industries such as the auto industry, which was once considered lowtech — are becoming increasingly dependent on communications

to handle global assembly of parts, inventory management and distribution.

Specifically, the study will attempt to address whether current network modernization is taking place rapidly enough and what role the government should play in encouraging investment in the public network.


The NTIA study will examine whether the government should modify or remove current regulations such as the business restrictions in the Modified Final Judgment, ownership of cable operations by telephone carriers, depreciation rules and rate-of-return regulation.

It will also examine whether the government could promote development of new technologies and services by establishing tax incentives or providing subsidies.

Although industry observers scoffed at the idea of a study examining many of the same issues currently pending before the Federal Communications Commission, Congress and the courts, Obuchowski said she hopes the study will provide a comprehensive synthesis of all activity in the industry.

The goal "is to put together a coherent version of what the telecommunications infrastructure

(continued on page 18)



MCI prevails as top virtual net provider

Users rate carrier above AT&T, US Sprint in all areas, including performance, user satisfaction.

> By Bob Wallace Senior Editor

BOSTON — MCI Communications Corp. outdistanced rivals AT&T and US Sprint Communications Co. in a recently completed survey of virtual network service users conducted by The Yankee Group, a consultancy based here.

The survey, published in the report "Virtual Networks: The Hybrid Solution," details virtual network use, identifies emerging trends and discusses service enhancements based on the responses of 65 virtual net users.

Virtual networks provide users with private network features such as a uniform dialing plan and customer-specific call routing, over public switched facilities.

Survey participants were asked to rate their carrier's performance on a scale of 1 (worst) to 5 (best) on installation, delivery of dedicated access, invoicing, traffic reports, overall customer service, features, billing and technical support (see graphics, this page).

MCI swept all eight categories, earning an overall average of 4.12; AT&T finished second in six areas, averaging 3.38 overall; and US Sprint ranked second in two categories, earning an average rating of 3.12. A score of four is above average and a three is average, the report said.

The areas where all carriers

need to improve include delivery of dedicated access lines, invoicing, traffic management reports and billing support, according to the report.

Top virtual network service features Station-to-station calling Seven-digit on-network calling International calling

Digital data service access and transport Route advance 67% **Authorization codes** 64% Private network interface Call screening 58% Seven-digit off-network calling 36%

81%

74%

Figures are based on a survey of 65 virtual network users. SOURCE: THE YANKEE GROUP, BOSTON GRAPHIC BY SUSAN J. CHAMPENY

MCI received above-average ratings in nearly all categories, pulling in its highest rating, 4.33, in overall customer service. The carrier received its lowest rating, 3.83, in traffic management reports.

> In comparison, AT&T's high-(continued on page 18)

BY ANITA TAFF

AT&T plans 900 number discounts. AT&T is proposing to expand volume discounts and reduce minimum usage requirements for users of its interactive Dial-It 900 Service. If the tariff takes effect Feb. 22 as scheduled, corporations that use 900 numbers will be eligible for discounts by maintaining a daily minimum average of 2,000 calls or 2,000 minutes of usage. Discounts depend on usage and range from 10% for monthly charges between \$50,000 and 100,000, to a 23% discount for monthly charges over \$200,000. AT&T also dropped the minimum usage from 2,000 to 1,000 calls per day.

AT&T to add option to Megacom 800. AT&T last week told the Federal Communications Commission it wants to add a new option, called nodal validator, to its Megacom 800 service. The feature, which is already available on AT&T's basic 800 service, allows users to accommodate a high volume of short-duration calls. The new feature would be used primarily by credit card companies and financial institutions for applications such as credit card validation, according to AT&T.

Costs for the service consist of a \$50-per-month charge per routing arrangement and fixed charge per call that varies by time of day — two cents during the day, 1½ cents during evening hours and 11/4 cents for night and weekend calls. The nodal validator option is expected to be available for Megacom 800 users on Feb. 22. Z

MCI prevails as top virtual net provider

continued from page 17

est rating was a 3.79 in service installation, followed by a 3.77 in both customer and technical support. Like MCI, the carrier earned its lowest rating, 2.93, in traffic

management reports.

"The results are surprising," said Cathy Clarke, author of the report and a senior analyst with The Yankee Group. "Most [people] would probably expect AT&T to do the best because of their history of highquality service. But apparently, MCI has done a fine job pleasing its Vnet custom-

The report also identified several emerging trends.

Slightly more than half of the 65 re-

spondents' networks are used as part of hybrid voice nets, while 37% are configured as stand-alone virtual networks. A small percentage, 12%, use separate private and virtual voice nets, according to the report.

Although AT&T reported to The Yankee Group in early 1989 that half of its Software-Defined Networks (SDN) were hybrid nets, the majority of more recent, first-time SDN customers are smaller firms that migrated from Megacom or privateline services. This brings AT&T's percentage of hybrid nets to one-third, the report said.

Half of MCI's Vnets are hybrids but, like AT&T, more recent customers are using Vnet stand-alone. US Sprint's Virtual Private Network was mainly a stand-alone voice service to begin with, serving midsize and small companies without private nets, the report said.

Sixty-four percent of all respondents run more than half of their voice traffic over their virtual networks, but only 5.2% of the respondents put all their voice traffic on virtual nets.

Of users that split their traffic between private nets and virtual nets, 63% said they plan to maintain their current traffic mix. However, 30% percent of MCI's customers, 29% of AT&T's and 50% of US Sprint's customers are planning to migrate all their voice traffic to virtual nets.

The study also quantified the number of minutes of traffic users are loading on their virtual networks. About 21.6% of all respondents use their nets to support up to 120,000 minutes of traffic per month on their virtual networks; 32.4% run 120,000 to 500,000 minutes of traffic; 29.7% support 600,000 to 1.5 million minutes of traffic; and 16.3% run more than two million minutes of traffic per month.

The report said 18.5% of all respondents have three or fewer sites supported by their virtual networks, 31.5% have four to 12 sites on their virtual nets, 24% have 15- to 30-site nets, 16.7% have 33- to 60site nets and 9.3% have at least 100 sites on their virtual networks.

Of the top three carriers, MCI had the highest instance of dial-up access. Twentyeight percent of MCI users said that virtually half of their sites use dial-up access. "This high use of switched access for MCI customers may be because MCI has had a larger percentage of the smaller, voiceonly virtual nets relative to AT&T," the report said.

Of the 65 total respondents, 22.9% have none or one site supported by T-1 access to the carrier's point of presence, 27.1% have two to four T-1-supported

sites, 25% have five to 10 T-1 sites, 12.5%

have 12 to 20, and 12.5% have 20 or more, according to the report.

The study also discussed interest in future service capabilities. Seventy-eight percent of all respondents want the carriers to offer a permanent virtual circuit capability with their offering; 64% want the service to handle protocol conversion; and 63% want a local-area network over widearea network feature that would enable them to use the virtual net to connect geographically dispersed LANs. **Z**

NTIA head launches infrastructure study

continued from page 17

should be into the next millenium," she said.

Some telecommunications providers have invested heavily in the network, but "there is some concern about whether the pace is fast enough," Obuchowski said.

NTIA wants to learn whether government involvement will be necessary to make new technologies, such as fiber to the home and the ubiquitous deployment of Integrated Services Digital Networks, a reality.

A wide scope

The study will go beyond the traditional public switched network and examine new communications services available through private networks, value-added networks, cellular services, paging networks, shared tenant services, metropolitan-area networks, teleports and cable television systems.

In the U.S., telecommunications decisions have been largely reactive, according to Obuchowski. "Customer demand tends to govern the rate of deployment of new

technology," she said.

However, it is unclear whether this will result in technologies being introduced fast enough to compete with other countries where telecommunications development is driven by long-range, governmentsupported programs.


A handbook for the future

Obuchowski also emphasized that she wants the study to result in a practical guide that officials can use when making policy decisions in the future.

To that end, the study will also address the financing of the network of the future.

Obuchowski acknowledged that money is tight in Washington and that some type of self-generating system will be needed to pay for new technologies. Z

Data Network Covers The Country Like We Do.



What started as the Sears® private SNA data network is now one of the largest third-party networks in North America. We work for companies of all sizes, helping improve the flow of information between their data centers and remote locations, as well as their customers and suppliers.

By using the Sears Communications Network®, you avoid capital investment and the problems of maintenance, operation and staffing for network management of

your remote sites. Many customers use our network service in addition to private facilities that are already up and running.

Not only can the Sears Communications Network reduce your communications costs, but you'll be able to budget more accurately because we bill on a fixed monthly cost-per-site basis.

You'll also be able to use services like EDI (Electronic Data Interchange) to provide an instant flow of business information between your company and its trading partners.

A Sears Communications Company® Account Executive will be happy to explain how our SNA value-added data network can work for you. Call now for more information: 1-800-255-3443.

Sears

communications **company**®

©1989 Sears Communications Campany. Sears, Sears Cammunications Network and Sears Cammunications Company ore registered trademarks of Sears, Roebuck and Co.

"Today's application backlog is such a nightmare, it'll take more resources to fix it than even IBM has."

-a software developer

"You're right"

-IBM

Announcing AD/Cycle:
The first fully
integrated, total SAA,
start-to-finish
working environment
for creating
and maintaining
applications.

From IBM. And friends:

BACHMAN Information Systems, Inc.
Index Technology Corporation
KnowledgeWare, Inc.

With eomputers humming along at 100 million instructions a second, it seems insane, but it's true:

Programmers are averaging about 10 lines of code a day, and applications are backed up 2 to 3 years.

Worse, applieations now take so long to ereate, they can be obsolete

before: a eonsistent set of standards. Within it, all phases of the process (see diagram) ean be eoordinated.

It's an arsenal of tools, too: CASE tools for planning, analysis and design, a variety of 3rd-generation languages, application generators, knowledge based systems, testing and mainte-

In addition, new releases of IBM **Cross System Product (our application** generator) will run on both OS/2"EE workstations and hosts. Through CSP, many AD/Cyele tools can build applieations for all SAA systems: OS/2, OS/400[™], VM and MVS.


And because AD/Cycle is an open arehiteeture, many other software vendors are ereating development tools that will integrate with it, taking full advantage of IBM's repository manager.

Right Now.

To help you get going with AD/Cyele, IBM's Systems Integration Division is joining forces with leading service companies. CAP Gemini America,

Computer Power Group, Computer Task Group and GE Consulting will be working with us to assist you in planning, training and implementation.

OS/2 EE versions of AD/Cyele tools will arrive through 1990, but you don't have to wait to get started. Many tools are available now, and with exeellent track records.




All AD/Cycle products will have the easy-touse, SAA graphical interface.

Response to AD/Cyele, from both vendors and users, has been overwhelmingly positive. Clearly, it represents the future of application development.

So for you, the question isn't if, but when. And when is now. To get started with AD/Cycle,

eall your IBM Marketing Repre-



AD/Cycle will integrate all phases of application development.

before they're finished. And when they are finished, they require so much maintenance, many programmers don't have time to write anything new.

It's a bigger problem than IBM, or anyone else, ean handle alone. So our solution, AD/Cyele, teams IBM with some special IBM business partners.

And beeause you ean't wait, many AD/Cyele products are available now.

But before getting into who's offering what, let's look at what AD/Cycle is, and why it is *the* development solution for the '90s.



With AD/Cycle, planners and programmers can speak the same language.

The Right Idea.

To begin with, AD/Cycle is a framework that gives the entire development eyele something it never had

nance tools, plus eross life-eyele tools that tie everything together.

And, because a real obstacle to getting applications done right is getting people to communicate, AD/Cycle also offers a repository for sharing information: details about a eompany's structure and methods. expressed in a uniform way, to keep executives and programmers on the same wavelength.

Thanks to SAA, these pieces not only will fit together but ean produce eode for multiple IBM operating systems. And you ean use as many, or few, AD/Cyele tools as you need.

The Right Tools.

AD/Cycle has too many tools to describe them all, but here are some highlights.

Along with products from IBM, key elements of AD/Cyele are eoming from BACHMAN Information Systems, Inc., Index Technology Corporation and KnowledgeWare, Ine™

Each is a leader in CASE technology, with products that reduce years to months, and months to days.

Their sets of tools will combine enterprise modeling, validation of models, data structure analysis and more, all using the graphical interface of SAA.

Times change. Will the LAN connections you choose keep pace?

There's no doubt about it. Time will change the way you connect your LANs. Right now, you may only need to bridge a few remote sites. But as the number of sites and devices increase, your network will require the greater flow control and security features of a router.

How do you make sure your LAN connections anticipate these changes? By choosing flexible products, like the ACS Series 4000 from ACC.

As your needs change, Series 4000 internetworking products adapt to meet those needs.

Series 4000 products are based on a simple concept—flexibility. The advanced hardware platform is bundled with different internetworking software programs. Just insert a new diskette, and you've

reprogrammed the hardware platform to function as a bridge, router, or bridge/router combination.

The Series 4000 won't restrict your options.

Other vendors' offerings limit flexibility by using proprietary protocols. ACC's Series 4000 products use industry-standard protocols, such as TCP/IP, DECnet, XNS, Novell's IPX, and Appletalk—giving you the flexibility to operate with your existing internetworking products.

And, we'll keep developing.

As standards emerge, new software programs will accommodate evolving networking technology. We'll continue to keep pace with network standards as we have for the past 13 years.

For additional features and specifications of ACS Series 4000 products, contact Advanced Computer Communications at 1-800-444-7854.



See the FAXNeT Form on Page #59

DATA COMMUNICATIONS

PRODUCTS, SERVICES, ARCHITECTURES, STANDARDS AND NETWORK MANAGEMENT

Worth Noting

Think [Systems Center, Inc.'s bid to acquire Net/Master marketing rights from Cincom Systems, Inc.] is a plus for both companies and for users. Everybody will benefit, and it will keep IBM honest."

Bart Stuck
President
Business Strategies
Westport, Conn.

D ata Packets

Network Equipment Technologies, Inc. recently announced that its Integrated Digital Network Exchange (IDNX) T-1 multiplexer has been determined compatible with the Integrated Services Digital Network Primary Rate Interface of Northern Telecom, Inc.'s Meridian SL-100 private branch exchange.


The compatibility tests were conducted at a Northern Telecom laboratory in Richardson, Texas. In early 1989, the Meridian SL-1 PBX was also deemed compatible with

the IDNX.

Compatibility means the IDNX can transport across a digital network of SL-100s via the 23 64K bit/sec bearer channels and the 64K bit/sec signaling channel. This gives the user full 64K bit/sec DS0s that are not subject to signaling and density checks, which reduce usable bandwidth.

AT&T this week will announce the formation of a new business unit that will focus on development of network management products, including AT&T's Unified Network Management Architecture.

The Network Management Business Unit will be headed by William Gilbert, who will report to Joseph Nacchio, vice-president of marketing for AT&T's Business Communications Services group. Gilbert was previously responsible for net management in a business unit that was in charge of outbound services. Z



Compression Labs unveils its next-generation codecs

Line supports four video compression algorithms.

By Jim Brown Senior Editor

SAN JOSE, Calif. — Compression Labs, Inc. (CLI) this week is planning to introduce Rembrandt II, the next generation of video coder/decoder (codec) in its video conferencing line.

The Rembrandt II codec line is built around CLI's new Flex 5 architecture, which can support as many as four different video compression algorithms, including CLI's proprietary techniques and the emerging CCITT H.261 video compression standard. The Rembrandt II line will replace CLI's existing Rembrandt and Rembrandt 56 codecs, which each support a single video compression algorithm.

Codecs digitize analog video signals received from cameras and compress the digital data by replacing repetitive bit streams with shortened codes. Those codes are then transmitted over digital circuits to a receiving codec, which converts them back to the original bit stream. That bit stream is then converted back to analog video signals that are displayed on a monitor.

The first offering in CLI's new line, the Rembrandt II/06, supports transmission at user-selectable speeds from 56K to 384K bit/sec, enabling users to conduct videoconferences via leased 56K bit/sec digital data circuits, fractional T-1 circuits or on a 384K bit/sec portion of a T-1 line.

Those are the same speeds supported by its existing Rem-

brandt 56 codec.

CLI plans to introduce later this year a Rembrandt II codec supporting speeds from 384K bit/sec to 3.136M bit/sec, which is what the existing Rembrandt codec supports, said John Walsh, CLI's executive vice-president of sales and marketing.

The Rembrandt II/06 will initially support CLI's proprietary Cosign Transform Extended (CTX) algorithm, also being introduced this week, and CLI's Differential Transform Coding (DXC) compression algorithm, which is used in both the Rembrandt and Rembrandt 56 codecs.

CLI said the CTX compression algorithm will provide picture quality that is twice as good as the DXC algorithm. This will help make the Rembrandt II/06 codec more appealing to customers that want high-quality video images at lower speeds, Walsh said.

Future versions of the Rembrandt II/06 codec will support the CCITT's emerging H.261 standard, also known as P x 64. The CCITT standard, expected to be ratified this year, will enable video codecs from various manufacturers to communicate at between 64K bit/sec and the European T-1 rate of 2.048M bit/sec, in increments of 64K bit/sec.

Lastly, CLI will add to the Rembrandt II/06 support for the Cooperative of Science and Technology's 211 algorithm, which is an implementation of a proposed CCITT standard for videoconfer-

CCITT standard for videoconfer-(continued on page 24)

Users see promise in Net/Master buyout

Customers say move could bring enhancements to market sooner, encourage third-party support.

By Paul Desmond Senior Writer

RESTON, Va. — Users of Net/Master SNA net management software are optimistic that System Center, Inc.'s proposed acquisition of the product's developer and marketing rights will spell good news.

Users said that if Systems Center is successful in its bid to acquire Software Developments International Pty., Ltd. (SDI), which developed the software, and the marketing rights to Net/Master from Cincom Systems, Inc., it should speed availability of enhancements for the network management package.

Net/Master is the chief competitor to IBM's NetView for managing Systems Network Architecture networks. The product was developed by SDI, an Australian company, which sold the marketing and support rights for the product to Cincom in 1984. SDI retained product development rights.

The acquisitions should also

quell concerns about a series of lawsuits that SDI and Cincom filed against each other beginning in June 1988 over interpretations of their agreement.

Some users and analysts assert that the legal battle has stalled the release of Net/Master enhancements and discouraged third-party support of Net/Master, although SDI denies those allegations.

Awaiting enhancements

Users contacted by *Network World* were clearly optimistic that the change will be for the better.

"If we have problems or special requests, they might get addressed sooner because [product development and marketing] will be under one umbrella," said Lori James, lead computer analyst for Dayton Power and Light Co. in Dayton, Ohio.

Users said having research and development under the auspices of a separate company from the

(continued on page 24)

Tyson Foods dumps hosts for local nets

By Jim Brown Senior Editor

SPRINGDALE, Ark. — Tyson Foods, Inc. last week said it is replacing its nationwide hierarchical network with distributed local-area networks linked via bridges to the company's data center.

The company is making the move to provide more reliable network services to its remote sites without increasing operating costs.

"What we hope to be able to do is provide better services for essentially the same cost," said Paul Lothian, a staff analyst.

Tyson will replace a Unisys Corp. 1100 mainframe at its data center here with an Ethernet backbone initially supporting two Digital Equipment Corp. VAX 6420 minicomputers and attached terminals.

The installation of the DEC equipment is part of a three-year, \$9.2 million contract with the vendor, under which Tyson will swap out Unisys equipment in fa-

vor of DEC products at all 80 of its poultry processing plants in 12 states and Quebec.

Tyson will install Ethernets supporting DEC MicroVAX 3100s in 14 of the plants, which also double as regional centers to administer contracts the company has with farmers who raise chickens. The MicroVAXes will replace Unisys U5000 minicomputers at these locations.

The sites will be linked via Vitalink Communications Corp. bridges over 56K bit/sec digital lines to the backbone Ethernet at headquarters.

The company will replace Unisys terminals at all 80 remote sites with DEC VT-320 terminals. Terminals in plants without a MicroVAX will be linked to a DECmux, a statistical multiplexer that will link as many as eight terminals over a 9.6K bit/sec leased line to an Ethernet-attached DEC MUXserver 100 in regional sites. The MicroVAXes at each regional site will support Ethernet-attached terminals.

Tyson will also be replacing many of the analog leased lines that currently link its remote sites to headquarters with digital facilities where available, thus making the network more reliable.

"We're in a lot of small isolated places where we can't get digital circuits," Lothian said.

NETWORK WORLD • JANUARY 15, 1990

Users see promise in Net/Master buyout

continued from page 23

marketing and support team has not been a major problem, although it may have caused delays in the turnaround time for user-requested enhancements.

Rich Krejsa, manager of systems programming at Dana Corp.'s Boston Industrial Products Division in Brentwood, Tenn., for example, said Net/Master Release 2.1 was available under controlled release in May 1989 for IBM's MVS operating system but it is not yet available for VSE users like himself.

''I'm not positive that has anything to do with the development being done in Australia. All I know is I'm still waiting,"

Analysts said Systems Center should be able to put more capital into Net/Master development than the cash-strapped Cincom could.

"They're suffering from a common problem, which is that you overextend yourself," said James Herman, a principal with Northeast Consulting Resources, Inc. in Boston. "You try to sell too many products, and you don't sell any of them well."

Users agreed with that assessment. "In my mind, knowing the superiority of the product [compared with NetView], they just haven't been aggressive enough in their marketing efforts," said a Net/Master user who requested anonymity.

Users said they don't anticipate any problems in support for the product because they expect the majority of Cincom employees who worked on Net/Master to jump ship to Systems Center if the deal is approved. That would include key Net/ Master players such as Walter Thomas and Victoria Duckworth.

Last month, when the deal was announced, Robert Cook, Systems Center's chairman and chief executive officer, said Cincom employees were welcome.

Thomas Nies, Cincom's president and CEO, echoed those sentiments to Net/Master customers in a letter, which was obtained by Network World. If Cincom reaches an agreement with Systems Center, "that agreement would also include the assumption of those Cincom personnel whose responsibilities focus primarily upon the sales, marketing and support of Net/Master," the letter stated.

Users and analysts said the split between development and marketing

made it difficult for other vendors to form alliances that would tie Net/Master to their net management systems.

Cincom succeeded in that effort with AT&T and produced a product that ties Net/Master to AT&T's Accumaster Integrator, but SDI was not involved in the

The ongoing legal battle may have exacerbated that situation. One user who requested anonymity said it also stopped the flow of Net/Master enhancements from SDI to Cincom.

John Robinson, managing director of SDI and one of the three original Net/Master developers, vehemently denied that allegation. "Every part of Net/Master that was made generally available was made available to Cincom," he said.

Robinson declined to discuss the details of the court battle but said the litigation is dormant and will be resolved or dismissed soon. "It's going to disappear is the easiest way to put it," he said.

Robinson said SDI is working on a number of projects that would help give users a homogeneous presentation of and control over multivendor networks. He hinted that SDI would work to support Digital Equipment Corp.'s Enterprise Management Architecture, which would add to Net/Master's existing support for AT&T's Unified Network Management Architecture, a result of the AT&T/Cincom deal.

"Being in this business, we're very aware of what the customers are looking for and the sorts of [hardware] platforms they're using," Robinson said. "It hasn't escaped our notice that Digital is a major player there."

Compression Labs unveils codecs

continued from page 23 encing at 2.048M bit/sec.

The Rembrandt II/06 also employs a CLI-developed intercodec signaling technique that enables a Rembrandt II/06 to determine which compression algorithm other codecs support when a videoconference is being set up. This will enable the Rembrandt II/06 to automatically select the compression algorithm needed to establish communications between the two codecs.


CLI's Flex 5 architecture also enables the Rembrandt II/06 to support a greater number of network interface boards than CLI's existing codecs. The Rembrandt II/06 has 14 board slots, nine of which are used to support such things as processor boards and interface slots for cameras and audio equipment. The remaining slots can support a mix of network interface boards. Existing Rembrandt products support only a single network interface board.

Like CLI's existing codecs, the Rembrandt II/06 will also support interface boards that enable users to transmit data between microcomputers on the same line supporting transmission of video images.

Rembrandt II/06 codecs support transmission of up to four separate data channels in addition to the video channel. CLI's existing codecs support only two data channels plus the video channel.

The Rembrandt II/06 codec, scheduled for availability in the first quarter of 1990, will cost \$31,500. It will include support for the CTX and DXC algorithms. CLI has an upgrade program that will enable users that purchased a Rembrandt 56 codec after October 1988 to trade it in, along with an additional \$15,000, for a Rembrandt II/06. **Z**

Sign Up For Serious Networking.



The consensus is clear. A Magnum Enterprise Network supports more interface types than any other solution. Interfaces such as IBM twinax and coax, Token Ring and Ethernet, Wang coax, plus many more. All sharing one backbone. In fact, Magnum is far and away the most popular solution

of its kind worldwide.

The reason is simple. We're absolutely serious about absolute


transparency.

Magnum works with almost every kind of host, PC, or workstation without costly modifications. High-speed fiber-optic or DS-3 backbones help prevent delays and timeouts. Every device appears to be directly connected, even if it's miles away!

But transparency doesn't mean that problems stay invisible. Our LightWatch network management

system lets you monitor, diagnose, and control every connection from a single convenient site.

For all this power, Magnum is surprisingly straightforward to install and maintain. Complete power, link, and logic redundancy keep network downtime to a minimum. Because



Magnum is based on the latest fiberoptic technology, you can count on always having room to grow (even into our FX5500 FDDI

Series). And you'll be pleased at how cost-effective

serious Enterprise Networking can be.

Call us today at (818) 709-6000 for more information about Magnum, the leader in transparent transport. From Fibermux, the leader in Enterprise Networking.

Fibermux. Fiber/DS-3 Backbones. We're Serious.

LOCAL NETWORKING

PC AND TERMINAL-TO-HOST LANS, GATEWAYS AND MICRO COMMUNICATIONS PRODUCTS

Worth Noting

In 1988, about 8,390 local network bridges were shipped. By 1992, local bridge shipments will increase to 24,587. That's a compound annual growth rate of about 40%.''

Doug Gold Communications research manager International Data Corp. Framingham, Mass.

etnotes

Network Computing Devices, Inc. (NCD) of Mountain View, Calif., last week released software that enables its X/Window network display stations to communicate with hosts across serial lines.

The XRemote software is designed to handle multilevel data compression in X/Window environments. NCD wrote a special data compression protocol because existing compression techniques for alphanumeric data environments were not optimized to address the heavy bandwidth demands of bit-mapped workstations and windowing systems, the company said.

The software means that NCD's net display systems — terminals that off-load the processing of the X/Window graphical interface from the multiuser host — can be used not just where Ethernet connections are available, but at any site that has an ordinary telephone line or RS-232 link.

XRemote can be used to let X/Window end users in remote sales offices communicate with headquarters; it also allows software developers to do their work at home via telephone lines and modems.

The same X/Window terminal can have Ethernet and XRemote serial connections.

The XRemote software that runs on the display station is available in a programmable read-only memory set and is priced at \$300 per NCD unit. The host portion of XRemote is available on a tape for \$500 per host site. **Z**

TOPS to expand line, keep focus on easy-to-use LANs

Sun spins company off into independent unit.

By Walter Sweet West Coast Correspondent

ALAMEDA, Calif. — John Porcaro, DOS products manager at The TOPS Division of Sun Microsystems, Inc., relishes digging through a stack of Novell, Inc. NetWare manuals before finding his prize: a manual to the manuals.

TOPS has built its reputation by offering inexpensive, easy-touse and easy-to-install local-area network products.

The company plans to continue keeping its products simple, while at the same time broadening the platforms and environments it can support.

But industry analysts say they wonder if simplicity is the right path for TOPS in the new decade, suggesting that TOPS should move into higher end products while striving to avoid the need to print a manual for its manuals.

"They'd better, or they won't be around in the '90s,' said Mike Heylin, an industry analyst with Creative Strategies Research International of Santa Clara, Calif. The issues of supporting different workstation operating systems and environments is very important, Heylin said, "but I'm very concerned about the holes in their product line, especially [regarding Microsoft] Windows and OS/2."

Heylin said the TOPS Windows product is not robust, and he pointed out that Apple Computer, Inc. has incorporated TOPS-like features into its soon to be released Macintosh OS 7.0.

The company, however, says its near-term goals are to enhance its product by extending its file-sharing, printer-sharing and messaging services to OS/2 environments and Microsoft Windows 3.0 by the end of 1990.

The company announced last week that it will incorporate its updated InBox electronic mail package, which enables Macintosh, DOS and OS/2 microcomputers to exchange E-mail and files, into its Macintosh and DOS product lines (see "TOPS merges file-sharing, E-mail into new (continued on page 27)

This LAN is our LAN 4 Allied Telesis multiport repeaters Atex J-11 Editorial PCs IBM PS/2 Model 55 SX processors Cipher Data Products' 32 nodes tape drive 2 soft typesetters Tranceiver hanceme to NetWare Autologic APS 800 Network World's new LAN initially will provide word processing and editing facilities to users, but event-(Art department) ually will be broadened to support data base services and link the paper's art department into the network. GRAPHIC BY SUSAN J. CHAMPENY

Network World LAN offers growth path

Relocation spurs migration from terminal/host system to one based on Ethernet, IBM PS/2s.

FRAMINGHAM, Mass. — Network World recently relocated its headquarters and successfully migrated its text processing system to a local-area network environment that will eventually enable us to embrace distributed computing.

The Atex Publishing Systems network is anchored by two minicomputers that support desktop IBM Personal System/2 microcomputers via a star-wired Ethernet. We are one of about eight companies — including The New York Times Co. and the American Medical Association — to install this type of Atex network.

Although the system initially supports only our editorial department, eventually the network will support our art, marketing and circulation departments.

On the editorial side, the longterm goal is to reach 100% electronic page generation, in which text, graphics, free-lance art and photographs are electronically integrated into a page that can be transmitted as a single file to our printer in Woodstock, Ill.

Such capabilities would be a quantum leap ahead of our existing page planning and layout capabilities. Although all text is created, edited and formatted electronically today, graphics are produced on Apple Computer, Inc. Macintosh computers and shipped via airmail to the printer, which manually adds the artwork and color photographs to the page.

The new network will give us

greater control over the final product, reduce costs associated with graphics and extend deadlines to get last minute graphics, photographs and news into the paper.

The network setup

The Atex J-11 processors driving the network are based on Digital Equipment Corp. PDP-11 technology but incorporate many proprietary Atex components.

he new net will give us greater control over the final and extend deadlines.



Each processor is smaller than a two-drawer filing cabinet — or about one-quarter the size of the Atex processors they replaced — and each have 8M bytes of main memory and 300M bytes of disk capacity.

The J-11s support 32 users and mirror one another in the event either unit fails.

Each member of the editorial department has an Intel Corp. 80386-based IBM Personal System/2 Model 55 SX with 2Mbytes of memory and a 30M-byte hard disk. The Personal System/2s are

(continued on page 26)

LAN product lets PC users control remote micros

By Susan Breidenbach West Coast Bureau Chief

ISELIN, N.J. — Triton Technologies, Inc. is scheduled to release a network gateway version of its Co/Session personal computer-to-personal computer remote control communications software at NetWorld 90 Boston next month.

Called Co/Session LAN, the product will let network users share modems to access and control a remote personal computer, establish terminal-emulation sessions with a remote host or transfer files

Co/Session LAN is compatible with any communications server that supports either the IBM Interrupt 14 or the Network Asynchronous Server Interface/Network Communications Server Interface.

With Co/Session LAN, any workstation on the net can control or be controlled by any other workstation anywhere in the world via a dial-up telephone link. The workstation being controlled runs Co/Session LAN's Support program, which sends keystrokes to and receives screen images from the Co/Session Application program running on the

controlling computer.

Companies can use the product, for example, to provide customers or users with technical support. If both sites have localarea networks, two Co/Session LANs can be used to establish a LAN-to-LAN bridge.

The Session/XL program includes a communications-scripting package that can be used for transferring files or for automatically polling remote personal computers at a certain time of day. Administrators can schedule certain tasks for unattended execution on remote or local personal computers, or for updating or downloading information from multiple locations.

For file transfers, the product supports both XModem and Triton's own proprietary 16-bit, full-duplex protocol. A terminal-emulation mode can be used to make connections with a variety of public bulletin board services.

Co/Session LAN is available in licenses that enable up to four users on the network to employ any of the program modules — Co/Session Application, Co/Session Support and Session/XL — simultaneously. A Co/Session LAN license costs \$495.

NETWORK WORLD • JANUARY 15, 1990

NW LAN offers growth path

continued from page 25

wired into the J-11s through four rack-mounted Allied Telesis, Inc. multiport Ethernet repeaters, which in turn are connected to a 16-port Allied Telesis CentreCom 1600 transceiver.

The repeaters are used to isolate collisions on the Ethernet to a single workstation wiring lead, according to Jeff Pennett and Jack McDonough, director and manager of information systems, respectively, at *Network World*.

To ensure uptime, Pennett and McDonough decided to link each Personal System/2 via thin-wire Ethernet cabling to a single port on the repeater, instead of daisy-chaining one workstation to another and sharing a single port.

"We built a number of fail-safe [devices] into the network," McDonough said. "This was one. If a PS/2 goes down, it only affects one user instead of bringing the network to its knees."

The hosts run text processing software from Atex, as well as SLOAD, a proprietary Atex

We built a number of fail-safe [devices] into the net. If a PS/2 goes down, it only affects one user instead of bringing the network to its knees.

network operating system that enables the J-11s to communicate with the Personal System/2s.

Both hosts also run PĆ Preference, an Atex program that supports the industry-standard Universal Datagram Protocol and Internet Protocols so the J-11s can share data with the Personal System/2s and perform session management. The Personal System/2s also run a PC Preference shell.

When editors turn their Personal System/2s on, the devices boot from the local hard drive and default to a menu that enables the user to log on to Atex or exit to PC-DOS.

When the Personal System/2s are logged onto Atex, they emulate the type of dumb terminals the company used with its earlier system. Eventually, however, Atex promises to migrate some of the actual processing done by the host to the end users' microcomputers in a client/server architecture.

Future plans

When the Atex software becomes available for the workstations, we will also be able to migrate from the J-11s to industrystandard network file servers, according to Brian Trombley, an

Atex account executive.

Within the next several years, we plan to add a business application server, which will likely run Novell, Inc.'s NetWare 386, to provide a number of different user services.

The primary purpose of the NetWare LAN will be to connect Apple Macintosh IIx microcomputers in the art department to the Atex hosts, thus making it possible to merge text and art ele-

ments.

Our long-term vision is to archive all back issues on a relational data base server, allowing an editor to perform a search on a particular topic and pull up a list of stories in back issues.

The business application server would also support modem pooling and the ability for reporters to access the server from remote locations.

Since the NetWare 386 server

would be supported as a subnetwork to the primary LAN, it will be linked to the Atex processors via a bridge attached to one of the repeaters.

Ultimately, Dianne Barrett, *Network World*'s art director, will be able to lay out a page on a screen, incorporate the art elements and pour the text around the images to compose the page. She could then ship the integrated text and graphics files over

dial-up phone lines to the printer.

In the meantime, most of our pages are typeset locally on an Autologic Corp. APS 800 typesetter attached to the two hosts on the publishing LAN, enabling editors to obtain complete page printouts for proofreading without expending valuable time physically laying out the pages. The late-breaking news pages are currently composed electronically and transmitted to the printer. Z

DESIGN YOUR OWN PHONE SYSTEM.



Meridian Digital Centrex is a trademark of Northern Telecom © 1990 Northern Telecom

TOPS to expand line, keep focus

continued from page 25 packages," page 33). "E-Mail. We really think that's the future of networking," Porcaro said.

Heylin is hot on InBox, particularly the price. A 100-user package will sell for \$995. "But can a superior mail system really spearhead the leading reason to select one network over an-

other?" Heylin asked.

Heylin and TOPS founder Nat Goldhaber, who is now a partner in a venture capital firm, say they believe TOPS has to compete in the market for higher end products, such as those offered by Novell, to remain competitive.

But Porcaro said, "We feel we're an alternative to Novell. There's no reason to be competitive as in the past. The pie is big enough that if we can each get a small piece, we'll all be successful." Heylin says he sees TOPS getting its piece of the low-end pie right now but wonders if there will be long-term demand in the low-end market.

"In the last two or three years, the market has matured and the requirements for networking have become much more mainstream," Heylin said. "Networks are no longer the premises of a single department. The market is more capable of handling highend solutions."

Goldhaber said he thinks TOPS needs to take a couple of steps to increase visibility. "Namely, it has to pay attention to the fact that there is a need for a centralized data bank that requires the intercession of management," he said. "It means recognizing the importance of the file server."

TOPS traditionally has fo-

cused on peer-to-peer networking that does not require a dedicated server, and the company said it has no intention of going into the higher end market.

Goldhaber said TOPS should work with another company or develop a central file server on its own within three to five years.

"You have to believe that ease of use needs to be maintained," Goldhaber said. While maintaining the option of simple peer-topeer networking, however, TOPS needs to add administrative tools that will provide for more sophisticated security and network management.

"I see no sign that other companies are making their product easy to use," Goldhaber added. "In order for TOPS to be the network that people buy and grow with, it will have to also provide the services that Novell is

known for."

But analysts said last week's Email announcements won't be
broad or deep enough to assure
TOPS' success in the new decade.
The announcement did, however,
answer a few long-standing questions about TOPS' relationship
with Sun. At the press briefing, it
was announced that Sun has
made TOPS an independent corporation with a separate board of
directors that includes TOPS
management, Sun executives and
independent third parties.

It has been almost three years since Sun bought TOPS, and Sun's two primary plans for the acquisition have fizzled. While the merger has added to Sun's revenue and profitability, "I don't think Sun would have bought TOPS just to make money," Goldhaber said.

Sun wanted to use TOPS' dealer channel to market a low-end workstation line, a plan that has been postponed indefinitely. Sun also wanted to merge its Network File System (NFS) with TOPS' network operating system.

Sun had developed NFS for Unix and made it available to other system vendors inexpensively to establish it as the standard. "It was a brilliant move [that] catapulted them into the front and drove competitors out of the picture," Goldhaber said.

He said NFS and TOPS are conceptually very similar and it appeared the two could be merged. "It was a great idea, [but] it didn't work," Goldhaber said. The plan misfired because the two teams didn't work together in the same location, there was no established goal for the final product and NFS users wouldn't adopt a new system because they thought it didn't need to be changed, he explained.

After its primary merger goals sputtered, Sun decided to sell TOPS, according to Goldhaber. "There was talk of a management buyout, but it was decided that it was not acceptable for whatever reason," he said.

As an independent company, TOPS will be able to pursue its own destiny instead of having to live up to Sun's expectations.

Some people think the only way to get a made-to-order telephone system is to buy

their own.

There's another way. Working with your telephone company, you can custom design your own system and pay only for the services you need. Just specify Meridian Digital Centrex from Northern Telecom.

Meridian Digital Centrex gives you a powerful portfolio of features and phones. You can mix and match them, add and subtract them. For example:

 Calling Name on a Centrex Display Set, to know who's calling before you answer.

■ ISDN, when you want integrated voice and data

Meridian ACD, for flexible automatic call distribution.

No other system, no matter how custom-

ized, is more flexible than that.

Call your telephone company and say you want to design your own system. Ask for Meridian Digital Centrex from Northern Telecom.



NORTHERN TELECOM

TECHNOLOGY THE WORLD CALLS ON

REMOTE ACCESS TO YOUR 3270 NETWORK?

WEHAVE ASMALL SUGGESTION!



The Informer 213 portable terminal.

The only light weight 3178 compatible terminal designed specifically to provide remote access to your IBM 3270 environment. Nothing offers you a more complete solution.

This compact little eight pound powerhouse includes a built-in synchronous modem that

operates up to 9600 baud and emulates a 3274 control unit with an attached 3178 Mod 2 terminal. Making communications to the host computer as simple as plugging into any RJ-11 phone outlet and striking a single key.

The Informer 213 lets you establish a low cost dialin network over standard or leased lines with the data integrity of SNA protocols.

So you'll always feel at home when you're away, we

designed the 213 to perform and feel just like your 3178 terminal. From the detachable 3270 compatible keyboard, to the electroluminescent 80 character by 25 line screen with status line. It's all there.

If you've been looking for a portable 3270 solution that's as strong on communication as it is on compati-

bility, give us a call at (714) 891-1112.

We think you'll be surprised when you see what a great little suggestion the 213 really is.

Computer Terminals, Inc.

Informer Computer Terminals, 12781 Pala Drive, Garden Grove, California 92641. Informer is a registered trademark of Informer Computer Terminals, Inc. IBM is a registered trademark of International Business Machines Corporation.

See the FAXNeT Form on Page #59

MANAGEMENT STRATEGIES

MANAGING PEOPLE AND TECHNOLOGY: USERS GROUPS AND ASSOCIATIONS

Worth Noting

As we explored the question of outsourcing, we got nervous about handing over control of network management functions to an outside vendor. Network management is the whole brains of the network; you could be in big trouble if you manage it poorly."

DuWayne Peterson Chief information officer Merrill Lynch & Co., Inc. New York

ssociation Watch

NetWorld 90 Boston, which will be held Feb. 12 to 15 in the Hynes Convention Center, has added four singletopic, all-day tutorial sessions to its slate of educational activities.

The tutorials are titled "Managing Network-Based Information Systems: A Strategic Framework," "Developing Network Applications," "Network Monitoring and Troubleshooting" and "Introduction to LANs and Topology."

Also, the Affiliation of Network Users will be coordinating 12 roundtable discussions during which network managers can discuss a variety of user problems with panels of industry experts.

The 90-minute roundtables will focus on 10 topics, including cable system design, localarea network management techniques and implementing wide-area nets.

Interested managers must preregister for tutorials and roundtables.

Admission to NetWorld 90 Boston's 175 exhibits costs \$35 in advance and \$50 onsite, while a full agenda of tutorials, roundtables and exhibits costs \$375 in advance and \$425 on-site. Other packages are available.

For more information, call (800) 444-3976.

CATT's telecom program offers users a real payback

Degree programs provide practical dividends.

By Joe Panepinto Staff Writer

NEW YORK — For most companies, sending employees back to school is a calculated risk that involves weighing the cost of tuition against the promise of long-term payback.

But many companies, including Manufacturers Hanover Corp., Nynex Corp. and New York Telephone Co., have found that the Center for Advanced Technology in Telecommunications (CATT) at Polytechnic University of New York pays dividends.

These firms have found that executives who complete CATT's master of science in telecommunications management or master of science in information systems (IS) engineering degree programs convert personal gains into real-dollar returns.

In addition to gaining technical expertise through CATT's Network Design Laboratory and Center for Digital Systems, executives in both the IS engineering and telecommunications management programs spend their second year in the weekend de-

gree programs working on projects pertinent to their work. The fruits of those projects often help offset the school's \$25,000 tuition.

"I think we get more of a return" than we pay out, said Ellen McCambley, staff director of executive education at Nynex. "They go out as Nynex employees and come back with a better understanding of the technology and the world they are trying to serve."

Nynex and New York Telephone have extensive screening processes for executives seeking admission to the Polytechnic University program. Screening begins with an officer nomination and, for approximately 10 successful Nynex and New York Telephone executives per year, ends with a final warning about the rigors of the program.

"They have to understand that they have to go to school full time and work full time," McCambley said. "They are told they still are expected to work a 40-hour week."

(continued on page 30)

BOOK REVIEW

BY ERIC SCHMALL

Customer service lessons for network managers

Total Customer Service: The Ultimate Weapon, William Davidow and Bro Uttal (New York: Harper and Row, 1989), \$19.95.


Total Customer Service: The Ultimate Weapon provides all managers with a thorough examination of how customer service can provide companies with a competitive advantage. The book outlines six principles of customer service, which, while not directly related to telecommunications, can help net managers better understand how to deploy communications resources to improve customer service:

- Assemble a clear customer service strategy that takes into consideration customer expectations and market trends.
- Make customer service an integral part of the company's mission and an important priority for all employees.
- Implement comprehensive customer service training programs to teach employees methods for improving customer service.
- Reevaluate design methods to ensure that products are easy to maintain and service. A better design process can identify and correct potential points of failure before products are manufactured.
- Build an efficient physical communications infrastructure that expedites the flow of information and enables companies to respond quickly to customer inquiries.
- Establish tools, such as customer surveys, that monitor customer satisfaction and suggest ways to improve service.

 (continued on page 30)

Schmall is network systems manager for an insurance holding company.

MANAGEMENT PROFILE



User bolsters net for strategic edge

By Wayne Eckerson Senior Writer

DES PLAINES, Ill. — To stay ahead of the competition and keep pace with corporate growth, United Stationers Supply Co. is beefing up the capacity of its nationwide voice and data network.

The wholesaler of office supplies, based here, is upgrading its network so it can support a variety of new applications, such as electronic catalogs and bar coding, that are intended to improve customer service and enhance intracompany communications.

"Our goal is to provide enough bandwidth to users so they can [run any application] they want when they want," said Bernie Schneider, telecommunications director at United Stationers.

United Stationers is steadily adding users and customers to its backbone network. The company is adding about one warehouse a year to the net. In the next three years, it will double the number of customers using the net for electronic order entry from 1,500 to 3,000.

The advent of local networks and personal computers at distribution sites has increased demands on the backbone as well, Schneider said. Local-area net users increasingly want to transfer files across the backbone or access information on remote data bases in other distribution sites or at corporate headquarters here.

To accommodate this growth, United Stationers is installing T-1 circuits throughout its backbone network and is planning to implement T-3 circuits between some of its larger sites. The company is also converting low-speed analog tail circuits supporting customer order entry terminals to higher speed digital lines.

To get the most out of the backbone, the company has decided to standardize on Strata-Com, Inc. Integrated Packet Exchange (IPX) T-1 multiplexers, which are based on fast-packet technology. These multiplexers, which have been installed in about half of the backbone hubs so far, have enabled United Stationers to merge voice and data over the backbone. Previously, the firm used AT&T WATS service to handle its voice traffic.

United Stationers has also begun using LANs to handle receiving, storage and shipment scheduling applications that previously ran on IBM 3090 mainframes in its central data center here. This not only off-loads traffic from the backbone but also provides end users with better tools to manage inventory and track the more than 25,000 office supply items the firm keeps in its distribution centers, Schneider said.

For example, when a shipment arrives at a warehouse, workers on the receiving dock use a personal computer to verify that the content of the shipment matches the purchase order.

The personal computer then prints out bar code labels, based on the purchase order information; the labels are then applied to the cartons. By scanning the bar codes, package handlers can tell what is in the cartons and where

(continued on page 30)

Hospitals experiment with sacrificing image quality, Trott-mann said. Currently, as part of PC-to-PC image transfers

By Wayne Eckerson Senior Writer

puter-to-personal transmission of digitized medical tegrated Services Digital Network ately across the network or services.

If successful, the system may be a boon for small or rural hospitals that cannot attract specialists in radiology or afford the expensive mainframe- or minicomputer-based imaging systems currently on the market.

The network will let these hospitals use personal computers to transmit a wide range of medical images, such as X-rays, CAT scans, magnetic resonance images and medical records, to radiology experts at large urban or regional hospitals. The experts will diagnose the X-rays and consult with physicians at remote hospitals over the phone.

The hospital plans to transmit radiological images to the University of Texas Health Sciences Center at Houston via switched Southwestern Bell Telephone Co. The Houston hospital will be stored on the hard disk of a persic Rate Interface (BRI) lines.

Robert Trottmann, a health care analyst for Southwestern pitals will transmit X-ray images Bell, said the ISDN and switched from old patient files. Radiolo-56K bit/sec services are being gists at each hospital will review used in the trial because they are the transmitted images and subthe most cost-effective means of mit a diagnosis, just as they would transmitting the images.

etary software by Medical physicians' diagnoses. Imaging Systems, Inc., a systems

computer-based software will create menus that will allow phy-ST. LOUIS — Cardinal Glen- sicians to select and view the non Children's Hospital here is medical images. Southwestern preparing to test personal com- Bell is coordinating the commucomputer nications between the hospitals.

The laser scanners will conimages with another hospital us- vert X-ray film into digital images ing switched 56K bit/sec and In- that can be transmitted immedithe trial, two hospitals affiliated with the University of Texas Health Sciences Center are passing medical images across a 64K bit/sec ISDN BRI channel. It takes the hospitals 21/2 minutes to transmit a full-sized 11- by 17-in. uncompressed X-ray image between sites, Trottmann said.

Eventually, this time could be whittled down to about 30 seconds without degrading the clarity of the images, Trottmann said. This will be done by transmitting



56K bit/sec lines provided by Hospital receives X-ray images over new network.

linked to a nearby Southwestern sonal computer or a personal Bell central office using ISDN Ba- computer-attached optical or magnetic storage device.

In the six-month trial, the hosin actual patient cases. Several Both hospitals are being sup- weeks later, they will make anplied with computerized laser other diagnosis using the original scanners, Intel Corp. 80386- X-ray. The hospitals will then based personal computers, high- compare the results to see if the resolution monitors and propri- transmitted images altered the

The trial will also determine integrator specializing in health the optimal speed at which imcare applications. The personal ages can be transmitted without

images across two 64K bit/sec B channels (instead of one B channel) and using 2-to-1 data compression. Trottmann said the hospitals will store the images on the personal computers' 80M-byte hard drives during the trial, but hospitals will be able to use other storage devices, such as optical and magnetic disks, with the systems in the future.

However, Trottmann said the health care industry is still waiting for a storage device large enough to hold the thousands of images hospitals need to access on a daily basis. "Those systems, when they arrive, will be defined by terabytes of capacity, not gigabytes," Trottmann said. 🔼

matically reroute traffic around order entry terminals at customer sites in the region.

Upgrading these tail circuits to 56K or 64K bit/sec digital circuits will enable United Stationers to support additional customers as well as a variety of bandwidth-intensive applications and services.

For example, United Stationers wants to offer customers an electronic catalog service to replace the thick paper manuals customers now use to look up merchandise they want to order. This would provide customers with more accurate and timely information about United Stationers' products.

This application, among others, is needed to keep the company competitive with other ofsuppliers that offer customers proprietary order entry systems, Schneider said. Z

Service lessons for net managers

continued from page 29

The authors do not present these principles as simple cookbook ideas. They stress that using customer service as a competitive weapon requires companies to make a significant commitment in time and money and make drastic changes in existing company procedures.

Even the most prosperous and progressive organizations, the authors say, may blanch at the challenges in creating an effective customer service program.

Despite the challenges, there are many opportunities for network managers to help companies improve customer service.

For instance, network managers can establish an 800 number that lets customers call into a help desk. This provides customers with a quick and convenient way to help diagnose problems. Also, network managers might set up phone lines that would allow technicians to diagnose problems in customer equipment remotely. This could let companies detect and correct problems before the customer knows about them.

Companies might also install cellular phones in a fleet of repair vehicles. This would enable companies to dispatch technicians quickly to customer sites when there is a problem.

Although the book is peppered with references to a variety of studies, interviews and other published sources, the authors use a simple and entertaining writing style. Overall, the book is an easyto-read, informative guide that can help network managers become more effective contributors to their company's customer service programs. Z

CATT's program offers payback

continued from page 29

The 70 executives ultimately accepted by the school each fall go through the two-year program in study groups made up of executives from end-user, vendor and carrier companies. The mixed-industry study groups give executives insights into the role of their companies within and across markets.

Ed Palmer, associate director of network planning at Nynex in White Plains, N.Y., graduated from Polytechnic University's telecommunications management program in 1988 and focused his second-year project on the emergence of high-speed data transmission and the impact of T-1 service on Nynex's international competitiveness.

"What the program did was give more of a corporate and strategic perspective," Palmer said. "And it was with that perspective that I was able to see more directly how planning was necessary in the industry."

Other executives use the second-year project to catch up on technical advances and to experiment with emerging technol-

Ariel Kornberg, a senior technical officer at Manufacturers Hanover and a 1989 graduate from the IS engineering program, did a queuing systems analysis of his company's VAX-based Broker-Dealer Automation System. The study enabled Kornberg to measure the performance of the system in real time.

"The second-year project was an open invitation to join something that had academic weight with something that would contribute to our companies," Kornberg said. "It really actualized that marriage between what we were learning and what we were doing at work."

Classes in Polytechnic University's four-semester program run all day Friday and Saturday, every

other week, from September through May. Besides picking up the tab, companies that send executives have to be willing to work around their new schedules.

"What impressed me was [Nynex's] investment in people to grow," Palmer said. "Even if you are married with children and have the realities of home pressing on you, the program is in a context that is doable."

Many universities around the country offer executive education programs, but few offer accredited master of science degree programs geared exclusively toward the full-time executive.

t actualized the marriage between what we were learning and what we did at work."

National University in San Diego offers an MBA degree with an emphasis in telecommunications, but classes are scattered throughout the workday and are not convenient for executives.

The University of Southern California School of Business Administration offers a two-week advanced management program in telecommunications, but it only provides a certificate of advanced study. The Michigan Business School at the University of Michigan offers management seminars and executive development programs aimed at managing technology; however, none are as comprehensive as the programs at Polytechnic University.

"What companies are looking for specifically is to get people with more capabilities," said Ivan Frisch, director of CATT. "They promote people who go through the program more quickly and get more from them."

User bolsters net for strategic edge continued from page 29

to put them in the warehouse.

United Stationers' backbone network consists of multiple T-1, AT&T 56K Dataphone Digital Service and 56K bit/sec satellite links between 15 regional distribution sites.

The satellite facilities are used primarily to back up the T-1 and 56K bit/sec circuits (see graphic, page 29).

Today, each distribution site serves as a network hub and is outfitted with either a StrataCom IPX T-1 multiplexer or an Infotron Systems Corp. 990 statistical multiplexer. Each multiplexer supports two or more T-1 or 56K bit/sec links to other network hubs, making it possible to autodowned links.

Distribution centers are outfitted with IBM 4M bit/sec Token-Ring Networks, which are tied to the backbone via CrossComm Corp. ILan bridges.

Besides using the personal computers to run applications for receiving, scheduling and storage functions, the personal computers also emulate IBM 3270 terminals, enabling users to access host applications on IBM 3090 mainframes in United Stationers' central data center. The mainframes run applications such as accounts payable, accounts receivable, payroll and order pro-

Each distribution site also serves as the hub for numerous 4.8K or 9.6K bit/sec analog tail circuits that connect electronic

INTERNATIONAL NETWORKS

USER STRATEGIES, INTERNATIONAL SERVICES & REGULATION

Worth Noting

66/1 -1 circuits in Canada are far too expensive. They cost the same as buying 21 or 22 [dedicated] voice-grade channels, which means that no one can afford them unless they're looking for enhanced services like Group IV fax or other applications that require large bandwidth."


> Brian Callihoo President Canadian Business Telecommunications Alliance Toronto

Vorld

US Sprint Communications Co. last week announced that it has signed an agreement to interconnect its network with Mexico's national carrier, Telefonos de Mexico, S.A. de C.V. (Tel-Mex), and that it plans to begin offering international 800 and private-line services in the country by the end of 1991.

US Sprint joins AT&T and MCI Communications Corp., which also recently said they will offer advanced network services in Mexico. US Sprint will connect its network with TelMex's via fiber-optic facilities at four locations along the U.S./Mexican border. These border crossings will allow US Sprint to provide switched long-distance service into Mexico without leasing AT&T facilities. AT&T is the only U.S. carrier that has physical connections to the TelMex net.

El Segundo, Calif-based Hughes Aircraft Co. recently received government approval to ship the AsiaSat1 satellite to Asia Satellite Telecommunications Co., Ltd. The Hong Kong consortium plans to launch the satellite this spring and use it to provide advanced network services to the People's Republic of China.



Alternative net provider emerges in West Germany

Rates for private-line services set precedent.

By Barton Crockett Senior Editor

COLOGNE, West Germany — Meganet GmbH, based here, may be an attractive option for U.S. users shopping for network services in this country.

Meganet, West Germany's only alternative supplier of private-line services, charges rates for 9.6K, 19.2K and 64K bit/sec circuits that are guaranteed to be lower than what national carrier Deutsche Bundespost charges for 9.6K bit/sec circuits between the same sites.

Meganet operates a private network interconnecting 17 West German cities that is based on 64K bit/sec circuits leased from Deutsche Bundespost at volumediscounted rates.

'We're a good alternative for American companies with operations over here," said Meganet's president, Erwin Schaefer.

Meganet is able to provide service because of a September 1988 decision by the West German government that loosened restrictions on competition in data communications services.

Previously, competition was constrained by regulations requiring that at least half the capacity on dedicated circuits be used to support a company's internal network traffic.

Because of this limitation, Schaefer said only a handful of companies with large West German operations, such as IBM and Siemens AG, were able to provide network services in competition with Deutsche Bundespost. And these companies only supplied X.25 packet-switching services.

Schaefer said that without the

rule change, Meganet, which was founded in August 1988, could not have gotten into the leasedline services business. "It would not have been feasible," he said.

Meganet is owned by three West German insurance companies as well as West Germany's international carrier. Each firm owns a 25% stake.

Schaefer said Meganet began supplying network services to the three insurance companies in December 1988. By the spring of 1989, Meganet had begun selling dedicated 9.6K, 19.2K and 64K bit/sec circuits to other users.

According to Schaefer, Meganet now has about 30 customers. He expects 1990 revenues to total about \$4.8 million, with the company becoming profitable in May. Méganet's 1989 revenues totaled about \$2.4 million, and Schaefer said Meganet is growing at a rate of about 20% per month.

Schaefer explained that Meganet appeals to users because it charges the same flat rate for dedicated 9.6K, 19.2K and 64K bit/ sec circuits — and the rate is always lower than Deutsche Bundespost rates for dedicated 9.6K circuits between the same points.

"If the Deutsche Bundespost charges 5,000 DM per month [about \$3,000] for a 9.6K bit/sec circuit between Cologne and Munich [West Germany], we'll charge 4,000 DM [about \$2,400] for the same circuit at either 9.6K, 19.2K or 64K bit/sec."

Schaefer said users have not flocked to the 64K bit/sec circuits because of the extra equipment cost involved. "Most [West German] companies don't have 64K

"It really speeds up the pro-

Private-line prices to plunge in Canada

Country's largest carriers attempt to bring cost of dedicated facilities in line with prices in U.S.

> **By Barton Crockett** Senior Editor

OTTAWA — Canada's major carriers are planning to cut prices for high-speed private lines by as much as 70%, bringing the cost of dedicated facilities in this country closer to rates charged in the U.S.

Telecom Canada, an association based here representing most of Canada's regional carriers, said that by early this year, its members plan to cut rates for Dataroute 56K bit/sec circuits as much as 70%, while rates for Megaplan T-1 circuits will drop an average of 50%. Rates for Megastream dedicated 64K bit/sec circuits will drop up to 20%.

The carriers also plan to begin offering fractional T-1 service and to drop a requirement forcing Megastream users to buy a minimum of four 64K bit/sec circuits.

For example, one of Telecom Canada's largest carriers, Burnaby, British Columbia-based British Columbia Telephone Co., expects that rates for a T-1 circuit between Vancouver and Toronto, about 2,000 miles away in Bell Canada's service area, could drop 57% to about \$36,500 per month. The cost of a 64K bit/sec circuit for the same route could decline roughly 33%, to approximately \$3,000 per month, according to Robert Simons, group product manager for integrated networks at the carrier.

Simons said these prices do not include local access charges, which will be largely unaffected by the rate changes. He said rates will drop most for longer circuits, noting that the cost of a 43-mile T-1 link between Vancouver and British Columbia's capital, Victoria, for example, will probably drop about 45% to roughly \$9,000 per month, while rates for dedicated 64K bit/sec circuits on the same span would drop only about 12%, to approximately \$750 per month.

Simons said British Columbia Telephone is cutting rates in order to pass along savings from technological advances in its network.

Revolutionary

Users hailed the rate reductions, saying they will make it easier for U.S. users to extend high-speed digital facilities into Canada.

(continued on page 32)

Customer response tepid to MCI financial service

WASHINGTON, D.C. — Despite the potential it offers for savings, an MCI Communications Corp. service that translates telexed requests for money transfers into a standard format and sends them to a bank's computers, has met with little success.

To date, only two customers have signed up for MCI's Automated Money Transfer System, (AMTS), which was introduced in 1988. Customers who have been approached about the service by MCI have expressed little interest

The service is designed to help international banks cope with the flood of telexes that many financial institutions around the world use to initiate funds transfers. MCI receives telexes sent in any English format and converts them into an International Standards Organization (ISO)-compliant form. Messages are then forwarded over dedicated links to a bank's computer systems.

cess," said Ashim Das, an MCI advisory engineer who has worked to implement AMTS.

An MCI executive familiar with the offering said the carrier will supply AMTS services at no cost to banks with large international operations. He said the carrier targets banks for which the cost of supplying AMTS service would be more than offset by revenue gains from an increase in telex traffic over the MCI network.

Under AMTS, a bank directs its business partners to route telex traffic to an MCI telex number.

Messages are then sent from an MCI telex machine over an Ethernet to IBM Personal Computers that act as front ends to Digital Equipment Corp. minicomputers. These run software for MCI's Store and Forward Exchange service, through which facsimile, telexes and electronic mail are stored and forwarded to users.

The DEC minicomputer identi-(continued on page 32)

(continued on page 32)

Private-line prices to plunge in Canada

continued from page 31

Canadian Business Telecommunications petition will be approved. Alliance and manager of telecommunications at the London, Ontario, brewer John Labatt, Ltd.

Callihoo said dedicated lines in Canada based alternative carrier CNCP Telecom- erally available T-3 services by Feb. 12. munications this year to enter the switched long-distance service market.

Currently, CNCP is only allowed to sell private-line services. Callihoo said he believes CNCP will apply sometime this year for regulatory approval to sell switched "This will make T-1 and private-line services as well. He said he thinks the Teleservices feasible for many users that com Canada carriers are cutting rates so couldn't afford them before," said Brian regulators will look on them more favor-Callihoo, president of the Toronto-based ably and it will be less likely that the CNCP

"It's a shrewd political move," he said.

T-3 services to bow

Callihoo said users are also pleased are currently three to seven times more ex- with a recent decision by the Canadian Rapensive than similar facilities in the U.S. dio-Television and Telecommunications He said carriers are reducing prices to pre- Council (CRTC) that requires the counpare for an expected effort by Toronto- try's largest carriers to file tariffs for gen-

Currently, T-3 services are not available to users in the country. In 1988 and 1989,

Network free with over 350 companies at CN'90!

however, the CRTC received petitions from Bell Canada and CNCP to supply T-3 lines to Toronto-based Teleglobe Canada, the country's international carrier, at specially tariffed rates that would not be available to users at large.

The CRTC denied this request and ordered the petitioning carriers and British Columbia Telephone to make T-3 services generally available instead. British Columbia Telephone's Simons said his company plans to make T-3s available first in metropolitan areas where demand is greatest and to make a single T-3 cost about as much as 4½ T-1s. Given the rate cuts expected in T-1 services, Callihoo said this would make T-3s attractive to many users.

"Without the rate cuts, no one could afford them," he said. "Nobody could even afford a T-1." **Z**

The Meganet network Network operated by West German service provider Meganet. Berlin Cologne Frankfurt Munich Local-access nodes 64K bit/sec dedicated circuits SOURCE: MEGANET GMBH, COLOGNE, WEST GERMANY GRAPHIC BY SUSAN SLATER

Alternative emerges in West Germany

bit/sec equipment because 64Kbit/sec circuits from the Deutsche Bundespost are too expensive to have," he said.

installing 2.048M bit/sec European T-1 West German cities.

Schaefer said Meganet also plans to build a separate X.25 packet-switching network with local-access nodes in about 60 to 70 West German cities and to begin providing packet-switching services in the country. He added that this year, Meganet plans to start offering enhanced services over its leased-line and packet-switching networks, including electronic mail, voice mail and facsimile transmissions.

Schaefer said Meganet also plans this year to extend network services into such countries as the U.S., the U.K. and The Netherlands by acquiring dedicated highcapacity international circuits. To date, Meganet has no U.S. users, but Schaefer predicts that will change in 1990.

Customer response

continued from page 31

reformat them into ISO form.

tepid to MCI service

fies telexes destined for customers sub-

scribing to AMTS. It passes them off to a

Symbolics, Inc. processor that uses expert

systems software to sort text messages

from requests for money transfers and to

90% of the funds transfers will be success-

fully separated from text messages and

that 50% of these transfers will be convert-

named said that only a few banks have

enough traffic to make it cost-effective for

communications at Los Angeles-based Se-

curity Pacific Automation Co., which has

discussed subscribing to AMTS with MCI,

said the service probably wouldn't help his

bank much. "We're happy with what we have now and don't see that we would gain

much by changing," he said.

Jerry Appleby, a vice-president of tele-

While AMTS holds promise, a source familiar with the service who asked not to be

ed into ISO forms with no problems.

the carrier to offer them the service.

Das said MCI guarantees that at least

continued from page 31

Over the course of the year, Meganet plans to increase its network capacity by circuits between major network nodes and to extend its network to include about 30

The next decade may be the most exciting and fast-moving yet in the world of communications. And there's no better place to see the future before it unfolds than the exhibit halls at Communication Networks '90, the premiere communications conference and exposition that's taking networking into the 90's.

Almost all of the leading communications suppliers will be there — more than 350 of them — with their latest products and services. You'll get a chance to see ISDN in action with our own multi-booth CN '90 ISDN network demonstration at the Ramada Renaissance/Techworld adjacent to the Convention Center. And you'll also see the latest in every key communications technology — from satellite communications, to WANs, LANs, fiber optics, network management, and PBX's.

Complete Conference Program

If you want detailed information from leading communications experts, CN '90 also offers a complete conference program. There are 15 all-day, in-depth tutorials and over 80 conference

sessions covering all the key communication topics, and designed for every level of expertise. For complete conference details, call Conference Sales at 800-225-4698 or 508-879-6700.



Washington, D.C. Convention Center & the Ramada Renaissance/Techworld February 6-8, 1990

Communication Networks is produced by IDG Conference Management Group, an International Data Group Company, 111 Speen St., Framingham, MA 01701.

COMMUNICATION NETWORKS '90 EXPOSITION TICKET TAKING NETWORKING INTO THE '90s

Washington, D.C. Convention Center 900 Ninth Street, Washington, D.C.

The Ramada Renaissance/Techworld 999 Ninth Street, Washington, D.C.

February 6-8, 1990

ADMIT ONE FREE

(A \$20 Value) Good for admission to exposition only (no one under 18 years of age admitted)

COME EARLY AND SEE EVERYTHING

Exposition

Tuesday, Feb. 6, 10:00 am to 5:30 pm

Registration Hours:

Sunday, Feb. 4, 3:00 to 5:30 pm

Monday, Feb. 5, 7:30 am to 5:30 pm Tuesday-Wednesday, Feb. 6-7, 6:30 am to 5:30 pm Thursday, Feb. 8, 6:30 am to 4:00 pm

Hours:

Wednesday, Feb. 7, 10:00 am to 5:30 pm Thursday, Feb. 8, 10:00 am to 4:00 pm

NETWORK WORLD • JANUARY 15, 1990

PRODUCTS & SERVICES

THE LATEST OFFERINGS FROM VENDORS AND CARRIERS

First Look

Utility pack helps run NetWare LANs

ETI Software, Inc. recently introduced a management utilities program for Novell, Inc. NetWare users.

The software, NetCompanion, runs on a NetWare server and comprises 16 separate utilities for functions such as user management, performance monitoring, file management, workstation configuration, queue monitoring and server management and security.

NetCompanion provides diagnostic information about nodes on the network — such as number of packets received and sent and number of packets received and sent with errors — and information about the server to which the node is connected.

It can also gather statistics on network traffic to and from any given node at the Internetwork Packet Exchange/Sequenced Packet Exchange (IPX/SPX), local net driver and shell level.

File server information, such as amount of free disk space, number of packets sent to nodes and file server utilization rate, is recorded and displayed as a series of bar graphs that enable users to identify potential problems quickly.

Net administrators can control the NetWare server from the command line of a workstation, deactivating the server or disconnecting users from it. They can also isolate network problems to a single workstation.

NetCompanion is scheduled for availability Jan. 22 and is priced at \$349 per server. It runs on networks with NetWare Version 2.1 and ahove.

ETI Software, Inc., 2930 Prospect Ave., Cleveland, Ohio 44115; (800) 336-2014.

Racal InterLan adds drivers to E-net card

Racal InterLan, Inc. has enhanced its NI9210 adapter, a 16-bit Ethernet controller, with drivers that support Sun Microsystems, Inc.'s Network File System (NFS).

The NI9210 is being bundled with NFS drivers, which will let IBM Micro Channel Personal System/2s communicate in Ethernets using NFS. (continued on page 34)

Codex EtherSpan vs. the market								
Vendors	Ethernet bridge	Fractional T-1 support	Remote site support	Filtering/ forwarding rates (packets/sec)	Price			
Codex Corp.	6310 EtherSpan Bridge	Yes	Up to 24	15,000/4,000	\$11,985			
CrossComm Corp.	ILAN	Yes	4	14,500/2,800	\$9,600			
Cryptall Communications Corp.	3000 Series	Yes	1	14,900/7,300	\$7,500			
Digital Equipment Corp.*	TransLAN III TransLAN 350	No No	8 8	14,800/2,000 14,800/5,000	\$15,770**; \$24,040 for 1 T-1 line			
Ungermann- Bass, Inc.	Access/One Remote Ethernet Bridge	Yes	10	9,000/2,600	\$6,500			
Vitalink Communications Corp.	TransLAN III TransLAN 320 TransLAN 350	Yes Yes Yes	8 2 8	15,000/2,000 15,000/500 15,000/5,000	\$14,250 \$7,750 \$18,750			
Wellfleet Communications, Inc.	Feeder Node	Yes	2	14,000/ 14,000	\$8,995			

Support for 24 remote sites differentiates Codex bridge

Pricing and other information supplied by vendors as of Jan. 8, 1990.

Analysts praise E-net box's 'innovative' design.

By Tom Smith New Products Editor

*DEC is a reseller of Vitalink products.

**Denotes base configuration.

CANTON, Mass. — Codex Corp.'s recent entry into the local-area network internetworking market with an innovative Ethernet bridge is gaining praise from analysts who say the device compares favorably against existing bridges.

The 6310 EtherSpan Bridge is described by the vendor as a multiplexing bridge because it supports the T-1 D4 framing format, which divides an incoming T-1 line into 24 64K bit/sec channels. This enables users to employ any number of those channels to meet their needs ("Codex LAN group unveils high-speed Ethernet bridge," NW, Dec. 11, 1989).

ANALYSIS

to work with fractional T-1 services. It also lets the 6310 support links with as many as 24 remote sites when tied to an intelligent T-1 multiplexer or carrierbased services that use central office digital access and crossconnect systems for switching.

Although other Ethernet bridge suppliers support fractional T-1 (see graphic, this page), those vendors' products do not support connections to 24 remote sites on a single T-1

"You may not need the entire bandwidth of a T-1 line devoted to your bridge," explained Brad Baldwin, industry analyst at Dataquest, Inc., a San Jose, Calif.based consultancy. "Maybe you want to take a piece of that and

devote it to different communications lines."

Codex's support for such an approach is "very innovative and quite a step forward," Baldwin added. "A lot of bridges on the market now have full T-1 capability; but if you want to use a T-1 and divide it up, there doesn't seem to be any way to do that."

Mark Leary, director of communications research at International Data Corp., a Framingham, Mass.-based consultancy, called fractional T-1 support the 6310's most significant feature.

"This DS0 orientation comes from Codex's [wide-area network] experience with multiplexing techniques," Leary said in a recent report, "Codex enters LAN internetworking market."

In introducing its product, Codex also said the 6310, unlike This feature permits the 6310 other bridges, is able to support from one to 24 64K bit/sec channels without adding extra V.35 ports to an existing bridge or adding more bridges. Other vendors' bridges, by contrast, require users to buy either additional V.35 cards for their bridges or additional bridges to increase capacity. Many bridges support a maximum of eight V.35 ports, which are used for sub-T-1 speeds.

Users must then pay extra for hardware, according to Codex, and they might have to use more ports on a T-1 multiplexer.

Instead, with the 6310, users could utilize separate DS0s at different sites either over the public network or through T-1 multiplexers onto a private network, according to Kenneth Miller, gen-(continued on page 34)

SYSM bolsters E-mail for IBM mainframes

Update supports nicknames, message sorting; early user, sold on SYSM, switches from PROFS.

> By Tom Smith **New Products Editor**

BOISE, Idaho — H&W Computer Systems, Inc. recently enhanced its IBM mainframe-based electronic mail package, adding support for user nicknames and upgrading message sorting capa-

SYSM software runs on OS-, MVS/XA- or DOS/VSE-based IBM mainframes under CICS, enabling IBM terminal and Personal Computer users to exchange messages. The product is similar in function to IBM's Professional Office System (PROFS), which runs on VM-based mainframes.

The price, performance and flexibility offered by SYSM Release 6.3, the latest version, prompted Detroit Osteopathic Hospital Corp., a Southfield, Mich., holding company for three hospitals that previously used PROFS, to switch to SYSM about six months ago.

SYSM software's basic functions, in addition to sending and receiving E-mail, include in and out baskets; word processing and editing capabilities for composing messages; and calendaring/ scheduling for users to maintain on-line information about their activities. Previous releases of the product offered interfaces to a variety of programs and devices, including PROFS and facsimile machines. The firm also offers a Soft-Switch, Inc. interface that supports X.400 and other public and private E-mail services, including MCI Communications Corp.'s MCI Mail and Telenet Communications Corp.'s Telenet.

sers can assign names to frequent mail recipients without having to input addresses.

AAA

One of the key upgrades to the E-mail pack, according to Carol Peterson, marketing manager at H&W Computer Systems, is the introduction of nicknames. Previously, users had to address messages to user identification names, which became difficult when the number of users increased and IDs grew in complex-

Now users can assign simple names to frequent mail recipients without having to remember or (continued on page 34)

TOPS folds E-mail support into file-sharing software

By Walter Sweet West Coast Correspondent

SANTA CLARA, Calif. — The TOPS Division of Sun Microsystems, Inc. last week introduced a version of its TOPS file-sharing software that includes integrated electronic mail.

The Network Bundle for DOS and the Network Bundle for Macintosh products combine the latest release of the TOPS/Macintosh 3.0 and TOPS/DOS 3.0 filesharing packages with a new version of the company's InBox E-mail system. Previously, users had to purchase each package separately and integrate them.

According to Rich Shapero, vice-president and general manager of TOPS, the company bundled the software because large network users want an integrated package with services for an entire organization.

TOPS/Macintosh 3.0 now supports a shared environment extension in the Apple Filing Protocol (AFP), enabling the filesharing software to support all AFP applications. It also supports the AppleTalk limit of up to 254 servers per network.

TOPS/Macintosh 3.0 also sports a more comprehensive set of file translators (licensed from Data Viz, Inc.) than previously available in other releases, Sha-

The print spooler has been enhanced to support AppleTalk 6.0, enabling it to drive Apple Laser-Writer printers.

TOPS/DOS 3.0 incorporates DOS extender technology to reduce the amount of standard DOS memory it requires. It takes up as

(continued on page 34)

NETWORK WORLD • JANUARY 15, 1990

Star hubs squeeze seven devices onto IBM mini port

By Tom Smith **New Products Editor**

SANDWICH, Mass. — Network Devices, Inc. recently introduced active and passive star hubs that allow up to seven terminals and other devices to share a single port on an IBM minicomputer.

The PowerStar and Link Star each come with at least one port supporting connection to an IBM Application System/400 or System 3X minicomputer, as well as ports for IBM terminals, printers and Personal Computers emulating terminals. The hub's host port supports the 1M bit/sec data rate of attached IBM minicomputers.

The PowerStar hub, like any active hub, amplifies the host computer's incoming signal. Boosting the signal enables the hub to support devices up to 4,500 feet away using IBM Type 3 unshielded twisted-pair cabling.

The PowerStar hub has an input power LED, as well as one LED for each port to indicate whether that port is able to receive data. The hub comes in single- and dual-host port models. A singlehost model supports seven devices, and the dual-host port model supports 14 devices.

Doosting the signal enables the PowerStar hub to support devices up to 4,500 feet away.

Star-wired active hubs offer an advantage over twinaxial daisychained configurations by providing fault-tolerance, according to Peggy DiMauro, sales manager for Network Devices. When a sin-

gle device on the star goes down, the other devices can remain active. By contrast, in a daisy chain, failure of one device causes every device to go down.

Network Devices' passive Link Star hub simply retransmits the incoming host computer signal without amplifying it. For this reason, the maximum distance on any leg of the star will be 200 to 300 feet, depending on system configuration and electronics, DiMauro explained.

The passive hubs are available in versions supporting four and eight host ports. Like the active hub, they have RJ-45S modular jacks that support both RJ-11 and RJ-45 connectors.

Both new hubs from Network Devices are available now.

The active PowerStar is priced at \$400 for a single host port and \$860 for two host ports. The passive Link Star hub costs \$350 for the four-port version and \$500 for the eight-port version.

Network Devices can be reached in writing at P.O. Box 1419, 8-11 Jan Sebastian Way, Sandwich, Mass. 02563, or by calling (508) 888-5200. **Z**

TOPS folds E-mail, software

continued from page 33

little as 65K bytes, and it also has been rewritten in a modular fashion so that users can load only the network services they require.

The TOPS/DOS 3.0 product supports the Hierarchical File System (HFS), which lets DOSbased personal computers act as file servers for Macintosh sys-

With HFS, multiuser Macintosh data bases, accounting packages and other applications can be stored on a DOS computer on the network, even though they actually run on a Macintosh.

Other new features include enhanced printing options.

The Network Bundle for Macintosh is available now for \$299 per workstation. The Network Bundle for DOS will be available in mid-February for \$249.

TOPS said it will offer TOPS/ Macintosh, and TOPS/DOS 2.0 and 2.1 users an upgrade to the new Network Bundles for \$125 each or both for \$185. The upgrade includes InBox 3.0.

InBox 3.0 and InBox Plus can still be purchased separately and should be available late this month and early February, respectively. InBox 3.0 is designed for smaller work groups of up to 20 users, while InBox Plus supports multiple mail systems of up to 100 users and includes gateways to private and public mail systems. Z

SYSM bolsters E-mail

continued from page 33

SYSM Release 6.3 also offers, for the first time, varying types of in basket sorting. Prior to this release, users either had to read incoming messages immediately or access a list of all those received in their in basket. Now, they can request that the software sort messages by categories, such as topic or date received.

PROFS, by contrast, generally requires a greater degree of administration than SYSM, including transferring files when user services in the information systems department at Detroit Osteopathic Hospital.

In addition to these new features, H&W Computer Systems also upgraded several utilities electronic forms and calendar-

Electronic forms, which enable users in an insurance company, for example, to integrate commonly used forms into E-mail messages, are now maintained in directories, whereas in the past, users had to remember the name of a form required for a particular

to users' personal calendaring/ scheduling capability is moving to-do lists, which automatically complete a task they included in a to-do list. "This is a terrible nag command, but we've had a lot of

input lengthy addresses.

Another new feature is maintenance of user IDs, which will eliminate the need to migrate all files to a user's new ID manually when it changes, such as when a woman gets married and changes her ID or when a user changes departments. When the ID is changed, all files belonging to it can be migrated automatically to

"This is something network administrators love," Peterson said. "Users never see it, but they benefit automatically."

ID names change, according to John Baxa, manager of technical

within the earlier release, such as ing/scheduling.

application.

One of several enhancements remind users if they have failed to positive response to it," Peterson

said.

The functionality offered by SYSM Release 6.3 prompted Detroit Osteopathic Hospital to abandon PROFS, which it had been using since 1984, Baxa said.

The user is in the process of retiring an antiquated IBM-compatible mainframe made by now-defunct Magnusson Computer Sys-Inc. It had been maintaining the mainframe exclusively to run PROFS under VM. Baxa said the company wanted to migrate its E-mail system to its MVS/XA-based IBM 3081 mainframe rather than run it under

SYSM 6.3 vs. PROFS

To run PROFS on the 3081 would have required a PROFS upgrade, which Baxa said was not cost-justified.

One area in which SYSM 6.3 offers better functionality than PROFS is in its ability to more easily integrate frequently used business documents in E-mail messages, Baxa said. This will also enable the user to integrate many forms, reports, external letters and internal memos into its Email system.

"We like what we see so far," Baxa said. "Expanding the size of the system and getting more people to use it are our primary goals right now."

About 130 employees used PROFS, whereas about 230 will use SYSM 6.3.

Baxa expects SYSM.6.3 to pay for itself within about six months, whereas the company spent about \$60,000 a year to maintain a CPU exclusively for PROFS, as well as \$1,000 a month for the IBM E-mail package. Because SYSM runs under MVS/XA, it won't require a CPU dedicated to

SYSM 6.3 is available now; it costs \$23,000 for OS- and MVS/XA-based mainframes, and \$12,900 for DOS/VSE mainframes. Optional interfaces to other systems, which were previously available, cost \$5,000.

H&W Computer Systems can be reached in writing at P.O. Box 15190, Boise, Idaho, or call (208) 385-0336. 🗷

Support differentiates bridge

continued from page 33

eral manager of Codex's LAN internetworking group.

This functionality is particularly relevant for users that bridge Ethernets over lines running at lower speeds than T-1.

"A lot of people run sub-T-1 rates using digital services at 9.6K, 19.2K and 56K bit/sec," Leary said. "Frequently, in other configurations, you have to use separate cards for each one of those lines that you bring into your bridge."

In two other categories, filtering and forwarding rates, Codex's performance figures appear to be middle-of-the-road. The company, like most other vendors, provides the maximum Ethernet filtering rate, which is theoretically 14,900 packet/sec. Some vendors, including Codex, say they filter 15,000; the company's

4,000 packet/sec forwarding rate falls below that of some other vendors.

Wellfleet Communications, Inc., for example, says it forwards 14,000 packet/sec, the same number that it filters; Cryptall Communications Corp. says it forwards 7,300 packet/sec on its 3000 Series bridge. Digital Equipment Corp., which sells two bridges manufactured by Vitalink Communications Corp., posts forwarding rates of 2,000 and 5,000 packet/sec.

These figures, however, are not necessarily the true indication of a bridge's performance. Users must get vendors to describe exactly how they are measuring these forwarding rates, consultants cautioned.

The absence of an accepted standard for determining packet forwarding rates makes it possible for vendors to use different techniques, such as different packet sizes, to obtain optimum figures.

"Generally, it's something I don't pay much attention to because of the discrepancies in how benchmarks are performed unless it very specifically states the packet size involved," Baldwin said.

Leary also advised skepticism on the part of users. "I think it's more important to get hold of real-world accounts running configurations similar to yours."

Although price comparisons may not be as important as the functionality offered by the bridge, Codex's product, priced at \$11,985, falls in the middle of price comparisons. Ungermann-Bass, Inc. sells its Ethernet T-1 bridge for \$6,500; DEC bridges supporting T-1 lines, on the other hand, start at \$15,770.

First Look

continued from page 33

A workstation-only implementation of NFS and a coaxial NI9210 costs \$785, while a package that includes an NI9210 for unshielded twisted-pair media costs \$885. Both are available

Racal InterLan, Inc., 155 Swanson Road, Boxborough, Mass. 01719; (508) 263-9929.



Alloy Computer Products. Inc. recently introduced enhanced versions of its MAC-Attach and Link-PC software products that enable Apple Computer, Inc. Macintoshes and IBM Personal Computers to connect to the company's 386/MultiWare net-

386/MultiWare is a DOSbased multiuser, multitasking network operating system that enables as many as 21 local-area network users to share an Intel Corp. 80386-based server to exchange files, electronic mail messages and peripheral services.

MAC-Attach Version 2.0 is a terminal-emulation program that enables Macintoshes to participate as peers on a 386/Multi-Ware network.

The latest version of MAC-Attach lets users toggle between their Macintoshes and the 386/MultiWare LAN for the first time, performing processing either on their local machine or the

network as required for a particular application. In addition, MAC-Attach Version 2.0 now supports the Macintosh's windowing environment.

Alloy's Link-PC is terminalemulation software that allows personal computers to connect to 386/MultiWare LANs.

The latest release, Link-PC **Version 3.0,** for the first time, gives users the capability to hot key between their personal computer sessions and server ses-

MAC-Attach Version 2.0 and Link-PC Version 3.0 are available now; each software product costs \$195.

Alloy Computer Products, Inc., 165 Forest St., Marlborough, Mass. 01752; (508) 481-

our network for success!



Announcing the 3rd Annual

NETWORK MANAGEMENT SOLUTIONS'9

Anaheim Hilton Hotel, Anaheim, CA April 10-12, 1990

"You're only as good as your network!"

Like it or not, that's how your boss, your network users, and your competitors evaluate you as a network manager.

Come to NETWORK MANAGEMENT SOLUTIONS '90 for three informationpacked days that will help you get more from your current voice/data network, and plan for the faster, more productive network in your future.

NETWORK MANAGEMENT SOLUTIONS '90 is an in-depth, hands-on immersion in the strategies and tactics, ideas and insights, technologies and solutions that will help you meet your networking challenges and solve your networking problems.

You'll choose from over 40 conferences, tutorials, and vendor demonstration suites to —

- Stay on the leading edge of new technologies in voice and data networks in the 1990s
- · Make your current multivendor network more powerful, productive and efficient now
- Get the latest facts on network design, implementation, operation
- See the latest networking hardware and software products in action NETWORK MANAGEMENT SOLUTIONS '90 is highly targeted to your needs. It's the best conference run with network managers exclusively for network managers.

Attending this conference will give you a chance to get answers to your specific network management questions, to rub elbows with the best and the brightest of your colleagues, and to make new professional contacts.

Three conference tracks allow you to customize your learning experience.

Wide-Area Network Management

- Trends in SNA Network Management
- Progress Report: OSI Network Management
- Progress Report: Integrated Network Management
- What's New in Network Design/Optimization Tools
- Pros and Cons: Turning the Network Management Responsibility Over to a Carrier or Systems Integrator
- Automated Network Management: Are We There Yet?Update: Carrier Supplied Network Management Tools
- Artificial Intelligence in Network Management

Local-Area Network Management

- Progress Report: LAN Management Standards
- LAN Design and Optimization Tools
- Integrating LAN Management with WAN Management
- LAN Management Assessment
- MEGA-Multi LAN Management
- LAN Management in the OS/2 Environment

<u>User Strategies</u>

- Integrated Network Management User Panel
- SNA Network Management Strategies
- OSI Network Management Strategies
- LAN Management Strategies • DECnet Management Strategies
- The Users View: What We Really Feel About Network

The dates are April 10-12, 1990. The focus is on your network success.

To find out more about NETWORK MANAGEMENT SOLUTIONS '90, call toll-free 800-225-4698, or send in this coupon today.

See the FAXNeT Form on Page #59

Learn from industry experts —

Gary Beach

Publisher, NETWORK WORLD

Jeremy Frank

Program Director, Enterprise Network Strategies, The Gartner Group

James Herman

Principal, Northeast Consulting Resources

Atul Kapoor

President, Kaptonix, Inc.

Jerry McDowell

President, McDowell Romero

L. David Passmore

Partner, Network Strategies

Ian Sugarboard

Director, Network Technologies,

Northern Telecomm

Hubertus Vandervoort Senior Telecommunications Consultant,

Computer Task Group Timothy Zerbiec

Principal, Vertical Systems Group

Plus meet leading vendors in demonstration suites. Ask the tough questions, get the answers you need.

Top Industry Sponsor and **Conference Manager**

NETWORK MANAGEMENT SOLUTIONS is sponsored by NETWORK WORLD, the newsweekly of enterprise networking strategies, and managed by the IDG Conference Management Group, the producers of Communication Networks, the country's leading communications conference and exposition.

"This conference finally proves that network management is ... for real. [It] will keep accelerating and soon will be combined with all of information management."

- John King, Consultant

Send for more information!

Don't miss this important conference! Send for more information now. There is absolutely no obligation.

5	IN	EI	W	OR	K-	
M	A	NA	GI	M	EN	T
SC	I	UT	'IO	NS	'9	0

Anaheim Hilton Hotel, Anaheim, CA April 10-12, 1990

INFORMATION REQUEST

YES, please send me more information about the tutorials, conferences and vendor suites at NETWORK MANAGEMENT SOLUTIONS '90, so I can manage my network for success.

Name		
Title		
Company		
Address		
City	StateZip	
Telephone ()	Fax ()	

Return this coupon to NETWORK MANAGEMENT SOLUTIONS '90, Box 9107, 111 Speen Street, Framingham, MA 01701-9107, or fax to 508-872-8237.

OPINIONS

STRATEGIC SYSTEMS PLANNING

BY JAMES KOBIELUS

Teamwork, not computers, is key to success

There's a big difference between strategic business planning and run-of-the-mill systems planning, but few information systems (IS) and telecommunications professionals seem to

appreciate it.

There's nothing terribly strategic about most information technology systems planning methodologies. In general, they are static, conservative and inward-looking. They produce matrices and flow diagrams that are professional in appearance but dry as dust. And, predictably, they almost always recommend development of big, corporate "infodumps" to sit on big, corporate "metal" — the proverbial data bases that conquered Cleveland.

L In organization stands or falls by the ability of its people to band together.

The ever-popular information engineering approach is typical in this regard. It is geared toward filling out the organization's portfolio of data base applications. Any corporate function — for example, marketing and human resources — lacking a shared data base becomes an immediate candidate for one, whether it needs it or not.

Information engineering is typical of systems planning

approaches that propose solutions for nonexistent problems. They automate for automation's sake. And they are usually biased toward data processing systems.

Indeed, most systems planning methodologies are just thinly disguised marketing tools for the corporate IS function.

Team building

A truly strategic systems planning methodology steps back from solutions per se and focuses on organizational team building. Teams — not computers — drive the business. Teams are the prime information processors. An organization stands or falls by the ability of its people to band together in support of

Simply throwing data bases at every corporate function does little to improve coordination, communications and information sharing among decision makers. The data flow diagrams upon which such systems are built tend to overlook the web of interpersonal relationships — internal and external — that distinguish winning organizations from losing ones.

Telecommunications professionals must concern themselves more with first building teamwork environments and then specific computer and communications solutions. The overall work environment — founded on coordination, communications and decision support systems — is the springboard for corpo-

rate growth and development.

A team-oriented planning approach gives greater emphasis to telecommunications-based recommendations. Few card-carrying IS professionals would recommend voice-messaging, multimedia conferencing, or groupware technologies, when these would effect the most profound changes in day-to-day opera-

A team-oriented systems planning approach also instills a healthy dose of humility in communications professionals. They begin to realize that the most critical ingredients of corporate teamwork — clear vision, mutual respect, a supportive corporate culture — are beyond their control. All that communications professionals can contribute to the strategic mix are some useful tools for collaboration and resource sharing.

What users make of these tools is largely up to them. Z

Kobielus consults on information technology in Alexandria, Va.

Editor John Gallant

Executive Editor John Dix

Assistant Managing Editor — News

Charles Bruno **Senior Editors**

Industry Update — Bob Brown Data Communications — Jim Brown International Networking — Barton Crockett Local Networking — Laura DiDio Telecommunications — Bob Wallace

Senior Writers Paul Desmond

Management Strategies — Wayne Eckerson

Staff Writer Joe Panepinto

New Products Editor Tom Smith

Network World 161 Worcester Road Framingham, Mass. 01701

(508) 875-6400 MCl Mail — 390-4868 An IDG Communications Publication

Assistant Managing **Editor** — **Production Beth Khoury**

Associate Editor Joanne Cummings

Copy Editors Liz Pappas

Michelle Beaulieu Karen Maierhofer

West Coast Bureau 501 Second Street, Suite 600

San Francisco, Calif. 94107 (415) 978-3160 **Bureau Chief** Susan Breidenbach

West Coast Correspondent Walter Sweet

Washington, D.C. Bureau 650 National Press Building

529 14th Street NW Washington, D.C. 20045 **Bureau Chief**

(202) 347-6184 **Washington Correspondent** Gail Runnoe

(202) 347-4180

Features Editor Steve Moore

Associate Features Editor Bruce Guptill

Features Writer

Salvatore Salamone **Assistant Features Editors**

Alison Conliffe

Susan Collins

Art Director Dianne Barrett

Informational Graphics Designer

Susan Champeny **Junior Graphic Designer**

Contributing Editors Alan Pearce Joe Mohen

Daniel Briere

Assistant to the Editor Cheryl Tynan

President/Publisher

Gary J. Beach

Director of Financial Operations

Telcos must deal with ANI privacy concerns now

If telephone companies don't act soon, they may lose control over a powerful and potentially lucrative technology — automatic number identification (ANI).

Several consumer watchdog and civil liberties organizations have voiced strong opposition to new or proposed caller identification services, citing concerns about caller privacy, among other fears. Yet telephone companies have been reluctant to deal with these legitimate concerns.

Carriers say that solutions such as blocking calling number identification for some customers may limit the value of ANI to caller ID service subscribers particularly major companies such as telemarketing organizations, which are highly interested in such services. That's too bad, because this shortsightedness may ultimately lead to some real limitations on the use and availability of ANI.

It's time for telephone companies to formulate a consistent approach to offering caller ID services, one that takes into account the needs of customers who are concerned about their right to keep their telephone number private.

Carriers must work as allies — not opponents — of consumer and civil liberties groups and find solutions that will work throughout the country. A common carrierwide ANI strategy is absolutely essential if the vision of the nationwide intelligent public network is to be realized.

If carriers delay action on this issue, they'll lose control to state public utility commissions, state courts — even the U.S. Congress or federal courts. Telephone companies could wind up dealing with a multitude of conflicting and confusing state regulations that *really* limit the value of ANI.

The phone companies risk being viewed as adversaries while these regulations are be-

L L common carrierwide ANI strategy is essential if the vision of the nationwide intelligent public net is to be realized.

ing drafted. And that's hardly the best position to be in when you're trying to maximize your business opportunities. Regulations or legislation may be designed to reflect only the needs of residential customers and not business users, carriers or other

If carriers need proof that the time for action is now, they need look only as far as the state of Pennsylvania, where a state appeals court in late December blocked Bell of Pennsylvania

from offering caller ID services until some thorny legal issues could be resolved ("Court weighs legal issues of caller ID," *NW*, Jan. 8).

In the Pennsylvania case, the carrier's opponents wanted customers to be allowed, free of charge and on a call-by-call basis, to prevent their phone numbers from appearing on a display device on the recipient's

Opponents of caller ID say this is a test case that may presage what will happen in other parts of the country.

ANI has already experienced choppy waters in New Jersey and California. In California, the legislature recently passed a law mandating that customers have call blocking as an option if caller ID service is offered in the state. Caller ID is also under scrutiny in Washington, D.C. and North Carolina, where hearings are currently being held on these services. The debate over ANI is likely to crop up in other areas of the country as well.

It's clear that telephone companies need to get together to provide some good answers about ANI while they still control the technology.

Otherwise, the solutions ultimately chosen may not be very palatable to the telephone companies or to their major corporate customers. The carriers and concerned parties must cooperate now to reach a good solution.

There's a problem here, and the time for action is now. **Z**

OPINIONS

NETWORK MANAGEMENT

BY WILLIAM VASQUEZ

Standards groups have their work cut out for them

The integration of computers and networks, the spread of heterogeneous equipment within end-user networks, and the interest and resulting sophistication of users regarding network management have combined to make network management standards a priority for the very near future.

The questions now are: Just how standard is standard, and who decides what is standard? Many users and providers will quickly answer with an alphabet of acronyms that may include ISO, OSI/NM Forum, ANSI, IEEE, NIST, CCITT and COS, with perhaps various Bell operating company terms thrown in for good measure.

With this many standards chefs stirring the pot, it's easy to see why both providers and users are confused regarding network management standards. Unlike equipment providers, standards groups cannot claim product differentiation or competitive advantage as justification for different standards or different versions of the same standard.

Standards, like death and taxes, tend to be seen as "is or ain't" propositions.

Knowledgeable users and providers seem to agree on the following:

- There is too much overlap in standards efforts.
- Standards take too much time to be defined.
- No one seems to have come up with a universal architecture or model for which everyone else should be shooting.

It's true that there is redundancy in standards efforts. While protocol and service definitions are progressing, managed object templates for system management — which provide the format for the description of a network element — appear to have multiple definitions depending on who's doing the talking.

Also, the structure and con-

Vasquez is a product manager of integrated network management systems at Racal-Milgo in Sunrise, Fla.

tents of the management information base, which is the composite of all objects and templates, and directory services, a source of information about managed objects, seem to be in question.

Some good news is that a CCITT recommendation — X.500 — is making headway toward defining directory services

Some authority — perhaps the ANSI X3 Strategic Planning Committee, which develops standards for information processing systems — should be in charge of assigning distinct responsibilities to each of the standards groups. This committee also would monitor for overlap among standards groups and issue reminders of areas of responsibility.

For example, ANSI X3S3, the standards body responsible for the data communications network layer, should define layer management objects for protocol stacks. Templates for objects, attributes and events for system management should be left to experts such as those in ANSI TIMI, which is responsible for internetwork operations, administration, maintenance and provisioning.

More sharing

In addition, industry groups and standards groups could speed up the process by sharing their documents early in draft stages and agreeing on who should handle which items before redundancy becomes an issue. To date, sharing of preliminary findings seems to be somewhat minimal.

The solution may be in forming liaison committees. For example, the Open Systems Interconnection/Network Management (OSI/NM) Forum appointed a liaison chair to work with standards groups, but sharing information is still the exception rather than the rule. A stronger coordinating role by the ANSI X3 Strategic Planning Committee would help solve this problem.

Another source of delay is the standards groups' sometimes excessive desire to refine and re-

format standards. For example, the restructuring of the components of the Management Functional Areas — such as configuration and performance — by the International Standards Organization Joint Technical Committee I caused a stir among standards participants.

Many said they thought the restructuring was unnecessary because it seemed to resemble the argument about whether inventory should constitute part of the configuration or the accounting function. Does it really matter if inventory is part of the configuration or accounting function as long as it is there?

Lastly, creating a universal architecture requires coordination among standards-making organizations. Perhaps a higher level group, such as the ANSI X3 Strategic Planning Committee, should gather a group of expert representatives from the other standards groups to find an architecture that is satisfactory to all.

Models such as the Bell Communications Research architecture for distributed operations systems and AT&T's Unified Network Management Architecture should be considered working examples. ANSI TlMl also has a model for a single network management center that might fit the final architecture.

The desire for network management standards has never been stronger; users, providers, industry groups and standards groups should take advantage of the interest. Users want "everything to talk to everything," and providers, to remain providers, must find a way to keep users happy

Industry groups, such as the OSI/NM Forum, are working hard to enable some things to talk to other things. But for everything to talk to everything, standards groups and all involved parties will have to get cracking.

What is missing appears to be the will and the way to do so. Until that is found, standards will be the bane of network managers' existence, rather than the boon they promise to become. Z

TELETOONS

BY FRANK AND TROISE

Good news! I've located a foot-long bratwurst with sauerkraut at our Jersey warehouse. Check back with me at 2:30.

LETTERS

Solution to ANI debate

Recent articles concerning automatic number identification (ANI) have discussed the problem of people making phone calls and having their unlisted phone number displayed to the recipient.

Why not require the local phone companies to assign a pseudo-phone number with each unlisted number? Phone companies that put the originating phone number into the data stream would instead insert the pseudo-phone number when a call was made from an unlisted number.

Privacy would be maintained for the caller, and the recipient would have no way of knowing the real phone number. Since the same pseudo-phone number would always be associated with the same originating unlisted phone number, the caller could be identified before the call is answered.

Authorized government agencies could be provided with a data base that translates the pseudo-phone numbers to real numbers for use when an emergency phone call is placed from an unlisted phone number. Crank calls could also easily be traced by authorized personnel.

I see only two disadvantages: there would be extra bookkeeping associated with keeping track of the pseudophone numbers; and these pseudo-phone numbers would have to be identified as such. This could be accomplished either by assigning them within a unique exchange or by having the phone companies indicate that the number is a pseudo-phone number.

Overall, this approach would protect the interests and privacy of the caller and the recipient, while placing a small, tolerable burden on the local telephone companies.

Harold Fischman Senior vice-president American Healthware Brooklyn, N.Y.

Network World welcomes letters from its readers.

Letters should be typed, double-spaced and sent to Editor, Network World, 161 Worcester Road, Box 9172, Framingham, Mass. 01701.


Letters may be edited for space and clarity.

DID YOU RESOLVE TO WRITE A COLUMN for Network World's Opinions pages in 1990?

Start the new year right and send it in!

Manuscripts should be letter-quality, double-spaced and between 600 and 900 words long. Disk or modem submissions are preferred.

If you'd like to write a column, call Steve Moore, features editor, at (508) 875-6400, ext. 732, or fax your idea to us at (508) 820-3467.



Not just a yuppie toy

CONTINUED FROM PAGE 1 ceived cellular phones as Christmas presents this year — some at bargain-basement prices of as low as \$200.

In fact, most of the growth in the industry has centered on this lower end of the market — the residential or small business user.

Cellular service expands

Cellular service is expanding rapidly across the U.S. All major metropolitan areas are now outfitted with service, and rural areas are beginning to receive ser-

The nation is divided into a series of cell groups — areas of service coverage resembling local telephone company service areas. Each cell has a transmitter and receiver that coordinates all cellular communications in that cell. It interfaces with other company cell sites in the same way that central offices communicate in the local exchange environment — through sophisticated switch signaling.

Briere is president of Tele-Choice, Inc., a Manchester, Conn., telecommunications consultancy specializing in long-distance service analysis and network design. He can be reached at (203) 645-0471.

Each potential market has been divided into two competing licensing arrangements: non-wireline (called System A) and wireline (called System B). The area in which a licensee is allowed to operate is called a cellular geographic service area.

Depending on how a local area is defined, however, some metropolitan areas have more than two carriers providing cellular ser-

Cellular services are not tied to a particular telephone model; industry standards allow different phones to work on different cellular systems. This enhances a user's ability to switch carriers.

Typically, three types of cellular phones exist:

■ Vehicular or mobile models. These are designed to be installed in a car, where they operate by using the vehicle's electrical system. Some units offer voice-activated service, allowing for hands-free operation.

■ Transportable models. These compact units have their own battery power supply, but they can also receive power from other sources through accessories, such as a cigarette lighter connector plug.

■ Portable models. Typically phones, these are small enough to fit into a briefcase or pocket. They are generally less powerful as well, limiting their effective distance compared with the higher powered transportable or vehicular models. Due to their reliance on batteries, talk time is limited to the life of the battery — a few hours at most.

The type of cellular phone a company selects depends largely on the application for which it will be used. Companies are realizing that cellular phones, particularly the portable or transportable models, have many more uses than originally imagined. As batteries get smaller, portable models may become the most requested equipment.

Disaster recovery is one reason why many firms are buying transportable models. By providing each major department with a cellular phone — at a fraction above the cost of local service lines — companies are assured of at least one communications route to and from each center in case of local service loss.

Recent disasters such as the Hinsdale, Ill., central office fire of May 1988 and the San Francisco earthquake last October have tested the applicability of such backup systems.

During the Hinsdale disaster, smaller than transportable one firm was able to retain the flow of inbound calls, despite restrictions in the local exchange



carrier network, simply because ment of free minutes with the that round up to the nearest 30 its sales force had cellular phones monthly fee. in their cars.

able units, however, it would not phones on the account. Calls are have had to station secretaries in generally rounded up to the next cars in the company parking lot to higher full minute, but some carreceive calls.

Cellular services

Most of the cellular service providers offer a series of niche services, each targeted at a specific range of uses, rather than just one bulk calling service. Among the different areas covered are:

- Individual business plans. These satisfy single-phone users who have a relatively small volume of calling.
- **Corporate plans.** These volume plans group multiple phones under a single pricing and discount plan.
- **Dispatch services**. These are designed for courier and delivery companies that typically make calls lasting less than 30 seconds. With rates rising significantly after 30 seconds, dispatch services discourage long-duration calls.
- **Residential plans.** These offpeak calling plans offer cut-rate off-peak rates and very high peak rates.

Typically, services charge subscribers a monthly fee, plus perminute usage fees. With some ser-

Usage rates can vary depend-If the company had transport- ing on time of day and number of riers have instituted smaller increment billing, such as plans

savvy business users can benefit greatly trom judicious use of cellular minute usage fees. With some services, users are given an allot-

seconds or six seconds.

However, be sure to check how your carrier bills for outbound calls. Many do not have answer supervision, which is the ability of the equipment to detect whether the called party has answered the phone. In these cases, the user pays for calls from the time the number is dialed. Any savings gleaned from shorter incremental billing could easily be lost by not having answer supervision.

Cellular service can result in substantial cost savings for users in large metropolitan areas where standard telephone calls from one end of the city to the other are charged toll rates. With cellular, calls from any point in the system to any other point are distance-insensitive, allowing users to reap savings in toll charges.

Enhanced features

One big attraction of today's cellular phones is the myriad of features they sport. Most are offered as standard features or at marginal extra cost.

Some of the features offered by cellular providers around the nation include:

Voice messaging. Now a fairly universal feature in many areas, voice mail enables users to receive messages when the cellu-

(continued on page 48)

CHART - GUIDE

A Network World Buyer's Guide chart containing information on the features of cellular services in 20 major U.S. cities can be found beginning on page 41.



California Network Managers

Network

Management

Solutions

(NMS),

the industry's

premier network

management

conference,

is coming to

California

April 10-12

at the

Anaheim Hilton

Hotel.

NMS, in its third year, has earned a reputation among attendees as the network management industry's yearly summit meeting bringing together the country's leading users and vendors to focus on one topic . . . network management.

NMS is a unique opportunity to experience 'hands on' live demonstrations of the network management offerings from the world's premier network management vendors. Companies like:

- AT&T
- General DataComm
- MCI

- DCA
- Hewlett-Packard
- Northern Telecom

- DEC
- Make Systems
- Synoptics

• IBM

and others have demonstrated their network management products at NMS.

The 1990 NMS program will offer these topic tracks that will run all three days:

- LAN Network Management
- WAN Network Management
- User Case Studies

The three-track program will give you the opportunity to concentrate on one topic area, or mix and match sessions.

But hurry because there are only 500 reservation opportunities for NMS.

If you feel knowing more about network management would help you do a better job and give your company an added competitive advantage in your market, I urge you to call 508-879-6700 or fax 508-872-8237 immediately to evaluate our program.

See you in Anaheim.

Gary J. Beach
President/Publisher
Network World

NETWORK MANAGEMENT SOLUTIONS

NETWORK WORLD

Cellular services — top 20 metro areas (continued on page 42)

Company	Areas covered/ System type	Extended area, allied providers	Basic service plan/Service fees	Time periods	Usage rates*	Charges for unanswered calls or busy	billing	Service options	Call restriction options	Call following	Voice-messaging options	Other options	Visitor rates*
New York City													
Metro One Rochelle Park, N.J. 201) 587-8000	New York/ System A	MetroMobile (Conn., Mass.), Cellular One (N.J.)	Preferred Plan A/\$40 installation; \$29 monthly	Peak, 8 a.m. to 8 p.m., MonFri.; Off-peak, all other hours	Peak, \$.55; Off-peak, \$.35	None	Answer supervision	CW, Yes; CF (3)**, Yes; NA/BT (3), Yes; TPC, Yes	Local only; international only; inbound only; outbound only	No	Basic, 1-min message with 1-min greeting, 16-message max. over 48 hours; Enhanced, 5- min message with 5- min greeting, 32- message max. over 7 days	Announce- ment service	\$3 installation \$.75/min
Nynex Mobile Communications Pearl River, N.Y. 1914) 577-5200	Long Branch, N.Y., New Brunswick, N.Y., New York/ System B	No	Service Plan A/\$40 installation; \$29 monthly	Peak, 8 a.m. to 8 p.m., MonFri.; Off-peak, all other hours	Peak, \$.60; Off-peak, \$.40	None	Send supervision	CW, Yes; CF, Yes; NA/BT (3), Yes; TPC, Yes	Local NPA only; inbound only; outbound only	No, (roaming agree- ments with carriers)	No (first quarter 1990)		\$0 installation \$.75/min
Cellular One Concast Cellular selin, N.J. 201) 855-0200 800) 227-9222	Long Branch, N.Y., New Brunswick, N.Y./System A	Metro One (N.J.), Metrophone (N.J.), Cellular One (Atlantic City), Cellular One (Wilmington, Del.)	Local Plan (Central New Jersey)/\$39.95 installation; \$14.95 monthly	to 9 p.m., MonFri.; Off-peak, all	Peak, \$.45; Off-peak, \$.45	None	Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; outbound only; inbound only	No	Yes		\$3 (9) installation \$.85/min
Los Angeles													
Los Angeles Cellular Felephone Co. City of Commerce, Calif. (213) 721-3939	Los Angeles/ System A	Ventura Cellular coverage area	Standard Plan/\$50 installation; \$45 monthly	Peak, 7 a.m. to 7 p.m., MonFri.; Off-peak, all other hours	Peak, \$.45; Off-peak, \$.27	Yes, 1/2 airtime	Send supervision	CW, Yes; CF 3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	Yes	Yes		NA
PacTel Cellular rvine, Calif. (714) 553-6000	Los Angeles, Oxnard, Calif./System B	No	Basic Service/\$50 installation; \$45 monthly	Peak, 7 a.m. to 7 p.m. MonFri.; Off-peak, all other times	Peak, \$.45; Off-peak, \$.27	Yes, 1/2 airtime	Send supervision	CW, Yes, CF (3), Yes; NA/BT (3), No; TPC, Yes	Local only; inbound only; outbound only; Hot line (13)	No	Yes		\$0 installation \$.70/min
Ventura Cellular McCaw Communications, Inc. Camarillo, Calif. (805) 987-0955	Oxnard, Calif./System A	Los Angeles through LA Cellular	Standard/\$50 installation; \$45 monthly	Peak, 7 a.m. to 7 p.m. MonFri.; Off-peak, all other times	Peak, \$.45; Off-peak, \$.27	None	Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; outbound only; inbound only; Outbound- specific number	Yes, Super Cellular Network	No		NA
Chicago													
Cellular One Southwestern Bell Mobile Systems Schaumburg, III. (708) 882-2181 (800) 235-5663	Aurora, III., Chicago, Elgin, III., Gary, Ind., Joliet, III., Kankakee, III./System A	Joliet, III., Gary, Ind.	Standard Service/\$35 Installation; \$15 monthly	to 9 p.m.	Peak, \$.34; Off-peak, \$.20	None	Answer supervision	CW, Yes (1); CF (3), Yes; NA/BT, Yes; TPC, Yes	Inbound only; local only	Yes	Date/time stamp basic package, stores 25 3- min messages for 15 days plus 3-min greeting; Advanced package, stores 45 5- min messages for 30 days plus 5-min		\$2 installation \$.75/min
Ameritech Mobile Communications Schaumburg, III. (312) 706-7600	Aurora, III., Chicago, Elgin, III., Gary, Ind., Joliet, III., Kankakee, III./System B)	Peona, III., Rockford, III., Quad Cities, III.	Volume Incentive Plan/\$35 installation, \$2 Directory Listing; \$16 monthly	Peak, 7 a.m. to 9 p.m. MonFri.; Off-peak, all other hours	Vanes according to volume; Peak, \$.38 to \$.31; Off- peak, \$.22 to \$.16 (5)		Send supervision	CW, Yes, CF (3), Yes; NA/BT (3), Yes, programmable or automatic; TPC, Yes	Local only; inbound only; outbound only; outbound restricted	Yes, Fast Track	Standard; enhanced	Account Codes, Speed Dialing, Paging, Data Service	\$2 installation \$.75/min
Philadelphia Metrophone Valley Forge, Pa. (215) 666-9850	Philadelphia, Trenton, N.J./System A	No	Executive Service I/\$40 installation; \$39.95 monthly	Peak, 7a.m. to 9 p.m. MonFri.; Off-peak, all other hours	Peak, \$.50; Off-peak, \$.30; Allowance: Peak, 60 min; Off-peak, 60 min	Over 45 sec	More than 6 rings, or answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	Yes	MetroLink		\$3 installation \$.85/min
Bell Atlantic Mobile Systems Trevose, Pa. (201) 953-2200	Allentown, Pa., Philadelphia, Reading, Pa., Trenton, N.J., Wilmington, Del./System B	Pittsburgh, other points in Pennsylvania and West Virginia	Value Plan (#2) (1-2 phones per account)/ Installation fees: 1 phone, \$40; 2-4 phones, \$25; 5- 24 phones, \$15: 5 phones, \$0; \$39 monthly	to 9 p.m. MonFn.; Off-peak, all other hours	Peak, \$.50; Off-peak, \$.30; Peak allowance, 60 min; Off- peak allowance, 60 min	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	No	Date/time stamp		\$3 installation \$.85/min
Cellular One Vanguard Cellular Systems Whitehall, Pa. (215) 390-2355	Allentown, Pa., Reading, Pa./System A	Philadelphia Metrophone	Introductory Service/\$25 installation; \$7.50 monthly	Peak, 7 a.m. to 7 p.m. MonFri.; off- peak, all other hours	Peak, \$.55; off-peak, \$.20	None	Answer supervision	CW, Yes, CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	No	Voice Mail		\$3 installation \$.75/min
Detroit Control	Dotroit Clint	No	Business	Peak, 7 a.m.	Varies	None	Answer	CW, Yes; CF	CSGA; inbound	No	Optional message alert		\$2
Cellular One PacTel Cellular Farmington Hills, Mich. (313) 737-5100	Detroit, Flint, Mich., Grand Rapids, Mich., Lansing, Mich., Muskegon, Mich., Saginaw, Mich./System A		Plus/\$35 installation; \$30 monthly	to 9 p.m.	according to volume; Peak, \$.35 to \$.26; Off- peak: \$.16	•		(3), Yes; NA/BT (3), Yes; TPC, Yes			service; Optional message broadcast		installation \$.75/min
Ameritech Mobile Communications Farmington Hills, Mich. (800) 221-0994	Detroit, Flint, Mich./System B	Windsor, Canada, Lansing, Mich., Grand Rapids, Mich., Detroit, Points in	Volume Incentive Plan (VIP)/\$35 installation; \$20 Directory Listing; \$29.95 monthly	Peak, 7 a.m. to 9 p.m. MonFri.; Off-peak, all other hours	Varies according to volume; Peak, \$.35 to \$.28; Off- peak, \$.16 to \$.14		From first ring	CW, Yes; CF (3), Yes; NA/BT (3), Yes, programmable or automatic; TPC, Yes	Local only; inbound only; outbound only; outbound restricted	Track	Standard; enhanced	Account codes; Data service	\$2 installation \$.75/min

The information in this chart was provided by the service providers listed. Questions about chart listings should be directed to the individual providers or to TeleChoice at (203) 645-0471.

SOURCE: TELECHOICE, INC., MANCHESTER, CONN.

CF = Call forwarding
CW = Call waiting
NA = Information not available
NA/BT = No answer/Busy transfer
TPC = Three-party conferencing

^{*} Unless otherwise noted, carriers bill in one-minute increments.
** See page 48 for explanation of numbers in parentheses.

Cellular services — top 20 metro areas (continued on page 43) Basic service plan/Service fees **Usage rates*** Areas covered/ Time periods Charges for Company unanswered calls or busy System type **Detroit cont'd** CW, Yes; CF (3)**, Yes; NA/BT (3), Yes: Peak, \$.35; off-None peak, \$.16 No Peak, 8 a.m. to 8 p.m., Mon.-Fn.; Off-peak, all other No No Option I/\$25 Answer Battle Creek, Cellular One Kalamazoo, Mich. (616) 965-1100 Mich., installation: \$7,50 supervisio \$.75/min monthly Kalamazoo System A Battle Creek, Mich., Benton Harbor, Mich., Grand Rapids, Jackson, Mich., Kalamazoo, Mich., Lansing, Mich., Muskegon, Mich., Saginaw, Mich., System B CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes Century Cellunet Grand Rapids, Mich. (616) 940-0985 \$.45 No No No StartPak/\$25 None None Send installation; supervision installation; \$7.50 monthly Mich./System B Boston CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes Peak, 7 a.m. to 7 p.m. Mon.-Fri.; off-Peak, \$.44; off-peak, \$.29 Plan B/\$35 installation; \$19 Local only; First ring Yes Points in Cellular One Boston. stallation Conn., N.H., Maine, R.I., Worcester, Mass./System A Southwestern Bell \$.75/min Mobile Systems Waltham, Mass. peak, all other times outbound only Mass (617) 890-1555 CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Boston, New Bedford, Mass. Peak, \$.45; Off-peak, \$.30 Yes, Follow Me No (first \$3 Nynex Mobile Maine, Plan A/\$40 Peak, 7 a.m. to 7 None Answer Local only; installation; quarter 1990) Nashua, N.H., installation; \$19 p.m. Mon.-Fri.; Offinbound only Communications \$.65/min Woburn, Mass. (617) 932-1200 (800) 538-4747 outbound only Providence, R.I. monthly peak, all other times Roaming Worcester. Manchester. Mass./System B N.H. Peak, \$.44; Off-peak, \$.26 (per 30 sec subject to 1 CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes Throughout Northeast, Southwest, Peak, 7 a.m. to 7 p.m. Mon.-Fri.; Off-New Bedford, Mass., Package B/\$25 installation; \$19 No Yes \$3 Metro Mobile CTS installation; \$.75/min; No daily fee for users from other Providence, R.I. (401) 272-3800 supervision peak, all other times Providence, R.I./System A monthly Southeast New England companies San Francisco CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes Peak, 7 a.m. to 7 p.m. Mon.-Fri.; Off-Off-peak, \$.45; Petaluma, Calif., Basic Plan/\$25 Cellular One Answer U.S. only; Yes Do Not (Super San Francisco, San Jose, Calif., Santa Rosa, Calif., Vallejo, Calif./System A installation; Access System) Canada only: Bay Area Cellular installation; \$45 supervision peak, all other hours Mexico only; California only monthly System Telephone Co. Burlingame, Calif. (415) 340-9500 CGSA only; 411, 911, 611, and operator restriction Peak, 7 a.m. to 7 p.m. Mon.-Fri.; Off-CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes Peak, \$.45; Off-peak, \$.20 Local only; inbound only; outbound only Follow Me **GTE Mobilnet** Petaluma, Calif., No Business Club; None Answer Yes \$2 installation; \$.50/min; Hayward, Calif. (415) 783-9200 (800) 366-5665 San Francisco, San Jose, Calif., Basic Plus (1 year commitment)/ \$25 supervision peak, all other hours Roaming Santa Rosa, Calif., Vallejo, Calif./System B (GTE Mobile submonthly scribers pay only) Washington, D.C. CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes Peak, \$.55; Off-peak, \$.24 The Advantage Peak, 7 a.m. to 7 p.m. Mon.-Fri.; Off-Cellular One Baltimore, No Send Local only; ten- No Greenbelt, Md. (301) 220-3600 Washington, D.C./System A digit calls only; mobile-toinstallation; \$.65/min Plan/\$50 peak, all other hours installation: \$37 (19) monthly; Allowance, 75 min mobile only; peak; 75 min off-Moderate Plan #3/Installation Peak, \$.36; Off-peak, \$.36 inbound only; outbound only; **Bell Atlantic** Peak, 7 a.m. to 9 Baltimore, No \$.10 Send CW, Yes; CF Yes \$2 (3), Yes; NA/BT (3), Yes; TPC, Yes installation; \$.65/min **Mobile Systems** p.m. Mon.-Fri.; Off-Washington, supervision fees: 1 phone, \$40; 2-9 phones, \$25; Baltimoré (201) 953-2200 (301) 646-5700 D.C./System B peak, all other hours local only 10-24 phones, \$15 25+ phones, \$0; Monthly fees: 1-2 phones, \$50; 3-9 phones, \$45

CF = Call forwarding
CW = Call waiting
NA = Information not available
NA/BT = No answer/Busy transfer

Houston/System No

Dallas, Dennison,

Sherman, Texas/ System A

Dallas, Dennison

Sherman, Texas/ System B

Texas, Fort Worth, Texas,

Texas, Fort

Worth, Texas

Gran Tour

Roaming

All of Texas

Wichita Falls

except El Paso, Laredo,

(most of

Texas)

Basic Plan with

Service Fees/\$20

installation: \$35

monthly (includes volume discounts

for usage over \$200 and requires yearly contract)

Basic Service Plan/\$15 installation; \$35

Economy Plan/ installation fees: 1 phone, \$25; 2-10 phones, \$23.75;

10+ phones, \$21.25; \$14.95

monthly

monthly

Usage Credit

Daytime, 7 a.m. to 8 p.m.; Evening, 8

p.m. to 11 p.m.; Late night, 11 p.m.

a.m. to 11 p.m. Weekends; Late night, 11 p.m. to 7

Peak, 7 a.m. to 7 p.m. Mon.-Fri.; Off-

peak, 7 p.m. to 7 a.m. Mon.-Fri., 7

a.m. to 12 a.m. Weekends; Late night, 12 a.m. to 7

a.m. every day

a.m. every day

Peak, 7 a.m. to 8 p.m. Mon.-Fri.; Offpeak, 8 p.m. to 11 p.m. Mon.-Fri., 7 Peak, \$.38; Off-peak, \$.22; Late night, \$.12; Rates

to 7 a.m.

Daytime, \$.38 Mon.-Fri.; \$.22

weekends; evening, \$.22;

taper to give discounts for

min and 360

usage over 240

Peak, \$.60; Off-peak, \$.20; Late night, \$.05; with

contract: Peak, \$.48; Off-peak, \$.16; Late

night, 5.04

annual

late night, \$.12

None for less Send

supervision

supervision

than 29 sec;

billed at

airtime rate

than 31 sec, billed airtime

None for less Send

than 1 min,

and above

billed airtime rate for 1 min

rate for 31

above

Dallas/Fort Worth

MetroCel Cellular

Telephone Co.

(214) 380-8771

Mobile Systems

(214) 733-2133

Houston

Houston

Houston Cellular

Telephone Co.

(713) 688-8225

Dallas

The information in this chart was provided by the service providers listed. Questions about chart listings should be directed to the individual providers or to TeleChoice at (203) 645-0471

SOURCE: TELECHOICE, INC., MANCHESTER, CONN.

CW, Yes; CF (3), Yes; NA/BT (3), No; TPC, Yes

Send CW, Yes; CF yes, local only; (3), Yes; NA/BT inbound only; (3), Yes, Part of CF; TPC, Yes

CW, Yes, CF (3), Yes; NA/BT (3), Yes; TPC, Yes

Local only;

inbound only

outbound only

Yes, local only;

inbound only; outbound only No

Follow

Nation

Roaming

Yes

Yes

Yes

installation;

2 installa:

tion; \$.50/min

\$3 installa-

tion; \$.75/min

TPC = Three-party conferencing

* Unless otherwise noted, carriers bill in one-minute increments.

^{**} See page 48 for explanation of numbers in parentheses.

Cellular services — top 20 metro areas (continued on page 46)


Company	Areas covered/ System type	Extended area, allied providers	Basic service plan/ Service fees	Time periods	Usage rates*	Charges for unanswered calls or busy	billing	Service options	Call restriction options	Call following	Voice- messaging options	Other options	Visitor rates*
Houston cont'd GTE Mobilnet Houston (713) 893-9000 (800) 323-3513	Beaumont, Texas, Galveston, Texas, Houston/ System B	State of Texas (charged home peak rate)	Basic Option/\$25 installation; \$35 monthly	Peak, 7 a.m. to 7 p.m. MonFri.; Off-peak, 7 p.m. to 7 a.m. MonFri., 7 a.m. to 12 a.m. Weekends; Late night, 12 a.m. to 7 a.m. every day	Peak, \$.39; Off- peak, \$.20; Late night, \$.05; With 1- year contract: Peak, \$.31; Off- peak, \$.16; Late night, \$.04	None	Answer supervision	CW, Yes; CF (3)**, Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	Follow Me Roaming	Yes		\$2 installation; \$.50/min (GTE Mobilnet and Texas subscribers of Contel and Southwest- ern Bell pay home peak only)
Cellular One of Galveston Galveston, Texas (409) 783-7000	Galveston, Texas/System A	State of Texas (charged home peak rate)	Basic Plan/\$25 installation; \$35 monthly	Peak, 7 a.m. to 7 p.m. MonFri.; Off-peak, 7 p.m. to 7 a.m. Mon Fri., 7 a.m. to 12 a.m. Weekends; Late night, 12 a.m. to 7 a.m. every day	peak, \$.20; Late night, \$.05; With 1- year contract:		Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	No	No	No .		\$2 installation; \$.50/min
St Louis Cybertel Cellular Telephone Co. St. Louis (314) 423-6500	Alton, III., Granite City, III., St. Louis/System A	No	Economy Service/\$0 installation; \$10 monthly	Peak, 7 a.m. to 8 p.m. MonFri.; Off-peak, all other times	Peak, \$.50; Off- peak, \$.30	None for less than 31 sec, billed airtime rate for 31 sec and above	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes, part of CF; TPC, Yes	Local only	No	Yes	Off-peak package, \$6 a month for 300 min of off- peak calling	tion; \$.50
Southwestern Bell Mobile Systems St. Louis (314) 821-9999	Alton, III., Granite City, III., St. Louis/System B	No	Economy Plan/\$15 installation; \$10 monthly	Peak, 7 a.m. to 8 p.m. MonFri.; Off-peak, all other times	Peak, \$.50; Off- peak, \$.30	None for less than 31 sec, billed airtime rate for 31 sec and above	Send supervision	CW, Yes; CF (3), Yes; NA/BT(3), Yes, part of CF; TPC, Yes	Local only; inbound only; outbound only; hot line	Follow Me Roaming	Yes	Network Speed Calling	\$0 installation; \$.34/min peak, \$.22/min off-peak
Miami Cellular One McCaw Communications, Inc. West Palm Beach, Fla. (407) 833-1111	Fort Lauderdale, Fla., Miami, West Palm Beach, Fla./System A	No	Copper Plan/\$40 installation; \$20 monthly	Peak, 6 a.m. to 8 p.m. MonFri.; Off-peak, all other times	All times, \$.60	None for less than 60 sec, billed airtime rate for 60 sec and above	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	Yes, within Florida	Yes	Multi- Phone Detailed Billing	\$2 installa- tion; \$.60/min
BellSouth Mobility, Inc. Miami (404) 847-3600	Fort Lauderdale, Fla., Miami, West Palm Beach, Fla./ System B	No	Standard Plan/\$40 installation; \$35 monthly	Peak, 7 a.m. to 10 p.m. every day; Off-peak, all other times	Peak, \$.39; Off- peak, \$.24	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT(3), Yes; TPC, Yes	Inbound only; outbound only; hot line	Me	Yes		\$2 installa- tion (\$0 for BellSouth customers): \$.65/min
Pittsburgh Cellular One McCaw Communications, Inc. Pittsburgh (412) 471-4400	Johnstown, Pa., Pittsburgh/ System A	Stuebenville, Pa., Altoona, Pa., Youngstown, Ohio, Wierten, W.V., Wheeling,	Multi-User Level 1, 3- 9 phones/\$30 Installation; \$31 monthly	Peak, 7 a.m. to 9 p.m.; Off-peak, all other times	Peak, \$.47; Off- peak, \$.27	None	Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only; CGSA only	No	Yes		\$2.50 installa- tion; \$.75/min
Bell Atlantic Mobile Systems Pittsburgh (201) 953-2200	Pittsburgh/ System B	All roaming agreements are for \$.99/min, no daily charge	Monthly Value Plan #2/installation fees: 1 phone, \$40; 2-9 phones, \$25; 10-24 phones, \$15; 25+ phones, \$0; monthly fees: 1-2 phones, \$35; 3-9 phones, \$32: 10-24 phones, \$17; 25+ phones, \$16	Peak, 7 a.m. to 9 p.m. MonFri.; Off-peak, all other times	Peak, \$.49 for 1-9 phones, \$.38 for 10-24 phones, \$.36 for 25+ phones; Off-peak, \$.29 for 1-9 phones, \$.17 for 10-24 phones, \$.16 for 25+ phones		Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	No	Yes		\$2 installa- tion; \$.65/min
Independent Cellular Network Altoona, Pa. (814) 944-3011	Altoona, Pa., Johnstown, Pa./System B	State College, Pa.	Best Choice Annual Plan # 12, requires annual contract/ installation fees: 1 phone, \$40; 2-9 phones, \$25; 10-24 phones, \$15; 25 + phones, \$0; monthly lees: 1-2 phones, \$33; 3-9 phones, \$31; 10-24 phones, \$17; 25 + phones, \$16	Peak, 7 a.m. to 7 p.m. MonFri.; Off-peak, all other times	Peak, \$.47 for 1-9 phones, \$.38 for 10-24 phones, \$.36 for 25+ phones; Off-peak, \$.27 for 1-9 phones, \$.17 for 10-24 phones, \$.16 for 25+ phones		Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	No	No	Yes		\$2 installation; \$.65/min
Minneapolis Cellular One McCaw Communications, Inc. Minneapolis (612) 831-3531	Minneapolis/ System A	Rochester, Minn.	Basic Plan/\$35 Installation; \$19.95 monthly	Day, 6 a.m. to 7 p.m. Mon-Fri; Evening, 7 p.m. to 9 p.m. Mon- Fri; Weekends, 7 a.m. to 7 p.m.; Late night, 9 p.m. to 6 a.m. Mon- Fri; Weekends, 7 p.m. to 7 a.m.	0-100 min, \$.55; 101 + min, \$.35; Evening/Late night 0-100 min, \$.30; 101 + min, \$.25	None	Send supervision	CW, Yes; CF (3)**, Yes; NA/BT (3), Yes, TPC, Yes	Local only; Inbound only; outbound only	No	Yes	Directory listing	\$2 installation; \$.45/min peak; \$.27/min off-peak

The Information in this chart was provided by the service providers listed. Questions about chart listings should be directed to the individual providers or to TeleChoice at (203) 645-0471.

SOURCE: TELECHOICE, INC., MANCHESTER, CONN.

CF = Call forwarding
CW = Call waiting
NA = Information not available
NA/BT = No answer/Busy transfer
TPC = Three-party conferencing

^{*} Unless otherwise noted, carriers bill In one-minute increments.
** See page 48 for explanation of numbers in parentheses.





Better service? Everyone salutes the idea. But in the real world, how do you make it fly? For the airline industry, the answer comes from their local telephone company. Using AT&T Network Systems Automatic Call Distribution (ACD) equipment, local telephone companies can provide airlines with a better way to answer their

customers' calls.
The incoming calls of their most important

You and Your Local Phone Companies

customers fly non-stop to their most experienced agents. And calls from less frequent flyers? They're answered quicker too. ACD programs can help airlines land more customers. See how they can help your business take off. Call your local telephone company.



Cellular services — top 20 metro areas (continued on page 48)

Company	Areas covered/ System type	Extended area, allied providers	Basic service plan/Service fees	Time periods	Usage rates*	Charges for unanswered calls or busy	Company billing policy	Service options	Call restriction options	Call following	Voice-messaging options	Other options	Visitor rates*
Minneapolis													0.0
US West Cellular Brooklyn Park, Minn. (612) 493-3200	Minneapolis/ System B	All US West mobile systems cities	Basic Plan/\$25 installation; \$34.95 monthly; \$29.95 monthly with 1-year contract	All hours peak	0-15 min, \$0; next 100 min, \$.20/30 sec; next 200 min, \$.18/30 sec; next 200 min, \$.16/30 sec; 515 + min, \$.15/30 sec	None	Send supervision	CW, Yes; CF (3)**, Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only; outbound- specific number calling only	Follow Me Roaming	Yes	Directory listing	\$2 installation \$.60/min; no dally fe for US We subscriber
Cleveland													
Cellular One Northern Ohio Cellular Telephone Co. Brooklyn Heights, Ohio (216) 351-1000	Akron, Ohio; Canton, Ohio; Cleveland, Ohio; Elyria, Ohio; Lorain, Ohio/ System A	Most of Ohio	Service I, Executive Service Fees/\$24.95 installation; \$34.95 monthly	Peak, 8 a.m. to 8 p.m., MonFri.; Off-peak, all other times	Peak, \$.35; Off- peak, \$.20	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Yes; Local only; Inbound only; Outbound only	No	Yes		\$2.50 installation \$.75/min
GTE Mobilnet Cleveland (216) 621-8061	Akron, Ohio; Canton, Ohio; Cleveland, Ohio; Elyria, Ohio; Lorain, Ohio/System B	All of Ohio B system	Basic option/\$25 installation; \$30 monthly	Peak, 7 a.m. to 7 p.m., MonFri.; Off-peak, all other times	Peak, first 500 min, \$.36; next 1,500 min, \$.33; over 2,000 min, \$.29; Off-peak, \$.20	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Yes; Local only; Inbound only; Outbound only	Follow Me Roaming	Yes		\$2 installation \$.50/min; GTE Mobilnet subscriber pay home peak rates
Atlanta													
PacTel Cellular Norcross, Ga. (404) 449-3900	Athens, Ga.; Atlanta/System A	No	Low User Rate Plan/\$40 installation; \$40 monthly; allowance, 60 min	Peak, 7 a.m. to 8 p.m. MonFri.; off- peak, all other times	All penods, \$.60	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; U.S. only	No	Yes, Mobile Messenger	No	\$0 installation \$.45/min
BellSouth Mobility, Inc. Atlanta (404) 847-3700 (800) 351-3355	Athens, Ga.; Atlanta/System B	Macon, Ga.	Standard Plan/\$40 installation; \$35 monthly	Peak, 7 a.m. to 7 p.m. MonFri.; off- peak, all other times	Peak, \$.35; off- peak, \$.25	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; Inbound only; outbound only; outbound- specific number calling only	Follow Me Roaming	Yes, Mobile Memo Service standard	-	\$2 installation \$.60/min (no daily startup fee for BellSouth customers
San Diego													
US West Cellular San Diego (206) 747-4900	San Diego/ System A	All US West mobile systems cities	Monthly agreement/\$35 installation; monthly fees: 1 phone, \$35; 2-7 phones, \$33; 8- 23 phones, \$30; 24-49 phones, \$27; 50+ phones, \$26.60	Peak, 7 a.m. to 7p.m. MonFri.; off- peak, all other times	Peak, 0-180 min, \$.40; 181 + min, \$.35; off-peak, \$.20; discounts: 2-7 phones, 3%; 8-23 phones, 5%; 24-49 phones, 6.5%; 50+ phones, 7.5%	None	Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Inbound only; outbound only	Easy Roaming	Yes		\$0 installation \$.60/min; no daily fe for US We subscriber
PacTel Cellular San Diego (619) 535-6400	San Diego/ System B	No	Business Plan/\$40 installation; monthly fees: 1 phone, \$35; 2-7 phones, \$33; 8- 23 phones, \$30; 24 + phones, \$27	Peak, 7 a.m. to 7 p.m. MonFri.; off- peak, all other times	Peak, 0-200 min, \$.40; 200 + min, \$.36; off-peak, 0- 200 min, \$.20; 200 + min, \$.18; discounts: 2-7 phones, 3%; 8- 23 phones, 5%; 24 + phones, 7%		Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only; outbound- specific number only	Follow Me Roaming	Yes		\$0 installation Peak, \$.60/min; Off-peak, \$.24/min
Denver													
Cellular One McCaw Communications, Inc. Denver (303) 831-5500	Colorado Springs, Denver, Fort Collins, Colo., Greeley, Colo./System A	No	The FairAir Rate Plan/\$25 installation; \$25 monthly;	Peak, 7 a.m. to 8 p.m. MonFri.; off- peak, all other times	Peak varies (\$.54 to \$.30); Off-peak varies (\$.25 to \$.20)	None	Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; Inbound only; outbound only; outbound- specific number only; international restriction	Yes	Yes, Message Manager, Message Manager Plus, link with paging system		\$2 installation \$.60/mln
US West Cellular Englewood, Colo. (206) 747-4900 (303) 790-1600	Colorado Springs, Denver, Fort Collins, Colo., Greeley, Colo./System B	All US West mobile systems cities	Standard agreement (month-to- month), Optimum Plan/\$25 installation; monthly fees: 1 phone, \$25.95; 2-9 phones \$24.95; 10+ phones, \$23.95	Peak, 6 a.m. to 7 p.m. MonFri.; off- peak, all other times	Peak varies (\$.58 to \$.38); off-peak varies (\$.31 to \$.19); discounts: 1 phone, 0%; 2-9 phones, 15%; 10+ phones, 17%		Send supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; outbound only	Easy Roaming	Yes, Message Center, Message Center Alert	Directory listing/ unlisting,	\$2 installation 5.60/min; no daily fe for US We subscriber
Seattle													
Cellular One McCaw Communications, Inc. Seattle (206) 284-5555	Bremerton, Wash., Olympia, Wash., Seattle, Tacoma, Wash./ System A	Spokane, Wash., Yakima, Wash., Eugene, Ore., Medford, Ore., Boise, Idaho	FairAir (1 phone), FairAir Plus (2-8 phones), FairAir Gold (9+ phones)/ \$25 installation; monthly fees: 1 phone, \$24.95; 2-8 phones, \$19.95; 9+ phones, \$14.95	to 8 a.m.	Peak, varies (\$.57 to \$.28); off-peak, varies (\$.20 to \$.16)	None	Answer supervision	CW, Yes; CF (3), Yes; NA/BT (3), Yes; TPC, Yes	Local only; inbound only; outbound only	Wide receiver	Message Manager, Message Manager Plus	Wide Receiver	\$2 installation peak, \$.45/min; off-peak, \$.27/min; no daily fe for McCav subscriber from extended

CF = Call forwarding
CW = Call waiting
NA = Information not available
NA/BT = No answer/Busy transfer
TPC = Three-party conferencing

* Unless otherwise noted, carriers bill in one-minute Increments. ** See page 48 for explanation of numbers in parentheses.

The information in this chart was provided by the service providers listed. Questions about chart listings should be directed to the Individual providers or to TeleChoice at (203) 645-0471.

SOURCE: TELECHOICE, INC., MANCHESTER, CONN.

Enterprise Networkings'

Mark Of Excellence



The Search Continues.

THE ENNE AWARDS
Honoring The Best Of The Best.

Call, or write for your ENNE Award Nomination Forms today. And salute those who are defining tomorrow.

Cellular services — top 20 metro areas (continued from page 46)

Company	Areas covered/ System type		Basic service plan/ Service fees	Time periods		Charges for unanswered calls or busy	billing	options	Call restriction options		Voice- messaging options	Other options	Visitor rates (per minute)
Seattle cont'd													
US West Cellular Bellevue, Wash. (206) 455-2656	Bremerton, Wash., Olympia, Wash., Seattle, Tacoma, Wash./ System B	mobile systems cities	Optimum Plan/\$25 installation; monthly fees: 1 phone, \$34.95; 2-9 phones, \$29.95; 10+	p.m. MonFri.; off- peak, 7 p.m. to 6 a.m. MonFri.; weekend, 12:01 a.m. Sat. to	Peak varies (\$.51 to \$.37); off-peak varies (\$.32 to \$.24); weekend, \$.20; discounts, 1 phone, 0%; 2-9 phones, 5%; 10+ phones, 10%		supervision		Yes	Easy Roaming	Message Center, Message Attention	unlisting	\$2 installation; \$.60/min; no daily fee for US West subscribers

FOOTNOTES FOR NUMBERS IN PARENTHESES:

CF = Call forwarding
CW = Call waiting
NA = Information not available
NA/BT = No answer/Busy transfer
TPC = Three-party conferencing

- 1. Cellular One of Chicago offers a "Feature Combination" package that bundles call transfer (call forwarding on busy/no answer), call waiting and three-party calling for one \$5 per month charge.
- 2. Cellular One of Chicago doesn't charge an installation fee for features if ordered at the time of initial installation. However, subsequent changes are subject to a \$15 activation fee.

3. Long-distance usage rates apply for forwarded or transferred calls

- 4. Ameritech has discount packages for features: \$2 per month for each feature; \$5 per month for three features and \$7 per month for all four features. Ameritech also combines its VIP rates, voice-messaging and paging services into a Value Pack, which is \$19.95 per month for the standard package and \$24.95 for the enhanced package.
- 5. Ameritech offers a Ten Cent Option for off-peak calling that may be added to VIP, Time Pack, Value Pack or Lease Pack services for an extra \$20 per month. Rates are equal to off-peak Ten Cent
- 6. Ameritech has discount packages for features: \$2 per month for each feature, \$3.50 per month for three features and \$4.50 per month for all four features. Ameritech also combines its VIP rates and voice-messaging service into a Value Pack, which is \$34.95 per month for the standard package and \$39.95 for the enhanced package.
- 8. Custom Calling Features provided with services: Introductory, 1 free; Standard, 2 free; Super Saver, 3 free; Business Discount and Corporate Flex, 4 free.
- 9. Waived for associated cellular company customers Metro One in New Jersey, Metrophone in New Jersey, Cellular One of Atlantic City and Cellular One of Wilmington.
- 10. Cellular One offers a feature package price for all features listed with this footnote.

 11. Price shown is total package price for all features listed with this footnote.
- 12. All features are available in a feature package at \$10 per month
- 13. Call forwarding and no answer/busy transfer come in a packaged priced at \$3 per month, \$2.50 for multiuser plans. Call waiting and three-party conferencing plus the basic package costs \$8 per month, \$6 for the multiuser plans.
- 14. Call forwarding, call waiting and conference calling are available as a package for \$8
- 15. All features are available in a feature package at \$8 per month.
- 16. Feature packages are available at \$6 for 2 features, \$8 for three features and \$10 for 4 features.
- 17. Feature packages are available at \$9 for 3 features or \$12 for 4 features.
- 18. No answer transfer and busy transfer are considered separate services, and each cost \$3.25 per month.
- 19. There is a \$.10 surcharge for local calls terminated to land line telephone numbers.
- 20. All features free for 1 year; after 1 year, 1 feature costs \$2, 2 features cost \$3, 3 features cost \$4, 4 features cost \$7, 5 features cost \$8.
- 21. The first feature is \$2.50 per month; each additional feature is \$1.25 per month.
- 22. If combined peak and off-peak usage is less than or equal to 180 mins. per month, then peak is billed at \$.40/min. Otherwise all peak time is billed at \$.35/min.
- 23. First feature costs \$2.50 per month; each additional feature costs \$1.25 per month.
- 24. Call feature package includes call waiting, call forwarding, three-party conferencing and detailed billing for \$6 per month.
- 25. Two-feature package costs \$6; three features cost \$8; four cost \$10.
- 26. All five features are available for \$8 as a package
- 27. No answer and busy transfer are considered different services. Each cost \$2
- 28. Call forwarding, no answer transfer, call waiting and call conferencing are packaged together at \$4.50 per month.
- 29. Transmits single recorded message to a preselected list of mobile secretary subscribers. Useful for companies for sending messages to groups of people.
- 30. All four features are offered as a package for \$4.50 a month.

The information in this chart was provided by the providers listed. Questions about chart listings should be directed to the individual providers or to TeleChoice at (203) 645-0471.

SOURCE: TELECHOICE, INC., MANCHESTER, CONN.

(continued from page 39)

lar phone is in use or not activated. Among the many options available, voice mail lets users record, retrieve, send, edit, prioritize and transfer voice messages.

Users can also personalize outgoing messages, passwords, even voice signatures with these voice mail systems. The cost typically ranges between \$4 and \$10 per month, depending on whether a

user gets the basic or enhanced service.

Call waiting. This is the same as its local exchange counterpart. Only two calls at any particular time can be sent to a phone. All other calls receive a busy signal or are forwarded to voice mail or another number.

Call forwarding. This feature often includes the ability to forward all calls or just the calls that

calls of each other's users. Users

are billed by their home carrier

for any calls they place on the

host carrier and any applicable

vice provided by Appex Cellular

Information Management that

allows cellular users to receive

RoamingAmerica — A ser-

daily fees.

come in when the phone is in use or unanswered. What's more, these features can be used interactively. For instance, users who have both call waiting and call forwarding/no answer can choose not to answer the call waiting signal and let the call be forwarded to another number often the voice mailbox.

■ Three-party conferencing. This allows users to add a third party to the call.

■ Data services. These provide data transmission service when coupled with a laptop computer, facsimile machine or other data transmission device.

■ Accounting codes. These allow users to segment their monthly bill among different clients, simplifying end-of-themonth cost allocation.

Calling when away

Another major factor in evaluating cellular services is how different carriers handle calling outside the local calling area. As the U.S. becomes-covered by cellular service areas, users traveling from one zone to the next will want to have more transparency in the process.

Changing zones today is a tricky task because of overlapping coverage areas and differing (continued on page 54)

A list of cellular definitions

A Block/B Block — The service provided by GTE Mobiltwo sets of channels assigned by the government to the two cellular telephone companies operating in each metropolitan area.

Airtime — The amount of billable time a user has accumulated, usually in minutes.

Cellular geographic service area — The metropolitan area, composed of one or more counties, in which a cellular phone company is authorized to operate.

Crosstalk — The sound of two simultaneous conversations on a cellular system.

Dead spot — An area within a cellular system where service is not available.

Electronic serial number The unique identifying number of a cellular telephone that has been embedded in its circuits by the manufacturer.

Follow Me Roaming — A

net software that allows cellular users to receive calls made to their cellular telephones when they're in another city.

Handoff — The transfer of a cellular conversation from one voice channel to another.

Home carrier — The cellular telephone company with which a user's telephone is registered and to which the user pays monthly access charges.

Host carrier — The cellular telephone company providing service to a nonlocal subscriber.

Improved Mobile Tele**phone Service** — The mobile telephone service available in 2,000 U.S. and Canadian cities since the 1960s. It is not compatible with cellular service.

Non-wireline — Description of a company operating the A Block of cellular channels.

Roamer access number —

An area code and seven-digit number that allows users to receive calls when they are outside their home service areas. A caller dials the roamer access number where the subscriber is locat-

Jrosstalk — two conversations on a cellular system.

AAA

ed, waits to hear a tone, then dials the area code and number of the cellular phone.

Roaming agreement — An agreement between two cellular telephone carriers to accept the calls made to their cellular telephones when they're in another **Super Access** — A service that enables certain cellular us-

ers to receive calls made to their cellular telephone numbers when they are outside their home service areas.

Wireline — Description of the company operating the B Block of cellular channels.

Source: The Cellular Telephone Directory, Communications Publishing Service, Mercer Island, Wash.


DATA COMMUNICATIONS

RAD TO THE RESCUE.



THE PROBLEM:

You want to use a synchronous modem for transmission of asynchronous data...



THE SOLUTION: RAD's miniature aysnc to sync converter, MSA-1, enables

connection of async equipment to sync channels.

The MSA-1 performs the async to sync conversion in compliance with V.22 bits standard, accommodating differences in frequency between the async port and sync modem. It automatically adjusts to data rates up to 19.2 kbps and accommodates all async character formats. Delivered complete with cable and connectors, the MSA-1 is easy to install and operates without AC power.



data communications Itd

151 West Passaic St., Rochelle Park, NJ 07662, Tel: (201) 587-8822, Telex. 6502403647 MCI, Fax:(201) 587-8847

Circle Reader Service No. 11

ANALYZE DATA LINE PERFORMANCE

Reveal utilization trends.

Measure response time.

Plan network evolution.

problems.


Troubleshoot contention

or Burroughs poll/select.

Analyze Data Line Performance

The PC-based PA1 Performance Analyzer lets you analyze over 35 network parameters using easy-toread color graphics and printed reports. Response time, exception and over-threshold reports help you quickly find problem areas. Line utilization data reveals overloaded equipment and underused capacity.

Know what's happening on your data lines. Call us for our PA1 demo or a 15-day free product trial.



Progressive Computing, Inc.

814 Commerce Drive, Suite 101 Oak Brook, IL 60521-1919 USA (708) 574-3399 FAX (708) 574-3703

Circle Reader Service No. 1

NETVIEW-NET/MASTER NETWORK MANAGEMENT

NetView Goes To NEW Places

With NetQuest's new products, NetView is going where it has never been before. NetQuest introduces a new way of using standard NetView (or Net/Master) in management of non-SNA networks. This new method expands NetView modem and DSU/CSU management into network configurations not manageable until now.

NetQuest Expands NetView Management Into:

- SNA/LPDA lines with non-IBM modems or DSU/CSU's.
- Unisys, DEC, CDC or other non-SNA host's sync and async lines.
- Remote IBM AS400, System 38, Series 1 and similar lines.
- SNA over X.25 lines (SNA, NPSI and QLLC).

LPDA for integration of non-IBM modems and DSU/CSU's CONTROLLER into NetView.

industry's first V.32 NetView modem with NetView V.32 MODEM

diagnostics, VTAM and NetView dialing.

DSU/CSU for DDS lines with NetView primary channel

diagnostics, speeds to 56 Kbps.

LDM point-to-point, multipoint and tail circuit

private line modem, speeds to 72 Kbps.

NetQuest transmission products link directly to NetView (NCP) and are not NetView PC based. They perform LPDA diagnostics and functions necessary to allow non-SNA networks to transmit NetView LPDA diagnostic messages. SNA or non-SNA lines may be controlled anywhere in the network regardless of the location of the NetView



NetQuest Corporation

v^e is a registered trademark of IBM Corporation

Circle Reader Service No. 9

DATACOMM MATRIX SWITCH

NEW DIMENSIONS Distributed Tandem Matrix Switch

LARGEST CAPACITY Smallest Size lowest cost

MTRX-500 512 Ports up to 64 Kbps 71/2" MTRX-4000 4096 Ports up to 64 Kbps 15" MTRX-8000 8192 Ports up to 64 Kbps 28"

Salient Benefits:

- Fractional T-1, from 64 Kbps to 2.048 Mbps
- 98% Cable Reduction, Twisted Pair 4000 ft DTE to DCE
- · LAN-based PC Control Ethernet or Token Ring
- NetView PC or Cincom NetMaster Universal Workstations
- User-Controlled Database dBase III PLUS or dBase IV
- · Integral BERG/BERT and S.A.M. Test Functions
- 30,000 ports installed at RBOCs and Fortune 1000 Companies




Datacomm Management Sciences Inc.

"The Responsive Ones" Norwalk, CT 203-838-7183 FAX: 203-838-1751

Circle Reader Service No. 10

DIAL-UP MANAGEMENT

Dial Modem Management for Small Networks



- Modem Vendor Independent.
- Auto Swap of RING NO ANSWER.
- Auto Busy Out of RING NO ANSWER.
- Start with 16 or less & Expand up to 128.

Communication Devices Inc.

One Forstmann Ct. Clifton, NJ 07011 Phone: (201) 772-6997

Fax: (201) 772-0747

Remote Site with Dial up Access.

• Real Time Trouble Reports.

Daily Summary Reports.

Low Cost Wrap Around.

Circle Reader Service No. 12

See us at Comnet

Booth # 3105

LAN AND WAN CONNECTIVITY

PLUG DIRECTLY IN **HIGH-SPEED DIGITAL**

PROMPTUS®

AT Bus-compatible WAN Adapter



On Board T1 CSU/DSU

- Provides fully integrated access to T1: 1.544 Mbit/s
 FT1: 56 to 1536 Kbit/s
 CEPT: 2.048 Mbit/s
 Primary Rate ISDN
 Switched 56 with T1 Access
- Greatly reduces network file transfer
- Includes X.25 file transfer software. ■ Plugs into single 16-bit PC/AT slot.

ROMPTUS

Circle Reader Service No. 2

- On board CSU/DSU eliminates external equipment, lowers costs.
- Applications include network gateways, routers, LAN bridges, facsimile servers, switches, graphic file transfer and more.
- Efficient shared memory interface.

Call or write for complete information:

Promptus Communications, Inc. Portsmouth Business Park, Portsmouth, RI 02871 Tel: (401) 683-6100 FAX: (401) 683-6105

ETHERNET LINE MONITOR

NetLight-l

ETHERNET TM / IEEE 802.3
Aftachment Unit Interface Line Monitor

- Provides On-Line Network Status Indication
- Provides Valuable Troubleshooting Information

Easy to Install

NetLight-1 is a line monitor for the ETHERNET TM or IEEE802.3 Attachment Unit Interface. It is available in two versions. Version A provides LED's that indicate when a station is transmitting, receiving or experiencing a Signal Quality Error. Version B provides these same indicators and also provides connectors for attaching an oscilloscope to monitor the signal waveforms. This simple device is useful for both troubleshooting and for providing immediate feedback of network status to the station operator.

For Additional Information or to place your order for Netlight-1 please call 1-800-525-2141 or contact:


Knowledge Implementations, Inc. 32 Conklin Road, Warwick, New York, 10990 (914)986-3492 FAX (914)986-6441

Circle Reader Service No. 13

MATRIX SWITCHING

... TELENEX Matrix Switches

Speed and Capacity that Exceeds All Others



IT OF GENERAL SIGNAL

(609) 234-7900 • TELEX 710 897 1648 • FAX (609) 778-8700 13000 MIDLANTIC DRIVE • MOUNT LAUREL, NJ 08054 Circle Reader Service No. 3

Send For Free Info

For more information on any of the products and services advertised in NetworkWorld's ActionCenter, circle the Reader Service Numbers on this coupon which correspond to the advertisement of interest to you.

Complete the coupon information and mail to:

NetworkWorld

NW Jan 90

P.O. Box 5090, Pittsfield, MA 01203

Phone () State _____Zip____

(Expires 4/30/90)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57

NETWORK PLANNING SOFTWARE

GrafNet provides instant visual displays of network topologies...

PC software allows easy viewing of network configurations.

- Built-in database automatically converts Area code/Prefix to an on screen geographical location.
- * Add and delete lines and nodes through user friendly Microsoft Windows
- View topology nation-wide or on a state by state basis.
- Zoom in on a geographical area for closer viewing.

Applications

database.

- Simplify mapping of voice/data networks. 'Create documents of network
- configurations for proposals and presentations. Create visual pictures of network
- topologies. Maintain a network configuration

Price \$450

(408) 446-9598

Call today for information and free demo disk.

Network Dimensions, Inc. 5339 Prospect Road, Suite 122, San Jose, CA 95129

Circle Reader Service No. 4

NETWORK SCANNING AND MONITORING

Cable Scanner

Pinpoint Network Cable Faults Fast!

The Scanner Is a monitor, fault finder, cable locator and much more. Helps you pinpoint the location of shorts, opens or breaks. Its 32 character display reports the fault in plain English "short at 306 ft". With an oscilloscope, Scanner's high speed, pulse generating circuitry gives a detailed view of the entire LAN including transceiver, terminator and multiple faults.



- * Cable length measurements
- * Locate breaks, shorts, opens, bad crimps, etc.
- * LAN activity monitoring
- * Find cables in ceilings, walls, floors
- Cable TV troubleshooting
- Generate as-built drawings and specifications
- * Isolate faulty network interface cards
- * Very simple to operate



M-Test Equipment P.O. Box 460008 San Francisco, CA 94148-0008

Outside CA: (800) 334-4293 Inside CA: (415) 881-2382 FAX: (415) 864-1076

Included is Tracer for locating exactly where in the floor, ceiling, wall or patch panel the cable lies. Cable Scanner, Tracer and Operators' Manual are only \$1495. Circle Reader Service No. 5

PREVENT HUNTGROUP LOCKOUT

Lost Calls = Lost \$

RING - NO - ANSWER PROBLEMS SOLVED!

Dataprobe's Modem Minder detects failures in modem hunt groups and automatically takes corrective action.

Automatic Switching to Spare Modems or **Busy-out Defective** Modems.

MODEM MODEM MINDER MODEM SPARE

Low Cost

Expandable

Ideal for 800#s



170 COOLIDGE AVENUE **ENGLEWOOD, NEW JERSEY 07631** (201) 569-6464 FAX (201) 894-0939

Circle Reader Service No. 15

SOFTWARE

Manage & Monitor Your

Network

With NETCOMPANION®

NetCompanion is an integrated set of 16 unique network management & monitoring utilities designed for Novell Netware*.

Use NetCompanion to:

Gather and graphically display network performance statistics

Isolate network problems to a single workstation

Control the server from the command line of your workstation

Protect users from running applications improperly
Solve a wide range of network management problems

Call 800-336-2014 or 216-241-1140


ETI Software 2930 Prospect Ave., Cleveland Ohio 44115

*Requires Novell Networe version 2.1 or above - Networe * Novell, Inc.

Circle Reader Service No. 16

STRATUM 1 SOURCE

AUSTRON MODEL 3150



PRIMARY **SYNCHRONIZATION**

- RELIABLE
- **FLEXIBLE**
- **AFFORDABLE**

The Model 3150 Communications **Network Synchronization System provides** an independent on-site timing source for your telecommunication network. The 3150 gives you STRATUM ONE timing stability and accuracy in a broad variety of configurations. This system is used around the world in civil and military networks. Call today:

© AUSTRON Inc.

a DATUM company

P.O. BOX 14766-EXIT 248, N. IH35 AUSTIN,TX 78761 TELE(512)251-2313/TWX(910)874-1356/FAX(512)251-9685

Circle Reader Service No. 6

TESTERS

T1 monitoring in the palm of your hand.



- Unframed, SF and ESF formats
- Detect T1 errors and alarms
- Display DSO data and signaling bits
- Monitor audio on selected channel
- D3/D4, D1D and D2 compatible

Circle Reader Service No. 7

\$795



Electrodata, Inc.

23020 Miles Road Bedford Heights, Ohio 44128 Cail Toll Free 1-800-441-6336 (216) 663-3333 TWX (810) 427-2280

X.25 PC CONNECTIVITY

ATTENTION LAN MANAGERS! Are you operating NETBIOS within your LAN? The PCXNet Card can expand

OST IMPLEMENTATION WITH NETBIOS REMOTE PO

the capabilities of your local area network...allowing a remote PC to connect to a LAN utilizing NETBIOS via an X.25 network interface. Developed by OST, PCXNet Card also provides advanced communications using CCITT X.21, X.25 and X.32. For a list of features provided by the PCXNet Card and other innovative products offered by OST, call today!

OST, Inc. 14225 Sullyfield Circle Chantilly, Virginia 22021 (703) 817-0400



Circle Reader Service No. 17

Networking Intelligence

NETWORKING MARKETPLACE

SOFTWARE





January 23-25, 1990 Washington Convention Center Washington, D.C.

Whether you're a business/government end-user, OEM, reseller, systems integrator or technical expert, UniForum 1990 is your one-stop source for the latest UNIX system information. More users attend, and more vendors participate in UniForum than any other UNIX system event in the world.

The UNIX® Operating System...is the key to open computer systems. UNIX delivers total interoperability—over a diversity of hardware platforms—with complete networking capabilities—invaluable for workgroup (multiuser) computing—as well as single-user multi-tasking applications.


More Exhibitors...250 national and international vendors, in 120,000 square feet of exhibit space, make Uniforum 1990 the largest UNIX system event ever presented.

More Conferences...the 1990 UniForum educational agenda includes 20 all-day tutorials, providing basic in-depth UNIX system information, plus 47 conference sessions, with marketing- and industryoriented panel discussions and technical presentations.

More FREE Workshops...sixteen 90minute UNIX system introductory workshops, chaired by industry experts, will cover Integrating MS-DOS and UNIX, Introduction to UNIX (for managers/users), UNIX security, UNIX networking and more.

UniForum 1990...advance registration for exhibits is FREE. And advance conference/tutorial registration saves you money! Call 800-323-5155 today for complete details and registration forms. In Illinois and outside U.S., call 312-299-3131 (after November 11, 1989, call 708-299-3131).

UniForum 1990 2400 East Devon Avenue • Suite 205 Des Plaines, Illinois 60018 USA



DECADE OF THE USER

See the FAXNeT Form on Page #59

Sponsored by



TRAINING

TELETUTOR Course

The best computer-based training in the business

12L2tutor

TELECOMMUNICATIONS TRAINING SERIES

For FREE catalogue of all our courses call 800-542-2242

(603) 433-2242

SEMINARS

IN-DEPTH SEMINARS

Basic & Advanced Training in the IBM Enterprise Networking Standards for the 90's

IBM SNA/LU 6.2 **APPC**

Feb. 5-9 Feb. 26-Mar. 2 San Fran. Area March 12-16 Wash. D.C. Area March 26-30 Los Angeles Area For other cities & dates call:

Galaxy Consultants 17235 Buena Vista Avenue Los Gatos, CA 95030 408 354-2997

FAX: 408 354-2365

Buy, Sell Or Announce Through Network World's Classified Section

Buying or selling communications-related products or services?

Or do you want to announce an upcoming event or business opportunity?

If so, Network World's classified section is the right choice for you.

You'll reach more than 70,000 communications/networking professionals all of whom are buying decision makers.

And you'll reach them every week.

Find out just how effective and cost efficient Network World classified advertising can be.

For all the facts write or call: Network World, Classified Advertising

Joan Bayon Pinsky, 161 Worcester Road, PO Box 9172, Framingham, MA 01701-9172 800-622-1108 (in Mass., 508-875-6400)

Pacific & Mountain: Susan Egan, 18008 Sky Park Circle, Suite 145, Irvine, CA 92714 714-250-3006

Comnet

Special Comnet Show Issue - February 5th

Closes: January 24th

Bonus Show & Hotel Distribution

Call for further information on advertising in this Special Issue.

NETWORK WORLD Classified Advertising

Contact:

Joan Pinsky, 161 Worcester Road, Box 9172, Framingham, MA 01701-9172

Susan Egan, 18004 Sky Park Circle, Suite 100, Irvine, CA 92714

> 1-800-622-1108 East Coast: 508-875-6400 West Coast: 714-250-3006

DATA COMMUNICATIONS

RJE FOR PC's

Complete Bisync 2780/3780 and SNA 3770 RJE emulation for PC's and PS/2's. Execute batch jobs automatically to or from your IBM host in

- IBM Mdl 3777-1 support
- Up to 19.2K bps thruput
- Unattended operations
- Printer, card punch and console support
 Data compression and transparency
 PC-to-PC connectivity

Immediate delivery Full warranty

From as low as \$249

Call (800) 767-4844 today!

The following advertisers appear on the FAXNeT form on page #59:

> Teletutor UniForum

Warwick Data Systems

CONCORD DATA SYSTEMS

Dial Modem Sale

212 Autodial 224 S I Autodial V.32 Trellis 296 Trellis

> **CALL FOR LOW PRICES**

508-681-0600 Ext. 2021 or 2017

TO MONTH! PREVIOUSLY OWNED NEW-USED-BUY-SELL-LEASE MICAM. codex TaTA 🌓 Racal-Milgo ARK CASE Datatel GataCom NEW AND USED EQUIPMENT BACKED BY WARRANTY VATIONAMDE SERVICE, MAINTENANCE AND INSTALLATION SOME SAMPLES: ATT 2096A Codex 2660 (6 CH) . . \$2,250 IBM 5865-2 Modem \$1,995 Micom Box 2 (16 CH) \$2,300 Paradyne Pixnet XL..... Call Timeplex Link 1 & 2 Call ALL GUARANTEED FOR MANUFACTURER SERVICE. (201) 586-3070 FAX 586-3080

Warwick DATA SYSTEMS, INC. 66 FORD ROAD, DENVILLE, NEW JERSEY 07834

NETWORKING CAREERS

You can target your recruitment advertising with Network

World Network World is the first and only

publication written specifically for communications users.

That means you'll reach the specialized and ualified applicants you want.

Over 70,000 communications professionals subscribe to Network World with an estimated pass-along readership of 230,000 every week.

One of them could be exactly who you're looking for.

For information on placing your recruitment ad, call toll free at 800-622-1108 (In MA 508-875-6400)

LAN and WAN **Specialists**

General Logistics International, Inc., is a rapidly growing provider of distributed data communications solutions based in Central, New Jersey. We are currently seeking both Local and Wide Area Network Specialists to participate in the design and implementation of state-of-the-art network solutions.

WAN Specialist

Qualified applicants should have a strong emphasis on the design and implementation of T-1/T-3 data/video/voice integrated networks. Knowledge of simulation and the survivability of designs is required. Knowledge of tariffs and capabilities of new switched and fractional offerings from the local and long distance providers are also required. Experience with fast packet and TCP/IP is preferred.

LAN Specialist

Qualified applicants should possess a strong background in LAN design and network operating systems and be capable of implementing LAN-based system solutions. Specific experience should include at least one of the following technologies: Novell Netware, 3 Com Lan Manager and Banyan Vines.

Superior communication and presentation skills are required; prior experience delivering presentations at technical conferences is a strong plus. An advanced degree in a technical discipline is

These positions offer excellent compensation, a full array of company paid benefits and outstanding opportunities for career growth and development. For immediate consideration please send your resume and salary requirements to: Marjorie Brown, Employment Manager, General Logistics International, Inc., 1085 Morris Avenue, Union, NJ 07083 or call (201) 352-1500; Fax (201) 352-8299. We are an equal opportunity employer. Principals only.

GENERAL LOGISTICS INTERNATIONAL, Inc.

Make All the Right Connections

Here's your chance to work on the network of the 90's, now.

LAN Support Engineers

As a Microsoft Support Engineer, you will work with the latest advances in LAN technology guiding third-party developers by researching and answering their coding questions via OnLine, Microsoft's comprehensive support service. In addition, you will develop and write sample programs and publish systems programming articles for OnLine customers.

We are looking for experienced C programmers who have a B.S. in Computer Science or a related field and a background in networking software (e.g., Novell Netware[™], 3Com[™] 3+ Open, TCP/IP™). SQL or SNA experience is a

Get well connected. Send your resume complete with salary history to MICROSOFT CORPORATION, Recruiting, Dept. LDLSE-0115NWW, One Microsoft Way, Redmond, WA 98052-6399. No phone calls, please. We are an equal opportunity employer.



(continued from page 48) service arrangements. Moving from one cell to another within the home carrier's territory is usually no problem, outside of occasional fading and overlapping conversation at cell edges.

However, changing carrier zones is a more complicated process. Typically, a light on the phone will indicate that the user has left the home carrier calling area. Therefore, when in another carrier's territory, the user may have to follow any of a number of procedures to make a call.

Many neighboring carriers are becoming partners or signing mutual handling agreements with neighboring cellular providers to form wide-area networks. These carriers can market their basic service to a broader coverage area, seamlessly providing users with hassle-free calling.

For instance, Cellular One of central New Jersey has formed alliances with Metro One/Cellular Telephone to the north, Metrophone directly to the west, and Cellular One of Atlantic City, N.J., and Cellular One of Wilmington, Del., in the south to offer a widearea plan that covers all of those areas at one price on the local system, resulting in no foreign billing and no daily sign-on fees.

Users who are not in an area with such extended service may receive calls in one of four general manners. The most generic method is through roamer numbers — access numbers that allow callers to enter the local market and attempt to reach another subscriber that is traveling in the area at the same time.

The caller dials the roamer number, hears a tone or beep, then enters the subscriber's telephone number. If the subscriber has logged onto the local network, that call will then be completed. The caller pays for all long-distance fees; the subscriber pays for all airtime and daily setup charges.

A second manner in which users can receive calls when on the road is through Follow Me Roaming. This is offered by GTE Mobilnet through many cellular providers on System B across the country. With Follow Me Roaming, all calls are forwarded automatically to subscribers wherever they may be on the road.

The user activates Follow Me Roaming by dialing a series of numbers on the telephone keypad, telling the system to register the user on that system. Then all calls will be forwarded to the user — at the user's expense.

Unlike other carriers, GTE Mobilnet provides its subscribers with the option to selectively activate Follow Me Roaming in a foreign area because some users may not want to receive all calls automatically. This gives users the option of telling only a few specific people the roaming number where they may be located.

GTE automatically deactivates Follow Me Roaming at midnight each day, or users may do so man-

Evaluating cellular services

Some not-so-obvious factors to look for when evaluating cellular services are:

- **Rate periods.** Are there peak and off-peak hours, or day, evening, late night and weekend periods? What are the rate periods? Does one cellular service provide longer off-peak periods than another?
- **Customer service.** Is there a 24-hour customer service line? Is it manned 24 hours per day, or is someone paged after regular working hours?
- Call detail. Is call detail free, or will there be an extra charge for it?
- Billing increments. Are calls rounded to the next higher minute, or is there 30- or 6-second billing?
- Answer supervision. Are calls billed when the called party answers or from the time you hit the SEND key on your phone? Depending on the billing assumptions of the carrier, the extra cost of services that bill on SEND may wipe out any savings due to 6-second billing!

■ Unanswered and busy

charges. Are there charges for unanswered or busy calls? Some carriers will charge you for the airtime it takes to ring your phone in your car.

■ Call following. Is there automatic call following when you travel? Or does someone have to find you by dialing roaming numbers?

- Extended calling areas. Has the carrier forged alliances with neighboring carriers to form extended calling areas? Such alliances can mean lower costs for people who travel great distances.
- Directory assistance. Do you automatically get a directory assistance listing, or does that cost extra?
- Calling restrictions. Does the service have any calling restrictions available? Managers can cut down on abuse by limiting the extent to which users can make calls. Allowing users to make outgoing calls only to a specific number is a popular item for companies that want users to call back only to the home office. Z

ually at their convenience. Users must reactivate the service each day. Currently, Follow Me Roaming is available in more than 300 markets in the U.S. and Canada.

A third roaming system is RoamingAmerica, provided by Appex Cellular Information Management of Waltham, Mass. The service is predominantly for System A users.

RoamingAmerica operates similarly to Follow Me Roaming, but it also provides caller notification services. Caller notification allows users to have incoming calls conditionally transferred to a voice announcement on the home switch.

The announcement tells the calling party what city the user is in and provides calling instructions, including the long-distance phone number for the foreign switch's roamer access port number. This passes the long-distance

charges on to the caller.

RoamingAmerica users automatically activate call following by placing a call from any roamer market. The user does not have to manually activate the system using the telephone keypad, although that option exists.

Like Follow Me Roaming, RoamingAmerica detects calls and sends activation requests to Appex's main computer system. When the system receives these activation requests, it sends a sequence of commands to the home and roam switches to deliver the subscribers' calls to their current location.

When RoamingAmerica users turn off the service, it automatically resets to the home voice mail features so they won't lose any calls or messages. Follow Me Roaming users would have to call long distance into their home area to reset voice mail features.

Later this year, Appex plans to offer confirmation calls to the subscriber in the foreign area noting that the phone is properly registered in the new market area.

RoamingAmerica will continue forwarding calls until the caller returns to the home service area. If the service is not deactivated, automatic cutoff occurs 24 hours after the last call made in the foreign market.

Appex said it expects to have RoamingAmerica in more than 200 North American markets by March 1. Appex's RoamingAmerica service is also offered by McCaw Cellular Communications, Inc.-owned cellular service providers under the product name Nation Link.

A fourth manner to receive calls is through Super Access, which is offered by Cellular One in several areas of California. This service is primarily for System A customers.

Super Access automatically registers users when they place their first call in a foreign area. Users can also activate call forwarding at their own expense using the phone keypad. Some Super Access users also have caller notification: Once they make a call on the system, a message is sent to the home switch letting it know where to reach them. These instructions include the roamer access code and dialing information.

Whether users choose a System A or System B roaming service is usually determined by the type of system they have at home. A user who has System A at home will likely use System A on the road. However, this does not necessarily have to be the case. By shopping around for a roaming service when traveling, the user can realize some substantial savings.

A book that helps

One publication, *The Cellular Telephone Directory* (Mercer Island, Wash.: Communications Publishing Service, \$14) provides a complete listing of all visitor rates in the U.S. and select foreign countries. It also gives instructions on how to set up service and access systems.

Cellular telephony is by no means perfect. One often-stated problem is invasion of privacy. It is possible to tap into cellular communications with off-the-shelf devices. However, someone would have to go to great lengths to accomplish this. As phone users move from one cell to another, the conversation is switched randomly from channel to channel, making it difficult to follow.

In addition, it's illegal to tap a cellular phone conversation, according to the 1986 Electronic Communications Privacy Act. But it's possible, so when using a cellular phone, watch what you say and where you say it. Most user firms publish a code of usage in which confidential information is barred from cellular transmission.

Cellular telephony is by no means perfect.

Bell Atlantic Corp. has an option on its system in Washington, D.C. designed to squelch any privacy problems in its territory. Users can purchase a data encryption device that attaches to their cellular phone. The device scrambles communications between the mobile unit and the switching office, making eavesdropping nearly impossible.

Another problem with cellular telephony is the invasion of personal privacy. As cellular phones become an accepted way of life for senior management, it becomes difficult for employees to say no when asked to keep in touch constantly with the office by using a car phone.

To many, this creates the feeling of not being able to get away from the office, which can have a profound effect on their performance when they're actually in the office.

According to many industrial psychologists, the best solution is for companies to avoid putting employees in a situation where they are carrying a phone around 24 hours a day.

What the future holds

Nonetheless, the future of cellular telephony is assured, if for no other reason than that people are becoming addicted to having such universal access to communications. However, as usage soars, technology will have to fight to keep up.

Congestion is a major problem that cellular companies will have to deal with in the near future. Los Angeles is already running into capacity problems in some areas, and it expects to hit a capacity

(continued on page 58)

Free bonus services

In an effort to not only enhance their products, but also to differentiate their products from competitors', some carriers are offering free bonus services. Among the more creative ones currently offered are:

Star*Jam. Provided by Los Angeles Cellular Telephone Co., this is a personalized traffic routing service that helps drivers avoid traffic jams. By dialing "*JAM," users can reach a live operator who will help them find a way out of any traffic mess.

■ Traffic Solutions. Provided by MetroCel Cellular Telephone

Co. in Dallas, this service provides users with traffic reports customized for the area in which they're driving. These reports are updated every 15 minutes.

■ Star*Find. Provided by Los Angeles Cellular, this cellular Yellow Pages helps users locate a particular business in an unfamiliar neighborhood.

■ Mr. Rescue. This includes free emergency roadside service provided by some GTE Mobilnet systems. By pressing "*HELP," a 24-hour-a-day, seven-day-aweek professional service technician will be out to help you within 30 minutes.

In addition, many cellular systems allow users to look up sports scores, stock quotes, and even buy amusement and entertainment tickets — all through the cellular phone interface.

When you add all of these features together with the latest cellular phone technology, the result is a mobile office. Users can tie telephones, facsimile machines and modems into home offices, creating a communications link that increases effectiveness and boosts productivity. Z

Where The World Connects



NETWORLD 90 BOSTON

HYNES CONVENTION CENTER • FEBRUARY 12-15, 1990

On February 12-15, 1990, at the Hynes Convention Center, NetWorld returns to Boston for an eagerly awaited encore. For four days NetWorld--the only computer trade show universally acclaimed as "the industry standard"--will be host to a dazzling display of the best in the business. Only at NetWorld can you count on reviewing everything you need to make the right networking decisions.

The whole connectivity industry comes together at NetWorld. Hundreds of exhibitors--from Apple to Digital to Novell to Sun to IBM--are demonstrating the newest, most exciting and best networking hardware, software and services. Whether you're planning your first network or evaluating cutting-edge options and advancements, NetWorld is the best place to see and hear it all.

Get smart fast at the world-famous NetWorld seminars

- over 100 sessions in the best Seminar Series in the business
- an added day just for conferences and new full-day Tutorials
- special tracks for LAN
 Management, Network Planning &
 Design, Basic, Standards,
 Software & Applications and more!
- your best educational opportunity of the year!

Call today for complete seminar, registration, travel and hotel information 800-444-EXPO!

If your 800 service goes out, long distance company leave you

Did you know that one of the most valuable enhancements to any disaster recovery plan is automatic and free of charge? It is, if you use AT&T 800 Service.

Introducing the AT&T 800 Assurance Policy.

If your 800 calls can't get through, whether it's because of problems with your telephone equipment, your local telephone line or the AT&T Network, AT&T will provide alternate service until regular service can be restored. You'll be up and running within 60 minutes of notifying the AT&T service hotline. Guaranteed.

In one hour or less, AT&T will route 800 calls to another working telephone line, either in your office or any other location you request. Or, calls can be routed to a customized recorded announcement in the AT&T Network. Whichever option you select for your business, the AT&T 800 Assurance Policy is automatic, free of charge... and exclusively from AT&T.

In addition to the AT&T 800 Assurance Policy, AT&T continues to provide all basic 800 customers with the fastest call set-up time and the fewest blocked calls of any network. The result? More calls. More often. In short, more business for your business.



(continued from page 54)

brick wall by early 1991. Congestion causes degradation in conversation quality; crosstalk is common.

One solution is to multiplex individual channels to increase capacity. In late 1989, PacTel Cellular, based in San Francisco, and Qualcomm, Inc., based in San Diego, previewed their Code Division Multiple Access (CDMA) digital cellular system, which has the potential to provide a 20-fold increase in the capacity of the available transmission spectrum.

With existing cellular technology, every call is assigned a single voice channel. Under CDMA, multiple calls are spread across the same segment of spectrum through a multiplexing-like technology. A CDMA cell has the potential to provide more than 1,200 voice channels, as opposed to the 57

EDITORIAL

REPRINTS

channels available in today's cells.

In addition to increased capacity, CDMA has a number of side benefits: increased transmission and reception capability, fewer cell sites and enhanced voice quality. Since CDMA requires less transmission power, battery life is prolonged, giving users greater use of existing equipment.

Initial tests by PacTel Cellular have been successful, and the carrier also has noted improved user-transparent call handoff from cell to cell.

Other technologies besides cellular that could also significantly bolster personal telephony are on the horizon. The next generation of cellular phones is under development, and leading cellular providers have asked the Federal Communications Commission for a market review to assess where the industry is heading and how frequencies will continue to be allocated among the different technologies.

One of the more interesting futuristic products is under development by GTE Laboratories, Inc. in Waltham, Mass., which uses Portable Access Locations. This technology uses a compact phone unit that homes off of small, fire detector-sized transceivers. These transmitting devices have smaller footprints — generally covering an area the size of a large room than their cellular counterparts, thereby requiring less power. They are not designed for use in cars moving at high speeds on a highway, but rather for use in a hotel, resort or convention center setting.

What is most alluring about these phones is that no one carrier controls a large area. The small coverage area allows companies to set up small networks for collecting and sending calls on their own. Thus, a hotel or resort could set up a network of 200 or so detectors and issue personal phones to all registered guests for use in the room, in the restaurant, on the golf course or even in the hot tub. The hotel could run the calls through its own long-distance network. In the end, cellular technology will become more a part of everyday life for all of us.

There has been a lot of kidding lately about Dick Tracy telephones and fax machine belt buckles. The funny thing is that these devices don't sound quite so outlandish anymore. Telephone users of the near future may have one telephone number where they may always be reached whether on the road, in the office, on a boat or even on an airplane.

The telecommunications industry is changing rapidly, and the cellular segment is determined not to be left behind.

Because of space limitations, the charts accompanying this article include only a single service for each carrier listed. A complete listing of the cellular services offered by all carriers in the top 20 markets is available from TeleChoice at (203) 645-0471.

Safety tips for cellular users

Doing two things at once is not always best, particularly when one of them is driving a car. Be sure that your company has a safety policy regarding driving while talking on the cellular phone. Among the items to include in that policy are:

■ Use speed-dial buttons. For frequently dialed numbers, program speed-dial buttons. The less time you are looking at your handset, the more

time you can pay attention to the road. ■ Dial slowly. Don't feel the need to dial all of the digits at once. Pause after every few digits to reassess the road conditions.

■ Check out traffic conditions. Before placing or answering calls, be sure that the traffic is not so chaotic that it will make driving and talking difficult.

■ Wait for good dialing situations. There are better times to dial than others — for example, when stopped at a light, driving on a clear highway or parked in a lot. Merging into traffic and approaching a toll booth are not good times to dial.

■ Obey all traffic signs prohibiting cellular communications; they're there for a reason. If the sign says, "Blasting ahead, turn off cellular phones," it is because certain frequencies can set off explosives. Obey these signs at all times.

■ Disconnect, then jump start. If you need to jump start your car, disconnect your phone at the transceiver. Otherwise, you could fry your phone and your warranty will not cover the dam-

■ Don't advertise. When leaving your car in a parking lot or other public place, don't leave your transportable telephone on the seat. It's an invitation for theft. Put it in the trunk or somewhere out of sight. **Z**

— Daniel Briere

Network

Highlight your editorial coverage!

Coverage of your company's news or product introductions in Network World means valuable exposure in the enterprise networking marketplace. Build on the positive awareness by ordering your reprints today.

Editorial reprints make great leave behinds for:

Press

■ Trade Shows


FROM

- Sales Prospects
- Distributors
- Company Seminars
- Internal Meetings

Reprints are available in various quantities* and can be customized to include your company logo, address and sales office listings.

*Produced in minimum quantities: 500 for black & white or two-color, 1,000 for four-color reprints.

For information on ordering reprints contact:





Warwick Data Syst.....53

Fax: 201-586-3080

FAXNeT is a service designed to help readers of Network World gather important information via FAX on products and services advertised in Network World.

How to Use FAXNeT

Listed below in the FAXNeT Directory are the FAX numbers of participating advertisers in this week's issue of *Network World* and the page number where the ad appears. To use FAXNeT cut out the FAXNeT form and make a copy of the form for each inquiry you want to make. Then just FAX it to the vendor's number listed in the FAXNeT Directory.

Benefits to the Network World Reader

FAXNeT is designed to get you product and service information FAST. And, if your request is urgent and requires an immediate response from the vendor just check the "Urgent" Box.

Company	Page		
ACC Fax: 805-962-8499	22	NETWORK WORLD	
Anixter Bros Fax: 708-677-4043	64	FAXN	leT
AT&T Paradyne Fax: 813-530-2103	8-9		
Bell South ax: 404-876-9575	40		eting Communications Manager iry was generated by a Network World
Codex Corp Fax: 617-821-3417	12-13	Subject. reader wh	no is responding via FAX to your advertisement rk World.
Emerson Computer Fax: 714-540-7618	16	Name	Title
ibermux ax: 818-709-1556	24	Company/Div	
Sandalf Data Fax: 708-541-6803	7		State ZipFAX
Graybar Fax: 314-727-0788	6	URGENT	
GTE Telops Fax: 317-844-6581	14	Action Requested Request for Sales Call	Scope of Purchase Responsibility ☐ Enterprise Wide
DG/Comnet Fax: 508-872-8237	32	☐ Request for Proposal ☐ Request for Information	☐ Departmental Purchase Influence/Number of Sites
nformer Fax: 714-898-2624	28	Purchase Timeframe ☐ Within 60 Days ☐ Within Six Months	☐ One Site☐ 2-9 Sites☐ 10-20 Sites
Ntwk Mgmt Solutions Fax: 508-872-8237	s35	□ Within One Year	□ 21+ Sites
Racal-Vadic Fax: 408-432-0919	10	Product Advertised:	
Feletutor Fax: 603-431-0776	52		
JniForum Fax: 312-299-1349	52	Intended Application:	
Vitalink Fax: 415-797-8935	5		

New options muddle net

continued from page 1

"The process of optimizing a network for cost has become mind-numbing," said Glenn Miller, telecommunications strategic planning manager for the Upjohn Co., a pharmaceutical conglomerate in Kalamazoo, Mich. "It requires a tremendous amount of time and skill."

Nonetheless, users press on. Upjohn has optimized its voice network for cost four times in the past eight years, reducing its cost per minute from more than 30 cents in 1982 to less than 13 cents today.

Upjohn moved from a privateline network to a tandem "hubbed" network and later to WATS. The company then upgraded to AT&T's Megacom service and has now settled with an AT&T Software-Defined Network (SDN), which serves about two dozen sites and may be expanded to include 300 more, Miller said.

The increasing complexity of network optimization forced Upjohn to add to its in-house engineering expertise. The company hired network engineers away from AT&T and GTE Corp., where they had sculpted networks for large users, Miller said.

"These people know from experience what the network design criteria are, what alternatives are available and which options need to be considered when optimizing networks for cost," Miller said.

The brainpower helped when

Upjohn began shopping for network design and optimization tools. "We looked at many software progams that we could lease, access or buy, and became concerned about the expense of acquiring and maintaining a system of our own," Miller recalled.

Upjohn decided instead to combine its in-house expertise with that of a major consultancy specializing in network optimization. Together, they decided the pharmaceutical company should migrate from its Megacom service to SDN, Miller said.

Perhaps the most controversial method of optimization is turning the problem over to a carrier under customer-specific contracts based on off-tariff pricing.

While these deals can provide big savings, there are strings attached. Customers must sign long-term contracts and are, in many ways, constricted by the commitment required to make the pacts work.

Still, users that have taken this approach are convinced of its merits. The Prudential Insurance Co. of America has slashed its costs by securing off-tariff contracts for the bulk of its traffic and playing carriers against one another to get the lowest prices for the remaining traffic. The Prudential had cut its branch offices' average cost per call minute to under 20 cents by conducting continual traffic studies and putting available business up for bid.

The insurance and financial services company had two staff members who used a personal

computer-based network design software program to compile more than 200 traffic reports a year, said Neil McAuliffe, senior vice-president for The Prudential. The company does overall traffic studies and studies for newly acquired sites and locations to be expanded.

"We couldn't go any lower without bidding the business on a firmwide network basis," McAuliffe said. So the company ended up doing just that.

Early last year, The Prudential issued a request for proposal for its 250 million minutes of voice and data traffic and provided each of the top carriers with a corporationwide study that broke down traffic by WATS band.

After evaluating an AT&T Tariff 12 proposal and bids from MCI Communications Corp. and US Sprint Communications Co., The Prudential signed a five-year, \$200 million Tariff 12 deal with AT&T that brought the average cost per minute down below 13 cents, McAuliffe said.

Under the custom network agreement, AT&T will build, run and maintain a 1,700-site corporate network consisting of a mix of switched and dedicated services. As part of the deal, the company agreed to run a minimum of 75% of its traffic over the net.

"We are locked into Tariff 12, to an extent, but we have [clauses] written into the contract to protect us, and we are free to do what we choose with the other 25% of our traffic," McAuliffe explained. 2

Peregrine tool gets NetView link

continued from page 6

the product will enable them to be more proactive in responding to network problems because help desk personnel will find out about those problems directly from Net-View. That gives the network management team a chance to fix a problem before it affects users.

According to Dennis O'Dell, a programmer at First Interstate Bank of Oregon in Portland, Ore., more than 90% of all trouble tickets for the company's network are currently opened after end users call the help desk.

He said the bank is testing the PNMS3/Netview Interface on an IBM 3090/400S mainframe supporting 7,000 devices at corporate offices and 500 branches.

With the interface, users can define the NetView alerts that should automatically open a trouble ticket without intervention from the help desk operator, O'Dell said. He is now deciding which NetView alerts should trigger that process, but he added that for those tested to date, the system has worked as promised.

"It's been 100% accurate so far" in opening trouble tickets for the proper alerts and transcribing alert data from NetView to PNMS3, which help desk operators don't always do accurately, he said. "It takes the human factor a little bit out of the way."

Terri Cruz, systems support specialist at Merrill Lynch & Co., Inc. in New York, said she expects the interface to help determine where network bottlenecks exist by programming it to open trouble tickets when response time exceeds predefined thresholds.

Cruz plans to install the software this week. She said she expects it will allow the help desk to raise the number of proactive trouble tickets opened from 10% to 40% of the 200 tickets opened each day.

The PNMS3/NetView Interface has two host-based software

components, said Clarke Kawakami, product manager at Peregrine Systems. The first runs within NetView as a Data Service Task (DST), which is the IBM name for the various programs—such as Network Problem Determination Aid—that make up NetView. The NetView component uses a published format for accessing NetView alerts from NetView's External Log Task DST, which means it will be compatible with all future versions of NetView, Kawakami said.

Writing code for that format is a complicated endeavor, but the job was handled by Peregrine's John O'Brien, one of the original architects of NetView.

As the NetView component captures alerts, it writes them to a Virtual Storage Access Method

It's been 100% accurate so far" in opening trouble tickets for the proper alerts.

(VSAM) file on the host where it can be picked up by the second component, which runs as part of PNMS3, he said. The PNMS3 component consists of code that users can tailor to define what alerts should initiate trouble tickets.

By contrast, IBM offers a facility for transferring NetView alert data to its Information Management system, but it requires human intervention to determine which alerts should open trouble tickets, Kawakami said.

The PNMS3/NetView Interface is available now. Its introductory price, which will be in effect until March 31, ranges from \$15,000 to \$62,000, depending on the number of users. After March 31, the price will range from \$18,000 to \$93,000.

Staff reductions a mixed blessing

continued from page 2

the bottom to the senior vicepresident level from five to four," a Bell Atlantic spokesman said.

Bell Atlantic had expected about 1,200 managers to apply for early retirement incentives. However, 2,200 managers responded to the company's offer, and resignations from 1,683 managers were accepted (see graphic, page 1). The spokesman could not estimate how much the company will save with the staff reduction.

Patrick Springer, director of telecommunications industry services at Telecommunications Management Consultants in Needham, Mass., warned that users may be facing some short-term service problems in the wake of staff cutbacks.

"We're looking at the district manager level and below" for most early retirement and outplacement programs, Springer said. "These are the people who provide service support to clients.

"It will take a while to implement the new lines of communication and control, and users will see some loss of efficiency" over the next six months to one year, he said.

Beyond the first year, Spring-

er said, "you'll see a greater receptiveness to customer requirements." Longtime employees who are used to a different market will, in many cases, be replaced by newer employees who are more open to new ideas.

A shorter chain of command should also speed the decisionmaking process and hasten the

see capital from staff cuts being funneled into local network upgrades," Boczar said.

development of new products and services, Springer said.

The money funnel

David Boczar, a telecommunications analyst for New Japan International Securities International in New York, projected that the RBHCs will funnel much of the money they save from staff reductions into their networks.

"I see capital from staff cuts being funneled into network upgrades," Boczar said. The RBHCs have an incentive to invest more heavily in the public net because regulatory changes have allowed them to provide new network services, such as information services, that are expected to spur usage of the public net.

Users say money saved by reducing staff should be passed on to customers in the form of lower rates.

But Brian Moir, Washington, D.C. counsel for the International Communications Association, said he does not believe this is likely to happen.

"We've had [cost] reductions like this in the past, and it has not affected user [rates]," Moir said. "And based on historical precedent, I don't see the Federal Communications Commission acting to ensure that lower costs are being pushed through to ratepayers."

The exodus of telephone company managers could be a boon to users looking for experienced network personnel.

Robert Wilkes, a telecommunications analyst at Brown Brothers Harriman & Co., said, "The cuts could provide some needed knowledge at [user companies] about emerging technologies such as Integrated Services Digital Network."

He said that as users spend more money on services, the need is rising for workers who have inside knowledge of the telephone companies. 22

Telecom*USA to buy Allnet

continued from page 4

"Where we're strong, they're not; and where they're strong, we're not." Kaiser said.

Allnet customers also stand to benefit from Telecom*USA's wider range of services and products, Kaiser said. For example, Telecom*USA offers private-line services, whereas Allnet does not.

Mark Dunkel, a vice-president and analyst at Robinson Humphrey Co., Inc., an Atlanta-based brokerage firm, said he is optimistic about the deal.

"Allnet customers are going to gain access to a whole new array of products, including operator services and nationwide 800 services," Dunkel said. "Telecom*USA customers won't see much of a change right away."

But in the long run, the acquisition will make Telecom*USA

stronger, he said. "Telecom*USA doesn't want to get caught between being a regional carrier and a national carrier," Dunkel said. "They're making a statement that they are a national carrier."

William Oberlin, Allnet's vicepresident of marketing and sales, agreed, but he stressed that both Telecom*USA and its ALC subsidiary will maintain a regional approach within the national carrier framework.

"We must continue to provide a personal customer service approach," Oberlin said. "Whereas the big carriers provide the same service in New York that they provide in Seattle, we take into account different calling patterns in the two cities and adjust our services accordingly." Z2

Kodak turns nets over to IBM, DEC

continued from page 1

The majority of net operations will be turned over to DEC, which will manage Kodak's international voice network and a range of data networks — a large percentage of which are DECnet installations at factory sites.

Neither Kodak nor the vendors would comment on the terms of the agreements. Analysts estimated that both deals are long term and worth millions of dol-

However, they were more certain of the implications. Peter Bernstein, a senior analyst at Probe Research, Inc. in Cedar Knolls, N.J., said that because of Kodak's track record as a network innovator, the deals will encourage other large users to evaluate outsourcing. "Kodak has always been on the leading edge," he said. "The fact that it has taken the plunge into outsourcing is significant.

New voice on horizon

Kodak surprised some observers by assigning control of its telecommunications network to DEC rather than IBM or its primary long-haul carrier, AT&T.

In addition to managing Kodak's DECnet factory networks, DEC will support communications links to the Systems Network Architecture networks, said Dick Pigman, DEC's program director for the Kodak project. Kodak may become one of the first large companies to use DEC's Enterprise Management Architecture offering, but details on that move have yet to be decided, a DEC spokesman said.

The network is not expected to undergo any drastic changes, Pigman said. Kodak is, however, putting its long-distance business up for bid through DEC and could wind up with a different mix of carriers later this year, he said.

As part of the agreement, DEC will offer employment to about 250 Kodak employees and will purchase Kodak assets, such as telecommunications gear, required to support these activities.

Taking care of business

IBM will be responsible for day-to-day operations at Kodak's SNA net control centers here, in Colorado and Canada, as well as Kodak's regional and district lo-

IBM will manage the networks with its NetView mainframebased net control software, according to Harry Beeth, IBM's vice-president of national services who negotiated the Kodak deal.

In all, Kodak has five SNA nets, which it eventually would like to meld into one, Pfendt said.

The SNA networks support about 55,000 Kodak employees - who use personal computers and dumb terminals — within a variety of business segments, including marketing, sales and fin-

IBM will coordinate services for Kodak through its newly formed IBM Systems Services organization (see related story, this page).

As a result of the network and data center outsourcing contracts Kodak has awarded IBM, about 325 Kodak employees are being transferred to IBM - 300 of which are involved in data center management and 25 who will support the SNA network.

While Kodak has jobbed out day-to-day network operations, the company has not surrendered total control, Pfendt said. Kodak has formed a committee consisting of representatives from Kodak, DEC, IBM and Businessland, Inc. that will hash out network strategies, he said. Businessland supports 30,000 Kodak personal computers through an earlier outsourcing agreement.

"This is required to make sure that our information technology fits our business strategies and vice versa," Pfendt said. Kodak will still be making many decisions but will look to its vendors to suggest new services, too. **Z**

New IBM unit provides outsourcing assistance

WHITE PLAINS, N.Y. — IBM last week launched a new organization to offer management and consulting services to users that decide to farm out control of their computer or network operations.

The IBM Systems Services unit will provide a range of customized services from designing and building data centers to optimizing and managing data networks, said Bill Wilson, general manager of the new organi-

In addition, the unit will provide consulting on a number of issues related to outsourcing, including the impact on MIS and personnel.

The new organization is designed to accommodate users that choose to "devote more time to their core businesses," said George Conrades, senior vice-president and general manager of IBM's U.S. Marketing and Services group.

One of Systems Services first major customers is Eastman Kodak Co., for which IBM is building and managing a data center and running a Systems Network Architecture data network.

The Systems Services unit will provide its services by organizing the skills and capabilities within IBM that can be best used to serve outsourcing customers, Wilson said. For example, the organization could arrange for consultation with an employee from IBM's systems integration group, he said.

Also, IBM's internal data processing organization will report to Wilson's group so that IBM can take advantage of the expertise there.

The Systems Services organization will report to IBM's National Service Division.

So far, Systems Services has responsibility for five contracts, including two from Kodak. Other customers include Hibernia National Bank in New Orleans, First Tennessee National Corp. and Bank South.

IBM has also been approached by other customers evaluating outsourcing, an IBM spokesman said.

— Bob Brown

FDDI at the final frontier

continued from page 1

search Triangle Park, N.C., declined to specify a ship date for commercial FDDI products.

He did say, however, that "IBM doesn't see any problems delivering [FDDI components] for the commercial market."

"We intend to have a complete product suite, including FDDI adapters, bridges, internetworking routers and gateways, as well as Station Management Software" for network management,

"We also intend to supply these products in a competitive time frame," he added.

IBM's participation in the commercial FDDI market could spur user demand considerably, analysts said.

Since FDDI connection costs are still high — about \$15,000 to \$20,000 per node — few users are buying FDDI products, noted Brad Baldwin, LAN analyst at Dataquest, Inc., a San Jose, Calif., market research firm.

"But if IBM, with its massive manufacturing capabilities, enters the market, then it's a whole new ballgame," he said. "FDDI prices could drop drastically, and we could see shipments take off within the next year to 18 months.

Thus far, NASA has encountered no performance glitches in IBM's FDDI components, according to Larry Abbott, the space station system development manager. "There were no red flags, and we were definitely looking for them," Abbott said.

The final frontier

"We've already completed the preliminary design review for the IBM FDDI hardware, and it looks very good," Lockheed's Ryland added. "We expect to achieve near program requirements on the first try. The software design review, including an OSI-based network operating system, is set to begin next month," he said.

The Space Station Freedom will be launched in 1995; it is expected to be fully manned by four to 10 astronauts a year later. Freedom's 30-year mission is to support microgravity and lowgravity experiments and to gather information about long-term human habitation in space.

IBM will supply NASA with all the FDDI network components, including bridges, gateways, fiber-optic cable, special hybrid Personal System/2 Model 80 machines, FDDI network interface adapters and ring concentrators, according to Ryland and Abbott.

The FDDI backbone will connect about a dozen IBM Personal System/2s.

These machines will be used by the astronauts, who will each do 90-day tours of duty. The processors can also operate autonomously, Ryland said.

The processors will run all the specialized applications needed for the control, maintenance and management of the space station. applications require FDDI's 100M bit/sec bandwidth.

Applications include Communications and Tracking, Operations Management, Guidance, Navigation and Control, Thermal Testing, and Environmental Control Life Support Systems.

IBM has begun preliminary discussions with Lynx Real-Time Systems, Inc. to use its LynxOS, a real-time OSI-based, Unix-compatible operating system, said Ken Rehm, IBM's senior engineer for space systems applications.

The network operating system has not yet been determined. So far though, IBM is using Touch Communications, Inc.'s Touch/

OSI as the network operating system in its prototype processors.

The Personal System/2s will be linked to two on-board customized IBM multipurpose application computers.

"The Communications and Tracking processor, for instance, will perform all communications necessary for the downlink to earth and will track the position and movements of the space station, while the Environmental Control Life Support System processor will keep the air and water flowing to maintain life support systems for the astronauts," Ryland explained.

Space station links

All of the specialized applications, commands and files will be downloaded and uploaded via satellite links on-board the Space Station Freedom to the Space Station Control Center at Johnson Space Center here.

Completion of the space station will be an international mission, Ryland said. About 70% of the funding will come from the U.S. The remaining 30% will come from Japan's National Administration Space Development Agency, the European Space Agency and Canada's Space Agency.

In addition to its onboard gravity experiments, the space station will also serve as the support base for President Bush's new space programs such as the planned permanently manned moon base and manned missions to Mars. Z

AT&T slams MCI with ethics suit

continued from page 5

each week to its network from AT&T.

Last week, it was unclear how badly AT&T's lawsuit might damage MCI's reputation.

MCI and other long-distance providers have struggled since divestiture to establish themselves as legitimate, professional companies, said Joaquin Gonzalez, vice-president of global networking strategies at the META Group, a consulting firm in Westport, Conn. If AT&T is successful in its suit against MCI and makes the carrier look like a cheap operator, "it will be poison for MCI," he said.

"Absolutely nothing will kill [a large corporation] faster than a reputation for doing things in a sleazy or illegal way," Gonzalez said.

The biggest impact will likely be among users that don't have any personal experience with MCI, Gonzalez said. "If you haven't been contacted by an MCI account executive or your relationship with MCI has been dormant, and you're thinking about starting a network redesign or considering other vendors, that might knock MCI out," he said.

However, the bottom line shaping customer perception will probably be the MCI employees with whom users have had contact rather than any news of a squabble between the rival carriers, Gonzalez said.

Brian Moir, counsel for the International Communications Association, said he doubts that the lawsuit will make users hesitant about working with MCI.

"There's going to have to be evidence of a lot more going on particularly practices that impact the business user community — before it [makes users wary],'

James Blaszak, counsel for the Ad Hoc Telecommunications Users Group, also expressed skepticism that the lawsuit would have an affect on large users. "I suspect it's going to be hard to persuade [large users] that something this blatant has actually happened, and I suspect they're going to keep an open mind."

NETWORK WORLD • JANUARY 15, 1990


3Com behind Microsoft/IBM

continued from page 2

and core services, would boost third-party software developers' confidence that they could write a single version of an application to work with LAN Manager implementations, said Eric Benhamou, 3Com's new executive vice-president of product operations.

"We want to help Microsoft do with LAN Manager what it did with DOS, which is develop a binary standard that is completely accepted by the industry," he said.

3Com hopes other LAN Manager OEMs will join the effort, Benhamou said.




Eric Benhamou

A Microsoft spokesman said his firm welcomes 3Com's support. "We've had a solid relationship with 3Com since we began working on LAN Manager," he said. "But it's important for them to reaffirm this publicly so that software developers will write applications for LAN Manager."

Living up to expectations

The initial version of 3Com's LAN Manager offering, dubbed 3+Open, did not live up to 3Com's sales expectations. One reason was that few application developers delivered products for use with 3 + Open, thus providing little incentive for users to buy it, Benhamou said. But 3Com's



Les Denend

3+Open Version 1.1 is selling much better.

"We expect this move to result in one less inhibitor to the growth of the market," he said. "Whenever you have clear standards, [application program interfaces] and convergence of multiple vendors, it's a more conducive environment for application development. It reduces the risk ultimately to the users."

Carla Marcinowski, a senior marketing manager at Lotus Development Corp. in Cambridge, Mass., agreed.

"If we can cut down on development and quality testing because there is a single version of LAN Manager, we should be able to bring products to the market faster," Marcinowski said. Lotus' 1-2-3 Release 3 server and node editions work with both IBM's LAN Server and 3Com's 3 + Open products.

New lineup

3Com also announced the reduction of its executive board from 11 members to four. The new committee includes William Krause, 3Com's chairman and chief executive officer, as well as Benhamou, Robert Finocchio Jr. and Les Denend, who were all named executive vice-presidents.



Robert Finocchio Jr.

In his role as executive vicepresident of product operations, Benhamou becomes responsible for all 3Com product development, product marketing and manufacturing.

Finocchio was named executive vice-president of field operations. In this position, he has responsibility for 3Com's worldwide marketing, sales and services.

3Com appointed Denend its executive vice-president of corporate operations. He is responsible for 3Com's in-house functions.

AT&T hopes to sell SCS to state governments, which would coordinate the state agencies and universities interested in joining the network, said Carol Passavant, district manager for industry marketing at AT&T.

AT&T files

continued from page 5

level of prior usage.

Fees waived

custom plan

commit to long-term contracts or

assure AT&T that they will gener-

ate high volumes of traffic. AT&T

will waive a \$30,000 SDN service

establishment charge for custom-

ers that can show that their usage

for the previous year exceeded

150,000 minutes per month. The

carrier will also waive a \$545 fee

for Megacom orders for the same

AT&T will also waive initial

dedicated access local channel in-

stallation charges, special access

line grouping charges and private

network interface charges for

customers that commit to at least

a one-year contract. Contracts

can be written for up to five years,

during which time AT&T guaran-

tees that rates won't increase.

The plan originally filed for Michigan is similar to the SCS offer, but Passavant said she doesn't think users will have any trouble figuring out which service to choose. AT&T originally expected to offer the Michigan deal only in the one state and, therefore, the network was optimized for those users.

"The Michigan service is only generally available because the FCC insisted on it," Passavant said. "We didn't agree with the need to [make it available to oth-

he Michigan service is only generally available because the FCC insisted on it."

er states, but we went ahead and did it for the benefit of the cus-

"But we believe that for states in general, the State Calling Service will be a better service," Passavant said.

Even though the per-minute prices for on-net calls are slightly less expensive in the Michigan offer than in SCS, Passavant said the typical state user's traffic pattern would yield a larger discount under SCS

Also SCS has several features not found in the Michigan plan integrated discounts on intrastate calls, slightly bigger discounts on international calls, a feature that allows users to be charged on-net rates for 0 + calls made from off-net phones, and the addition of discounted Megacom service. Z

Superservers a threat

continued from page 2

to have to get into that business, but the question is, how do they do it without shooting themselves in the foot?" said Bruce Lupatkin, a senior technology analyst at Hambrecht & Quist, Inc., a San Francisco-based brokerage firm.

In recent months, Compaq Computer Corp, as well as startups Auspex Systems, Inc. and Net-Frame Systems, Inc., have unveiled superservers. Industry analysts said these offerings will fill a void in the local-area network server market left open by personal computers, minicomputers and mainframes.

The average number of workstations supported by servers today is 15, but that number is expected to grow to 40 by 1990, said Nina Burns, vice-president at Infonetics, Inc., a Santa Clara, Calif.-based market research and network equipment testing firm. This trend, coupled with the move to next-generation LAN operating systems such as NetWare 386 and OS/2 LAN Manager, makes clear the need for superservers, she said.

"Users will purchase new operating systems to create larger networks, and they need more powerful servers to make these systems complete," Burns said in a recent report on servers.

Users are seeking a cost-effective server that is powerful enough to handle increased traffic on their LANs, said Hilly Fuchs, director of information systems development at Continental Grain Co. in New York. Continen-

tal Grain is currently evaluating whether to install Compaq's SystemPro superserver offering.

"With the growing need for speed and power on LANs," he said, "it's almost as if you've got to stretch to find a reason to reject using a superserver."

Sticking with tradition

Computer vendors insist their existing offerings already provide the benefits promised by superservers. Where existing products fall short, they say they merely need to make alterations, not start from scratch with newly architected products.

"In my opinion, it's not a new market," said Joan Ross, manager of server marketing for DEC's Entry Systems Business.

She said DEC offers a range of servers, as well as microcomputers and minicomputers that can be used as servers, to support users' rapidly expanding LANs. DEC also offers a wider selection of application software and has a larger, more experienced support team than any of the so-called superserver vendors, she said.

Still, given the stir created by the recent superserver announcements, Ross conceded that DEC might need to do a better job of positioning itself as a supplier of competitively priced servers.

Last fall, IBM gave a glimpse of how it may satisfy user demand for more powerful network servers at a demonstration at the Comdex/Fall '89 show in Las Vegas. The company showed off a dressed-up version of its Intel Corp. 80386-based Personal System/2 Model 80 microcomputer running as a superserver ("Vendors wage PC bus war on LAN superserver front," NW, Nov. 20, 1989).

demonstration that doesn't mean IBM plans to position its Personal System/2 as a superserver, said Warren Peake, senior product administrator for LAN marketing at the computer maker's Atlanta office. He described the Personal System/2 as a possible platform.

"If our customers demand high-performance servers, we will participate in that market," Peake said. "But the marketplace is just beginning to unfold.'

"IBM is hardly ever the first to get into a market," said Gary Kwok, vice-president for sales and marketing at LanQuest Group, a San Jose, Calif.-based systems integration and product testing firm. "They usually see what the market trend is, then put all the horses in there.

Richard Villars, an analyst at International Data Corp., a Framingham, Mass.-based market research firm, said IBM, as well as other traditional computer makers, will not change their product lines drastically to compete.

"They'll respond with repackaged versions of their current products," he said.

While most analysts agreed with Villars, they said users probably won't be satisfied with reconfigured products.

"Souping up existing computers makes users skeptical," said John Cellini, principal with JVC Technologies, Inc., a Wayne, Pa.based systems integrator. "They see superservers designed from the ground up to be more reliable than souped-up products. To be successful in this market, you have to offer a whole different engineering technology."

In addition, traditional vendors would have difficulty entering the superserver market in a timely fashion because they are restricted by their proprietary architectures and product development operations, Cellini said.

"Small companies [such as NetFrame and Auspex] are more able to change as the market changes," he said.

"I don't believe IBM, DEC and other traditional manufacturers are going to switch [to superservers]," he added. "They're going to ride this out and lose a big share of that market."

Some observers said IBM and others may be hesitant to join the superserver fray for fear of cannibalizing sales of their minicomputers. These vendors would rather sell general-purpose minicomputers, which have better profit margins, than offer a superserver that sells for much less.

"It's just a question of whether IBM is going to take [away Application System/400 sales from itself] or give the sales to some-body else," Burns said.

By the time computer vendors figure out whether they want to enter the superserver market with new offerings or remarket their existing products, the early superserver vendors will have grabbed a market lead, said Jeff Hudson, vice-president of sales and service at NetFrame.

"By the time they enter the market, we will have gained a competitive edge and we'll be introducing improved server products," Hudson said. Z

Farming out nets triggers issues

continued from page 4

Employees would be compensated according to their job classification and how long they had been at the company, according to Gary Biddle, vice-president of information and systems technology at American Standard.

The compensation ranged from two months' to a year's pay and was contingent upon the employees staying until the last day of operation.

Because of these steps, Ameri-

You have to give people a good financial incentive to stay,"

Biddle said.

can Standard lost only two people in the 16 weeks it took to farm out the operations.

"You have to give people a good financial incentive to stay," Biddle said. "What works is nothing else but dollars."

Henry Pfendt, director of Information Technology Services at Eastman Kodak Co., said it's important to be honest with employees from the start and reassure them that a decision to farm

out networking functions is not a reflection of poor work on their

Kodak is in the process of transferring more than 600 employees to MCI, IBM and Digital Equipment Corp. in the wake of three separate agreements to job out management control of its data center and communications facilities (see "Kodak turns nets over to IBM and DEC," page 1).

While employees were initially shocked and unhappy about the decision, few have left and almost all have agreed to accept positions in the vendor companies, Pfendt said.

"We told our people they had done an outstanding job and that our decision wouldn't hurt them financially or professionally," Pfendt said. "We said the company simply didn't want to be in the business [of running networks or data centers] and asked for their cooperation."

To ensure a smooth transition, Kodak put managers through intensive three-day training programs on negotiating partnership agreements.

Moreover, many members of the vendor companies also attended the training programs along with the people from Kodak.

"We didn't want adversaries; we wanted allies," Pfendt said. "We found that getting people to bump shoulders fostered mutual trust and teamwork. All of a sudden, Kodak, DEC and IBM blurred into one."

HP rolls out RISC servers, software

continued from page 1

Off-loading these tasks to the microcomputer preserves processing cycles on the server and enables the server to support more users, he said.

Server lineup

The new server line consists of 10 HP 3000 minicomputers that run HP's MPE/XL operating system and one HP 9000 that runs HP-UX, HP's version of Unix.

Each of the new HP 3000 servers comes bundled with an Ethernet adapter board, as well as HP's NewWave System Services, Networking Services and its new VPLUS/Windows Server software.

Networking Services includes OfficeShare server software, which is an MS-Net-based LAN opHewlett-Packard Co.'s new line of HP 3000 minlcomputers come configured as servers with NewWave System Services, Networking Services and VPLUS/Windows Server software.

HP also released VPLUS/Windows for client workstations, which off-loads screen management and forms generation tasks from the server and enables users to customize screen appearances for HP 3000-based applications.

LAN Manager.

Networking Services also supports HP's microcomputer-based NetWare gateway software, which enables microcomputers resident files and peripherals.

The HP 9000-based server is bundled with HP's Network File System Services, HP's ARPA Services and X/Windows software packages, plus an Ethernet adapter board.

The software links the HP 9000 to Transmission Control Protocol/Internet Protocol nets.

HP said it is hoping the VPLUS/Windows software will set its servers apart from the competition.

The new package builds on HP's existing VPLUS software, which runs on HP 3000s and enables software developers to build a consistent user interface for multiple HP 3000-based applications.

VPLUS/Windows will enable users to move those functions off HP 3000 servers to microcomputers by simply recompiling their existing HP 3000-based applications.

This will give microcomputer users more functionality than a simple terminal emulator when accessing HP 3000-based applications and data. "While it's orders of magnitude beyond a terminal emulator, functionally, that is what VPLUS/Windows is doing," Cameron said.

IBM offers a product that is similar to VPLUS/Windows called Easel for Operating System/2 Extended Edition. Running on OS/2-based microcomputers, the product accepts IBM 3270 data screens downloaded from an IBM host to an OS/2-based microcomputer emulating an IBM 3270 terminal

Those screens are then displayed by Microsoft's Presentation Manager. Like Easel, with VPLUS/Windows, the HP server is only transferring data over the LAN to the microcomputer, which creates a screen, plugs data into the appropriate fields and displays the results in windows on the microcomputer monitor.

The HP 3000 server line ranges in price from \$35,000 to \$485,000, depending on configuration. The HP 9000 server costs \$84,500.

Purchased stand-alone, the VPLUS/Windows server software ranges from \$1,000 to \$9,800; VPLUS/Windows client software costs \$150.

P said it hopes the VPLUS/Windows software will set its servers apart from the competition.

erating system that supports microcomputers running Office-Share client software. HP plans to release this spring a version of Networking Services that supports its version of 3Com Corp.'s 3 + Open and Microsoft Corp.'s

on a Novell, Inc. NetWare LAN to access HP 3000-based servers.

NewWave System Services enables LAN-attached microcomputers to use an electronic mail package running on an HP 3000-based server to access HP 3000-

BOSTON

Donna Pomponl, District Manager 161 Worcester Road Framingham, Mass. 01701 (508) 875-6400

NEW YORK

(201) 587-0090

Paul BonIngton, District Manager 365 W. Passaic St. Rochelle Park, N.J. 07662

NEW JERSEY/PHILADELPHIA

Joan Daly, Eastern Regional Manager 365 W. Passaic St. Rochelle Park, N.J. 07662 (201) 587-0090

Network World Advertising Sales Offices

CHICAGO

Don F. Mahlmeister, Mldwest Regional Manager 10400 West Higgins Rd., Suite 300

Rosemont, Ill. 60018 (708) 297-8855

SAN FRANCISCO

Chris Clyne, Western Regional Manager Sandra Kuplec, District Manager 2083 Landings Drive

Mountain View, Calif. 94043 (415) 691-0510

ATLANTA

Bill Perry, District Manager 1400 Lake Hearn Dr., Suite 330 Atlanta, Ga. 30319 (404) 394-7509

RECRUITMENT ADVERTISING

Barbara HIII 161 Worcester Road Framingham, Mass. 01701 (508) 875-6400 LOS ANGELES

Dana McCarron, District Manager 18008 Sky Park Cir., Suite 145

Irvine, Calif. 92714 (714) 250-3006

PRODUCT CLASSIFIED ADVERTISING

Joan Bayon Pinsky, Sales Director/ Product Classified 161 Worcester Road

Framingham, Mass. 01701 (508) 875-6400

Susan Egan, Account Executive/ Pacific & Mountain 18008 Sky Park Cir., Suite 145 Irvine, Calif. 92714

(714) 250-3006 LIST RENTAL SALES

Kevin Normandeau List Rental Sales Coordinator P.O. Box 9151

Framingham, Mass. 01701-9151 (508) 875-6400

Network World Publishing/Inc.

An IDG Communications Company

Paul McPherson/Director of Advertising Sales

Gary J. Beach/President Paul McPherson/Director
Network World Publishing Headquarters: 161 Worcester Road, Framingham, Mass. 01701, Phone: (508) 875-6400, Telex: 95-1153, FAX: (508) 820-3467

Evilee Lasker Marketing Manager Pam Valentinas
Manager/Marketing & Sales Operations

Karen Wallace **National Account Supervisor**

Classified Account Coordinator

Richard Priante
Circulation Director

Renee Visconti
Fulfillment Supervlsor

Leigh Hometh

Jim Pernock

Customer Service Representative

Ann Finn

Robert W. Wescott

Distribution Manager

Patrick J. McGovern

Board Chalrman

Vice President of Manufacturing IDG Communications/Inc.


Axel Leblois
Chief Executive Officer

William R. Murphy Vice-President Finance

Production Manager

Network World is a publication of IDG Communications, the world's largest publisher of computer-related information. 1DG Communications publishes over 90 computer publications in 33 countries. Fourteen million people read one or more IDG Communications publications each month. 1DG Communications publications contribute to the 1DG News Service offering the latest on domestic and international computer news. IDG Communications world, Australian PC World, Australian Macworld, AUSTRIA'S Computerworld Australia, Communications World, Computerworld Hong Kong, Computerworld SouthEast Asia, PC Review; AUSTRIA'S Computerworld Australia, Communications World, Australian PC World, Australian Macworld, AUSTRIA'S Computerworld Desterretch; BRAZIL'S DataNews, PC Mundo, Micro Mundo; CANADA'S Computer Data, CHILE'S Informatica, Computacion Personal; DENMARK'S Computerworld Danmark, PC World Danmark CAD/CAM World, FINALAND'S Mikro Tietovitkko, FRANCE'S Le Monde Informatique, Distributique, InfoPC, Telecoms International, GREECE'S Computer Age, HUNGARY'S Computerworld Agg; INDIA'S Dataquest, PC World India; ISRAEUS People & Computers Weekly, SBM Montbly; ITALY'S Computerworld India; JAPAN'S Computerworld Japan, Semicon News; MEXICO'S Computerworld Mexico, PC Journal; THE NETHERLANDS' Computerworld Norge; PEOPLE'S REPUBLIC OF CHINA'S China Computerworld, China Computerworld Montbly, SAUDI ARABIA'S Arabian Computer News; SOUTH KOREA'S Computerworld Korea, PC World Korea, SPAIN'S CIMWORLD, Computerworld Espana, Commodore World, PC World Espana, Communicaciones World; SWEDEN'S Computer News, ICL Today, LOTUS, PC Business World; ENTITERIAND'S Computerworld Schwetz; UNITED KINGDOM'S Computer News, ICL Today, LOTUS, PC Business World; UNITED KINGDOM'S Computer News, CIO Computer World, Digital News, Federal Computer Week, 80 Micro, FOCUS Publications, Incider, Infoworld, Macvintosh Today, Macworld, Computer + Software News (Micro Marketworld/Lebbar-Friedman), Network World, PC Letter, PC World, Portable Computer Review, Publish!, PC Re

FIREPROS



Your investment in the IBM Cabling System will pay dividends far into the future.

In 1985, the IBM Cabling System supported terminal to mainframe centralized processing. In 1989, the same system allows easy migration to LANs, especially Token Ring. In the future, the IBM Cabling System will continue to be the best choice for high speed Token Ring and provide easy migration to FDDI.

Anixter has your wiring system solution ready for immediate delivery, whether your project calls for wiring the AS400, 3X70, or Token Ring. Call us today and invest in the future. We believe your building wiring system is an important asset to your company.

Anixter is an authorized distributor of the IBM Cabling System



CORPORATE HEADQUARTERS: ANIXTER BROS., INC., 4711 Golf Road, Skokie, IL 60076 (708) 677-2600 — Telex 289464